
-Micro System

PC-compatible system achieves low cost via modularity

4655 SO W

> State of the Market Report: What's hot and what will be Front-end processor/J11 chip combo boosts PDP-11 performance Al, personal computers, standards set the tone for this year's NCC



Motorola's 68000 is a winner, and using this popular microprocessor in a VERSAbus/VERSAboard configuration is a smart move. Dataram's single-board 1.0 MB DR-680 can make it even smarter. Increased single-board memory capacity means lower power, less space, higher reliability, and lower cost...and the DR-680 provides a lot more!

More speed: Ability to perform match cycles reduces access/cycle times by allowing immediate reading of data registers when adjacent words/bytes are accessed.

Advanced error handling: The DR-680 provides an on-board control and status register (CSR) which allows program control of ECC functions and contains the diagnostic information required for error analysis. The CSR can be read or written via the VERSAbus. Additionally, the DR-680 greatly increases reliability by performing error "sniffing" and error "scrubbing" during refresh operations.

Compatibility: Dataram's DR-680 is compatible with Motorola's EXORmacs, IBM System 9000, and all other VERSAbus-based systems.

EXORmacs, VERSAboard and VERSAbus are registered trademarks of Motorola, Inc.

For more information, call Dataram today at (609) 799-0071.



Dataram Corporation ☐ Princeton Road ☐ Cranbury, NJ 08512 ☐ (609) 799-0071 ☐ TWX: 510-685-2542

World's largest local distributor with 48 locations stocking the finest lines of electronic components and computer products

ALABAMA (205) 837-7210

ARIZONA (602) 231-5100

(602) 231-5100
CALIFORNIA
L.A. (213) 558-2345
S.F.V. (818) 700-2600
O.C. (714) 754-6111
n, L.A. (213) 558-2121
n, S.F.V. (213) 558-2212
n, O.C. (714) 641-4100
elento (916) 925-2216
(619) 571-7510
incisco (408) 743-3355 Avnet, L.A.
Avnet, S.F.V.
Avnet, O.C.
Hamilton, L.A.
Hamilton, S.F.V.
Hamilton, O.C. Sacramento San Diego San Francisco

COLORADO (303) 779-9998 Denver CONNECTICUT

Danbury (203) 797-2800 FLORIDA

St. Petersburg (813) 576-3930 (305) 971-2900 (305) 628-3888 (305) 725-2700 Miami Orlando Melbourne

GEORGIA (404) 447-7507 Atlanta ILLINOIS (312) 860-7700 Chicago

INDIANA lis (317) 844-9333 Indianapolis

KANSAS
Kansas City (913) 888-8900
Wichita (800) 532-6702 KENTUCKY ouisville (800)

(800) 428-6012 (800) 543-4783 Lexington MARYLAND (301) 995-3500 Baltimore

MASSACHUSETTS ton (617) 273-7500

MICHIGAN (313) 522-4700 apids (616) 243-8805 Grand Rapids MINNESOTA polis (612) 932-0600 Minneapolis

MISSOURI (314) 344-1200 St. Louis **NEBRASKA**

Lincoln Omaha (800) 255-6702 (800) 255-6702

NEW JERSEY d (201) 575-3390 Hill (609) 424-0100 Fairfield Cherry Hill NEW MEXICO

(505) 765-1500 Albuquerque **NEW YORK** Long Island Syracuse Rochester

(516) 454-6060 (315) 437-2641 (716) 475-9130 NORTH CAROLINA eigh (919) 878-0810 Raleigh

OHIO Cleveland (216) 831-3500 (513) 433-0610

OREGON Portland (503) 635-8831

PENNSYLVANIA
Philadelphia (215) 831-1300
Pittsburgh (800) 321-6890

SOUTH CAROLINA umbia (800) 334-1597

TEXAS (214) 659-4111 (713) 780-1771 (512) 837-8911 Houston Austin UTAH ity (801) 972-2800

Salt Lake City WASHINGTON Seattle (206) 453-5844

WEST VIRGINIA eston (800) 543-4783 egton (800) 543-4783 Charleston Huntington

WISCONSIN (ee (414) 784-4510 Milwaukee

INTERNATIONAL EXPORT
Los Angeles (213) 558-2441
New York (516) 420-9640
Telex 66-4329 Toronto

CANADA (416) 677-7432 (514) 331-6443 (613) 226-1700 (403) 230-3586 (604) 224-0619 Montreal Ottawa Calgary Vancouver JAPAN (03) 662-9911



JOIN US IN SUPPORT OF THE 1984 U.S. OLYMPIC TEAM.

ONE SYSTEM THAT





MOTOROLA from HAMILTON/AVNET

Motorola's VME/10* development system strikes fear in the heart of program bugs. Because bugs can't hide from its versatile range of editing, program development and system debugging capabilities. And it starts at less than \$10,000.

M68000, VMEbus, VERSADOS*. Its versatility stems from the combination of the most advanced MPU in the M68000 family; extensive memory with a powerful Memory Management Unit, plus VMEmodule* expansion options; your choice of mass storage capacities, expandable along with other I/O options through a separate I/O channel; the modular VERSAdos'



operating system; and soon, System V/68*, the standard UNIX*-derived operating system for the M68000 Family.

HARDWARE DEVELOPMENT SUPPORT. Use the VME/10 alone as its own target, or use it with Motorola's Hardware Development Stations and bus state analyzer for your own target systems based on M68000 or M6804/5 families.

CALL HAMILTON/AVNET'S SPECIALISTS. Our Computer Product Specialists will help you select the right VME/10 options for your needs, to increase your engineering productivity and provide you with the best price/performance ratio.



A commitment to stock and serve your local market!


*VME/10, VMEmodule, VERSAdos, and System V/68 are trademarks of Motorola tr UNIX is a trademark of Bell Laboratories

CIRCLE NO. 4 ON INQUIRY CARD

Mini-Micro Systems



p. 31 ... Art direction and design by Busch and Associates Advertising and Public Relations. Courtesy of Personal Computers Products Inc.



p. 74 Doing double duty



p. 135 Mere child's play

MINI-MICRO WORLD

- 31 PC-compatible boards and boxes form low-cost modular systems
- 33 Undaunted by IBM, Phoenix will announce a PC-compatible ROM BIOS
- 34 Industry braces for impact of AT&T computers
- 36 NEC offers an alternative PC-compatible microcomputer
- 44 Winchester interface controversy heats up
- 52 DEC announces its most powerful VAX
- 58 Heard on the Hill: FCC advocates pro-U.S. ISDN communications policies
- 63 Sperry's PCs provide micro-to-mainframe link
- 66 Pick enhances OS flexibility with 'open architecture'
- 68 Quarter-inch streamer group eyes standards
- 74 Capitol Records division plays the flip side of diskettes

Corporate and Financial

85 DEC pushes AI with new marketing group

International

- 89 Taiwan companies march into U.S., Europe seeks sellers for PC clones
- 98 DOCdata plans to make 16,000M-byte optical-tape cassette
- 101 31/2-inch floppies dominate Hannover trade fair
- 104 Overhead Overseas: Multiuser micro builders could beat IBM to the punch

INTERPRETER

- 107 Dual-personality IBM 3270-PC bridges micros and mainframes
- 125 Alternative operating systems fight trend toward standards

INTEGRATOR

135 Making Wargames computers compute required innovative programming

FEATURES

151 Feature Highlights

State of the Market Report


- 153 Distribution channels: Micros trigger rapid growth
- 167 Personal computers: It's still fast times for a hot industry
- 177 Software: Integrated software moves up fast
- 191 Software: UNIX establishes a growth pattern
- 203 Disk drives: Winchester market expands unabated
- 210 A geneology of the disk drive market
- 214 Multiuser systems: Value-adders will play key role
- 219 Terminals: Competition forces cost-cutting efforts
- 225 Business graphics: A picture's worth a thousand bytes
- 231 Computer supplies: Mailmen supply computer boom
- 237 Disk subsystem makers lure OEMs with integrated backup, higher performance...OEMs look to subsystem manufacturers for ready-to-run, value-added disk drives
 - 243 Disk drive subsystem table
 - 265 Disk drive subsystem directory of manufacturers

268 NCC Preview


- 269 Front-end processor board from MDB Systems is among new products slated for introduction
- 282 Seminars and instructional conferences will explore Al systems and standards for graphics packages, LANs and micros

DEPARTMENTS


- 4 Editorial Staff
- 9 Editorial
- 15 Breakpoints
- 289 New Products
- 306 Career Opportunities
- 313 Classified Advertising
- 314 Mini-Micro Marketplace
- 316 Calendar
- 318 Index to Advertisers




p. 219 Fighting high-end competition



p. 203..... Winchesters still surging



p. 237 Remarketers are key



MINI-MICRO SYSTEMS (ISSN 0364-9342) is published monthly (with additional issues in spring, summer and fall) by Cahners Publishing Company, Division of Reed Holdings, Inc., 221 Columbus Avenue, Boston, MA 02116. Norman L. Cahners, Chairman; Saul Goldweitz, President; Ronald G. Segel, Financial Vice President and Treasurer. MINI-MICRO SYSTEMS is published by the Cahners Magazine Division: J. A. Sheehan, President; William Platt, Executive Vice President. Circulation records are maintained at Cahners Publishing Co., 270 St. Paul St., Denver, CO 80206. Second class postage paid at Denver, CO 80204 and additional mailing offices. Postmaster: Send address changes to MINI-MICRO SYSTEMS, 270 St. Paul St., Denver, CO 80206. MINI-MICRO SYSTEMS is circulated without charge by name and title to U.S. and Western Europe based corporate and technical management, systems engineers, and other personnel who meet qualification procedures. Available to others at the rate of \$55,00 per year in the U.S.; \$60.00 in Canada and Mexico; \$75.00 surface mail in all other countries; \$120 foreign air mail (15 issues). Single Issues \$4.00 in the U.S.; \$5.00 in Canada and Mexico; \$6.00 in all other countries.

© 1984 by Cahners Publishing Company, Division of Reed Holdings, Inc. All rights reserved.



SONEX kills disk drive hum.

SONEX acoustical foam's absorption coefficient is four times that of conventional materials. Send for the tests, charts, specs, and color examples from 3800 Washington Ave. N., Minneapolis, MN 55412, or call 612/521-3555.

techniques with foams

CIRCLE NO. 5 ON INQUIRY CARD

PC writer.



The more you depend on personal computers for perfect printouts, the more you need our reliable DP-Series printers. Plug in either a 35- or 55-character-per-second daisywheel to your IBM, Apple or other popular micro. Pour out typewriter-quality letters, reports – even spreadsheets on wide computer paper. Call your local distributor. Or contact Dataproducts at (818) 887-3924, 6200 Canoga Avenue, Woodland Hills, CA 91365.

In Europe, 136-138 High Street, Egham, Surrey, TW 20 9HL England.



Dataproducts Daisywheel Printers

STAFF

Vice President/Publisher S. Henry Sacks

> Editor-in-Chief George V. Kotelly

Managing Editor James F. Donohue

Senior Editor: Sarah Glazer Senior Editor: Ron Shinn, Irvine, (714)851-9422 Senior Editor: Paul Sniger Senior Editor: Lori Valigra Senior Projects Editor: Rick Dalrymple

Western Editor: Chris Bailey,
San Jose, (408)296-0868
Western Editor: Carl Warren,
Los Angeles, (213)826-5818
Associate Editor: Tom Moran,
San Jose, (408)296-0868
Associate Editor: David R. Simpson
Associate Editor: Marjorie Stenzler-Centonze,
New York, (516)595-2737
Associate Editor: Jesse Victor
Assistant Editor/News Products: Steven F. Frann
Assistant Editor/Research: Adrienne DeLeonardo

Contributing Editors:

London: Keith Jones, (011-441-661-3040)
Data Communications: Walter A. Levy
Computer Architecture: Efrem Mallach
Office Automation: John Murphy
Frankfurt: Maureen O'Gara
Artificial Intelligence: Steven Roberts
Washington, D.C.: Stephen J. Shaw,
(301)320-2273
Database Systems: Harvey Weiss

Editorial Production

Senior Copy Editor: Frances T. Granville Production Editor: Mary Anne Weeks Copy Editor: Susan A. English Word Processing: Kathleen Appignani Administrative Assistant: Frances C. Michalski

Editorial Services
Eileen Milauskas, Robin Sheehan

Assistant to the Publisher: Linda L. Lovett

Executive Editor: Alan R. Kaplan

Art Staff

Art Director: Vicki Blake Assistant Art Director: Douglas Glen Artist: Anne Tregay

Director of Art Dept.: Lee Addington Associate Director: Norm Graf

Production Staff


VP Production: Wayne Hulitzky Supervisor: William Tomaselli Production Manager: Nancy Norton Composition: Diane Malone

Editorial Offices

Boston: 221 Columbus Ave., Boston, MA 02116. (617)536-7780. Irvine: 2041 Business Center Dr., Suite 109, Irvine, CA 92715. Los Angeles: 12233 W. Olympic Blvd., Los Angeles, CA 90064. San Jose: 3031 Tisch Way, San Jose, CA 95128. New York: 33 Arcadia Dr., Dix Hills, NY 11746. London: Business Press International, Quadrant House, The Quadrant, Sutton Surrey, SM2 5AS, England.

Reprints of Mini-Micro Systems articles are available on a custom printing basis at reasonable prices in quantities of 500 or more. For an exact quote, contact Art Lehmann, Cahners Reprint Service, Cahners Plaza, 1350 E. Touhy Ave., Box 5080, Des Plaines, IL 60018. Phone (312)635-8800.

We've drawn the line on computer price/performance.



Gould has set new superminicomputer performance standards with its CONCEPT/32 maily of 32-bit machines. The cost-effective, wide-ranging capabilities of Gould minicomputers make Gould Computer Systems the dominant source for the compute power you need, at a price you can afford.

The competition just doesn't tow the line in either price or performance. Whatever the requirement. The Gould CONCEPT/32 family offers the widest range of superior performance while

keeping the price in line. Our low-end CONCEPT 32/27 incorporates high density packaging for lower cost. The mid-range 32/67 combines a minimal footprint and cost with superior computational power. For heavy duty scientific and engineering applications, the Gould CONCEPT 32/8780 offers mainframe performance at a fraction of the cost. And if you're worried about where your application falls on the line, don't be. Upward compatibility and software transportability allow you to move up our line as far as you need to go.

Gould has drawn a new price/ performance line. One that shows it takes more than 32-bits to make a supermini. A line the competition can't cross. Call or write for more information.

Gould Inc., Computer Systems Division

High Performance Systems Operation 6901 West Sunrise Boulevard Ft. Lauderdale, Florida 33313 1-800-327-9716

All chart data from published competitive information.

™ CONCEPT/32 is a trademark of Gould Inc.



Youre the of our

We build computers for the way you do business.

Cromemco builds some of the most advanced micro and supermicro computers in the world.

And we sell them to people who design and package total computing solutions.

People who need flexible computers so they can respond quickly with exact

solutions to their customers' problems.

People who want computers they can upgrade and expand without creating new problems for themselves or their customers.

People very much like you.

Computers matched to your customers' applications.

If your customers' needs can be met with a micro or supermicro, Cromemco can

deliver the right one to do the job. Right from the pages of our catalog, you can select from more than two dozen 68000- and Z-80-based computers.

They're all built on the IEEE-696 (S-100) bus.
And they're all compatible.
So you can move from one to another without

losing your software investment.

To fine-tune your system, our computers include up to 21 board slots. And over 35 system boards to fill the slots just about any way you choose. We can back the CPU with as much as 16 Mb of error-correcting RAM. An SMD interface that can support 1200Mb of disk storage. High resolution color graphics. Communications. You name it.

Cromemco

DEDICATED TO SYSTEMS BUILDERS

FOUNDED 1975

cornerstone business.

And you can choose the right storage solution from our selection of high-performance floppy, hard disk and tape systems. For distributed processing applications, you'll want to take a look at our C-10 personal computer. It can serve any of our computer systems as an intelligent workstation.

What does all that mean? Just this. With Cromemco you can offer your customers individually tailored, expandable computing solutions. At off-the-shelf prices.

Immediately.

Software that speaks your customers' language.

Our software tools help you and your customer get down to business quicker, too.

Our UNIX[™]-like operating system can execute both 68000- and Z-80-based programs. And our high-level language support for both microprocessors is superior. From Macro Assemblers. To Fortran 77, PASCAL, C, BASIC and GSA-certified high-level COBOL.

Cromemco means business. Your business.

What it comes down to is this. Since our founding in 1975, you've been the cornerstone of our business. So Cromemco computers are designed specifically for the way you do business.


And whether you provide computing solutions for business, science or industry, you really should be doing business with Cromemco.

For a copy of our Systems Catalog, contact: Cromemco, Inc., 280 Bernardo Ave., P.O. Box 7400, Mountain View, CA 94039, (415) 964-7400, TWX 910-379-6988.


In Europe: Cromemco/GmbH, 6236 Eschborne 1, Frankfurter Str. 33-35, P.O. 5267, Frankfurt Main, Germany or

Cromemco Ltd., The Cambridge House, 178-182 Upper Richmond Rd., Putney, London SW15 England.


Cromemco







Add it all up, and you get today's finest range of Winchester disk drives



You can figure it out for yourself. With storage capacities of between 5 and 40 megabytes (formatted), and offering both 51/4" and 31/2" models, Rodime has developed today's finest range of Winchester disk drives.

Take the Rodime 200 series. Launched in April 1982, it was the first to offer a full range of storage capacities from 5 to 20 megabytes and is currently providing reliable memory storage for many of the leading manufacturers of 8- and 16-bit business microcomputers.

Take the Rodime RO 206 and RO 208. With storage capacities of 30 and 40 megabytes, these high-performance drives have an average access time of 60 ms. As you'd expect, they're designed specifically to meet the memory requirements of today's 16-bit multiuser microcomputers, at highly competitive prices.

And, finally, take Rodime's RO 350 3½" Winchester. With storage capacities of 5 and 10 megabytes, the RO 350 is the first of a new generation of rugged Winchesters designed primarily to bring the benefits of Winchester technology to the hostile environment of portable microcomputers.

It all adds up. Take Rodime's RO 200, 206, 208 and 350 together and you've got the finest range of Winchester disk drives. Add Rodime's outstanding reputation for reliability, its manufacturing capacity, and its ability to deliver large volumes reliably, and you'll see why Rodime has its numbers resoundingly right.

If your systems still aren't using Rodime Winchesters, then someone, somewhere has got their numbers wrong.



right from the beginning

Rodime PLC Rodime, Inc. Corporate Offices and Marketing Rothesay House Rothesay Place, Glenrothes, Fife, KY7 6PW Scotland

U.K. Manufacturing Division Rodime PLC Nasmyth Road Southefield Industrial Estate Glenrothes, Fife KY6 2SD, Scotland

U.S. Sales Office—California 25801 Obrero, Suite 6 Mission Viejo, California 92691 Telephone (714) 770-3085 Telex 728317

U.S. Sales Office—Texas 6448 Highway 290 East, Suite E100 Austin, TX 78723 Telephone (512) 453-5135 Telex 767139

U.S. Manufacturing Division Rodime, Inc. Box No. 273487 Boca Raton, Florida 33431

CIRCLE NO. 9 ON INQUIRY CARD


Editorial

Market research: Scheme or strategy?

Market research is a science to some and a black art to others. We side with the science camp. Done properly, market research deals objectively with accumulated data, develops predictive models and evolves "truth-seeking mechanisms" built on hypothesis, experiment, analysis and revision.

The articles in this issue that make up our State-of-the-Market Report are similarly derived. They have their roots in real data and are expressed in the graphical language of quantitative relationships. Their authors are skilled at collecting and analyzing enough of the world as it is to depict a world that might be. It is a process that takes courage as well as skill. Of course, the testing place of market research is the marketplace.

Alas, like any other occupation—editing and writing no less than marketing—not all those engaged are up to the task. Some market



These State-of the-Market articles were solicited from companies and individuals who impressed us with essential scientific attributes: access to demonstrably good data, analytic resources, originality and presentational skills.

But even these sources cannot cover every subject. We know there's a lot more to be written—and so we're asking for your help. Please drop us a line with your own thoughts on market research. What do you think of the quality of available research? On what sources do you depend? How much weight do you place on published research? Finally, let us know which of these market articles you found most or least valuable—and why. We believe that the market research in this issue is what you're looking for. But we have too much respect for scientific methods to believe we can provide good research without doing good research ourselves.

Lung V. Kottle

George V. Kotelly **Editor in Chief**



Lear Siegler Quality and Reliability You Trust. High Touch Style You'll Prefer.

This new generation of Lear Siegler video display terminals brings elegant High Touch™ style to our American Dream Machine (ADM™) tradition. The family features three new ergonomic terminals designed to meet the needs of OEMs and end users alike: the ADM 11, the ADM 12 and the ADM 24E.

Here is a whole new way for terminals to relate to people. Dozens of little touches add up to the convenience and comfort of High Touch.

For example, we put the power "on/off" switch and contrast control knob in front where they're easy to reach.

The monitor not only tilts and swivels, it stops positively in almost any position.

The clean, crisp display features a large character matrix on an easy-to-read green or amber non-glare screen—made even easier to read by the hooded bezel. Screens are available in 12" or 14" sizes.

You get the best in style and ergonomics, plus all the outstanding performance features you'd expect from Lear Siegler (see chart).

Lear Siegler High Touch terminals are backed by the broadest network of full service centers anywhere, serving 3000 cities nationwide. And they're made in America—designed, engineered, manufactured and shipped from Anaheim, California to provide you with the best local support.

Place your order today by calling your local Authorized Distributor or, for quantities in excess of 500 units, your Regional OEM Sales Office.



Lear Siegler's new VersaPrint™ 500 Series printers combine with Lear Siegler video display terminals for hard copy output.

Spacious,— uncluttered layout.	ADM 11	Keys color-coded by function.
Programmable function keys. 2- or 3-key setup	9000	Separate cursor control keys arranged in a cross.
sequence to reduce operator error. Control and escape— keys close to		Separate numeric keypad.
No keys next to		Dividers separate keys.
space par.		Selectric* layout with L-shaped return key, sculptured keys.

Low-profile, tapered, DIN-standard keyboards with Selectric layout feature logical key groupings and adjustable tilt for comfort and efficiency. ADM 11 shown above.

	ADM 11 Conversational	ADM 12 Editing	ADM 24E Host Programmable
Programmable Function Keys	4 (Shiftable to 8)	16 (Shiftable to 32)	16 (Shiftable to 32)
Non-Volatile Function Keys	Optional	Standard	Standard
Function Key Legends on 25th Line	From Host	From Host	Standard Non-Volatile
No. of Pages of Display Memory	1	2	4
Display Memory Configurations (Plus 25th Message/Status Line)	24 Lines by 80 Characters	(2) 24 x 80 or (1) 48 x 80 or (1) 24 x 158	User Definable up to 96 x 80
Scrolling	Standard Scrolling	Smooth, Jump or Horizontal Scrolling Split Screen	Smooth or Jump Scroll Split Screen
Transmission Mode	Conversation Mode	Conversation or Block Mode	Conversation or Block Mode
Editing	Limited	Full Editing & Protected Fields	Full Editing & Protected Fields
Visual Attributes: Reduced Intensity, Blink, Blank and Reverse Video. Underline also on ADM 12 and ADM 24E	3 Embedded 1 Non-Embedded	4 Embedded, 1 Non-Embedded or All Non-Embedded, plus Full Screen Reverse Video	5 Embedded, 1 Non- Embedded or All Non- Embedded, plus Full Screen Reverse Video and Highlight
OEM Flexibility	Modifiable Set-Up Characteristics	Modifiable Set-Up Characteristics & Personality	Modifiable Set-Up Characteristics. Add to Program in ROM or Down-Line Load in RAM (56K ROM or RAM. Up to 22K Display Available) Room for additional Logic Boards.
Terminal Compatibility	ADM 3A, ADM 5, ADDS Viewpoint & Regent 25, Hazeltine 1400, 1420 & 1500, DEC VT-52	ADM 3A, ADM 5, ADM 31, ADM 32	ADM 3A, ADM 5, ADM 31, ADM, 32, ADM 42

Call Lear Siegler at 800/532-7373 for the phone number of an authorized distributor near you: Advanced Technology · Continental Resources · The Datastore · Data Systems Marketing · David Jamaison Carlyle, Inc. · Digital Source · Dytec/South · Gentry Associates · Hall-Mark Electronics · Inland Associates · Kierulff Electronics · M/A Com Alanthus, Inc. · Marva Data Services · M.T.l. · National Computer Communications · Pioneer (Standard, Harvey, Gaithersburg) · 2M Corp. · Wyle Electronics

Distributor Sales & Service: Boston (617) 456-8228 · Chicago (312) 279-7710 · Houston (713) 780-9440 Los Angeles (714) 774-1010, ext. 219 · Philadelphia (215) 245-4080 · San Francisco (415) 828-6941 · England (04867) 80666 · From the states of CT, DE, MA, MD, NJ, RI, VA and WV (800) 523-5253.

OEM Sales: Chicago (312) 279-5250 · Houston (713) 780-2585 · Los Angeles (714) 774-1010, ext. 582 · New York (516) 549-6941 · San Francisco (415) 828-6941 · England (04867) 80666




901 E. Ball Road, Anaheim, CA 92805 (714) 774-1010

See Us at NCC Booth A1358.

© 1984 Lear Siegler, Inc.

Selectric is a registered Trademark of IBM. Viewpoint and Regent are registered Trademarks of Applied Digital Data Systems, Inc. VT-52 is a registered Trademark of Digital Equipment Corporation.



Now Quadram Makes Communications as easy as 1, 2, 3.

When it comes to enhancement products for IBM® PC's and other personal computers, no one can beat Quadram. In fact, if you use spreadsheets or large databases, you're probably using a Quadram product already.

Now Quadram applies their expertise to communication devices. Not just modems, but a full range of other products, too. So that you can do anything from networking many PC's together to giving your PC full 3278 terminal emulation in an IBM mainframe environment.

Only Quadram gives you such a selectioncomplete with options and upgrade capability. So now it's easier for you to design the perfect system for your needs. All you need to do is remember one name—Quadram.

Quadmodem™ From your home or office, reach out and touch something.

Just because your computer is all alone. that doesn't mean it has to be lonely. Not when you've got Quadmodem.

Quadmodem is a complete intelligent modem package, including an integral or standalone modem with supporting documentation. Each modem comes with QuadTalk—a powerful communications software package plus an introductory offer from The SourceSM



Just pick the model that's right for you and your computer.

The Integral Unit drops into an IBM PC, XT, PCjr or Apple Ile.

The Stand Alone is an intelligent modern that connects to your system through an RS-232 port.

Both have enhanced diagnostic capability to troubleshoot not only your system, but the

system at the other end of the phone line. And both have call progress monitoring to automatically determine and compensate for different types of phone systems and transmission status (human voice, busy signal, data or dial tones). Of course, both plug directly from your computer into your phone jack.

Get the modems with the name for quality. Quadmodem.™ Fully compatible with Bell 103/212A dial-up modems and the most popular modem brands.

2. Quad3278™ Let an IBM PC communicate with an IBM



To integrate your PC into a mainframe environment, look to Quadram first.

Because now you can have all the features of the IBM PC (mass storage and peripherals) plus the incredible power of a mainframe right at your desk. All it takes is Quadram's 3278 emulation package which includes hardware, software, even cabling

To make your IBM PC emulate the 3278 Display Work Station, get the Quad3278™ Once you're on-line the IBM mainframe sees you as just another 3278 terminal. Little does it know that you're actually a high-performance, intelligent work station, with all the functions of the Personal Computer. With mainframe support you can download data, process it on your PC, even store it on your own disk for later reference

Make the connection from micro to mainframe. And back it up with Quadram quality. It's the logical step for the future.

3. Quadnet.™ Turns your IBM PC's into a Local Area Network.

Local Area Networking (LAN) is one of the most interesting and useful ideas to come down the pike. Basically, it allows you to inter-link a group of computers together so they can share information and peripherals with each other.



And now with Quadnet, you don't have to compromise your system to fit our system. Instead, you can easily link as few as two, or as many as 255 IBM PC's together in a hardwired network. And you can configure them almost any way you want. They can work independently of each other or share resources and peripherals.

The possibilities are endless. But the important thing to remember is that Quadnet gives you a choice with four different Network Systems. Choose the one that meets your price and performance

Quadnet grows as you grow. Yet the user commands stay the same, thanks to the upward compatibility of the Quadnet operating software.

Whichever version you hook on to, you get a complete package (hardware, software, and documentation). And most importantly, you get Quadram's reputation for quality.

QUADRAM QUALITY



At Quadram, we don't make personal computers. We just make them better. So insist on the Ouadram name. It's your assurance that you're buying from one of the most established and involved

companies in the microcomputer field. Ask vour dealer about us.

IBM® PC, XT, PCjr. are registered trademarks of International Business Machines Corporatio *The Source is a registered trademark of Source Telecomputing Corporation. APPLE IIe[®] is a registered trademark of Apple Computers, Inc. ©Copyright 1984 Quadram Corporation. All rights reserved



4355 International Blvd./Norcross, Ga. 30093 (404) 923-6666/TWX 810-766-4915 (QUADRAM NCRS)

CIRCLE NO. 11 ON INQUIRY CARD

INTERNATIONAL OFFICES
Interquadram Ltd. 442 Bath Road, Slough, England SL16BB
Tel: 6286-63865 Tb:: 947155 Auriema G Interquadram GmbH
Fasanenweg 7, 6092 Kelsterbach, West Germany Tel: 6107-3089
Tb:: 417770 Seva G Interquadram s.a.r.l. 41, Rue Ybry, 92522 Neuilly
Tel: 758-1240 Tb:: 630842 iso Bur Chevo Computing 6581 Klimat
Road, Mississauga, Ontario, Canada L5N-2X5 Tel: 416-821-7600

Model 6455 Cartridge Tape System

Loaded with Features — Loaded with Benefits.

Kennedy products have always provided innovative new features. And these features have always provided added benefits and convenience for the user. For instance, our Model 6455 offers these features and benefits:

Feature: Start/Stop Operation

Benefit: Drive can emulate a 1/2" tape drive by providing

the ability to perform selective file back-ups, file-restructuring, journaling and software

updates

The drive is effectively a 1/2" Tape Drive in a

smaller package.

Feature: Hard Read Error Spec. of 1 in 10" bits.

Benefit: Best data reliability of any tape cartridge drive.

Gives the user confidence in the integrity of the

back-up medium.

Feature: On-board Diagnostics

Benefit: Drive can be tested off-line with no test

equipment required. Use of S.A. also lowers the

MTTR.

Feature: Cartridge Jam Protection

Benefit: Protects the cartridge from damage if cartridge

jams. This is accomplished by sensing a current surge and then disabling the motor, thus

insuring that the cartridge will not be damaged.

Feature: High Density Recording

Benefit: Storage capacity of 23 MB on a single cartridge.

Feature: Optional industry standard 1/2" tape interface.

Benefit: Operates with existing tape couplers and software.

The drive operates as though it were a $\frac{1}{2}$ " tape drive without having to modify existing

hardware or software.

By now you can see what we're driving at. Model 6455 is full of unique features and benefits for you. For the complete story, write or call us today.

KENNEDY

An Allegheny International Company

1600 Shamrock Ave., Monrovia, CA 91016 (818) 357-8831 • ITT TELEX 472-0116 KENNEDY TWX 310-472-0116 KENNEDY



Breakpoints

MULTIFUNCTION WINCHESTER BOARDS SUPPORT SEVERAL INTERFACES

A new Winchester controller board from Adaptec Inc., Milpitas, Calif., is designed for the multiuser microcomputer market and is compatible with storage module device (SMD), small computer systems interface (SCSI) and American National Standards Institute interfaces. Designated the ACB5500S, the board is one of the first to have both 8- and 14-inch Winchester drives compatible with all three standard interfaces. That makes it compatible with almost any drive on the market. Priced at \$980 with significant OEM discounts available, the controller will become available in late June. Concurrent with this month's ACB5500S announcement, Adaptec plans to unveil several host adapters to fit between host computer buses and the SCSI intelligent I/O bus. Included will be support for products from Altos Computer Systems Inc., Molecular Computer and Eagle Computer Inc. Priced at \$425 each, the adapters should become available in the third quarter.—C. Bailey

TELEVIDEO TO INTRODUCE DEC VT220-COMPATIBLE TERMINAL

TeleVideo Systems Inc., Sunnyvale, Calif., expects a July introduction for a video display terminal said to be code-compatible with the Digital Equipment Corp. VT100 and VT220 terminals. The \$995 TeleVideo 922 has a tilt-and-swivel screen and a low-profile DIN-standard keyboard. The keyboard combines features of the DEC terminal keyboards. The 922 has 30 programmable function keys. TeleVideo expects the 922 to be available in August.—T. Moran

DG MAKES MAJOR ENGINEERING WORKSTATION PUSH

Data General Corp., Westborough, Mass., is preparing a major push into the engineering workstation market. The first two products to be released should be the DS4000 and DS4200, both of which are based on the company's 32-bit MV/4000 superminicomputer. The duo is packaged in a 25-inch-high-by-15-inch-wide cabinet that fits under a desk. The DS4000 has a 19-inch, 1,024-by-1,024-dot monochrome display. The DS4200 has the same display in color. Also expected from DG is a native UNIX System V operating system with the Berkeley extensions. The two products are not meant to replace the MV/4000, says a DG spokesman, because they have more limited memory and configurability options.—L. Valigra

VADEM, MORROW TO PRODUCE 10-POUND PORTABLE

Vadem, a Milpitas, Calif., start-up, in conjunction with Morrow Design Inc., San Leandro, Calif., plans to produce a 10-pound portable computer code-named "Walnut." Morrow will market the machine and provide Vadem with parts. Vadem will manage third-party production of its design. The 16-bit MS-DOS machine will have a 16-line-by-80-column liquid-crystal display, a one-third-height 5¼-inch floppy disk drive and 128K bytes of RAM, expandable to 512K bytes. Vadem president Chi Kok Shing says the system is not fully IBM-compatible but will run most top productivity software including Lotus Development Corp.'s 1-2-3 integrated package. Expected to retail for less than \$3,000, the portable was to be shown at the Comdex show in Atlanta—T. Moran

Breakpoints

MICROPOLIS TO BOOST WINCHESTER CAPACITY

Micropolis Corp., Chatsworth, Calif., plans to unveil a family of high-capacity 5½-inch Winchester disk drives at next month's National Computer Conference. The family consists of three drives: the 85M-byte model 1353, the 127M-byte model 1354 and the 170M-byte model 1355. All use plated media and will sport the enhanced small disk interface (ESDI) standard, thus enabling a 10-MHz transfer rate. Evaluation units are expected in the fourth quarter.—C. Warren

SMALL ROBOT ARM INTERFACES WITH PCs

Microbot Inc., Mountain View, Calif., plans to introduce the Alpha II programmable robot arm this month. Able to lift 2½ pounds with its mechanical gripper, the \$13,900 arm and controller are said to perform simple tasks with human precision. These tasks include solder-masking printed-circuit boards. Programming can be done on any computer generating ASCII characters or on an optical \$595 hand-held unit non-programmers can operate. On-board memory stores 227 program steps, while a computer can store additional steps that can be down-loaded. Microbot plans to sell the Alpha II mainly through third-party distributors and OEMs.—S. Glazer

HP UNVEILS LOW-COST LASERJET PRINTER

At the recent Comdex show in Atlanta, Hewlett-Packard Co.'s Boise, Idaho, division expected to show its LaserJet printer, which will sell for under \$3,500. Based on Canon U.S.A. Inc.'s LBP-CX laser-beam print engine, the LaserJet uses dry electrophotography to create 300-by-300-dot-per-inch (dpi) resolution for text and 75-by-75 dpi for graphics. The compact desktop prints the first page in about 8 seconds and thereafter produces 8 pages per minute, depending on the application and the computer system. Rated for noise at less than 55 decibels adjusted, the LaserJet will be positioned against daisy-wheel printers in business and personal computer applications. HP expects to ship the LaserJet to about 1,100 of its personal computer and plotter dealers on June 1.—T. Moran

START-UP LAPINE TO OFFER RUGGED 3½-INCH WINCHESTER

Designed for portable computer applications and incorporating shock- and vibration-resistant suspension and a specialized head-retraction system, the 5M- and 10M-byte Ranger 3521 and Ranger 3522 3½-inch Winchester disk drives will be offered by LaPine Technology Inc., Santa Clara, Calif. The drives are said to withstand forces of up to 100 G's in the power-off mode. These ST-506/-412-compatible Winchesters are half the height of ordinary 5¼-inch minifloppies. As many as four fit into the same volume as one 5¼ inch minifloppy or Winchester drive. Sporting an access time of 85 msec. and densities of 11,200 bits per inch and 600 tracks per inch, the drives are expected to be price- and performance-competitive with standard Winchesters. First units are planned for availability by year-end. Volume shipments are expected to begin in the first quarter of 1985.—C. Bailey



A third dimension.

Which means now you can buy 3D Megateknology starting for *under* \$12,000. For instance, the Whizzard 1600 desktop design terminals with color or monochrome capabilities, very high resolution and VT-100™ compatibility.

Or our Whizzard 3355, which holds the speed record for its price range —400,000 vectors per second—thanks to our one-of-a-kind Graphics Engine.™

Then there's the ultimate computer graphics system: the Whizzard 7200. It guarantees remarkable speed and flexibility, modular architecture that supports high resolution and real-time dynamic color raster displays, and unmatched interactive graphics capabilities.

Plus, with every one of our products you get Megateknology—our longstanding trademark of innovative design, quality and high reliability.

There's a whole new dimension to our Whizzard family, thanks to the latest in 3D Megateknology. Watch it add more dimension to your creativity.


See us at SIGGRAPH, Booth 606, July 24-26.



Megateknology

World Headquarters • 9605 Scranton Road • San Diego, California 92121 • 619/455-5590 • TWX: 910-337-1270 European Headquarters • 34, avenue du Tribunal-Fédéral • CH-1005 Lausanne, Switzerland • Telephone: 41/21/20 70 55 • Telex: 25 037 mega ch VT-100 is a trademark of Digital Equipment Corporation

CIRCLE NO. 13 ON INQUIRY CARD



PINCOMM 73S! And we're as proud of it as we are of each of its predecessors in the STANDARD MEMORIES product family. Every one of them has gone out into the world and earned the respect of customers ranging from the Fortune 500 to government, universities, and the military. No small accomplishment.

Our new PINCOMM 73S is a 4 megabyte block mode CSR parity semiconductor memory card for large DEC Q-bus applications, including use in the MicroVAX I and the PDP-11/73. It is equivalent to the DEC MSV11PL (M8067) memory, but with up to eight times more capacity, and can be installed in H9273-A or DDV11-B backplanes.

The last addition to our STANDARD MEMORIES family back in August, was the PINCOMM 780SX, a 1 megabyte memory for use in late model VAX-11/780 computers. Installed at sites throughout the United

Great Memories.

States, Canada, Europe and Japan, it has given our customers the high levels of dependability and reliability that STANDARD MEMORIES is known for. Every one of our DEC add-in memory boards is backed by a 4-year warranty. Just shows what you can do when you have over seventeen years experience in building Great Memories.

We also make computer memories for Hewlett Packard, Honeywell, Perkin Elmer, General Automation, Computer Automation, and Data General applications. Call us! We'll make it a memorable occasion.

DEC, Q-bus, MicroVAX I, PDP-11/73, and VAX-11/780 are trademarks of the Digital Equipment Corporation.



A DIVISION OF THE TRANSPORTATION

3400 West Segerstrom Avenue, Santa Ana, California 92704 Phone: (714) 540-3605 TWX 910-595-1596 CIRCLE NO. 14 ON INQUIRY CARD

Breakpoints

BOARDS BRING 32-BIT PERFORMANCE TO 16-BIT DEC MINIS

Bringing plug-in performance to 16-bit minicomputers is the aim of American Information Systems, a Palo Alto, Calif., start-up manufacturer of 32-bit National Semiconductor Corp. NS32032 processor-based board products. The initial product will include a standard quad-sized Digital Equipment Corp. Q-bus-based CPU board, the AIS/3212, a four-member set of memory boards, the AIS/3218, and the XENIX-16K UNIX-based operating system. Fully integrated into the DEC architecture, the add-in system is said to achieve VAX-11/780 performance. Shipments of production quantities are scheduled for June. The price for a system that includes the AIS/3212 CPU, a 512K-byte AIS/3218 memory board and XENIX-16K is \$6,900. A 1M-byte add-on memory board is \$3,600. Substantial OEM discounts are available.—C. Bailey

PORTABLE PC-COMPATIBLES FEATURE FLAT-PANEL LCDs

International Quartz Ltd., Kowloon, Hong Kong, has developed a family of three IBM PC-compatible transportable microcomputers for OEMs. The Models 9240 and 9230 use a 25-line liquid-crystal display, and the model 9231 comes with a 9-inch CRT. The units, expected to be unveiled at Comdex, are built around the Intel 80186 microprocessor. They include serial and parallel ports, built-in 320K-byte floppy disk drives and 128K bytes of memory. The units range in weight from 20 pounds for the model 9240 to 34 pounds for the models 9230 and 9231. U.S. availability is expected for the fourth quarter; pricing has not been set.—C. Warren

SHUGART READIES 20M-BYTE, HALF-HEIGHT WINCHESTER

Extending its Jade series of Winchesters, Shugart Corp., Sunnyvale, Calif., is halving the drive size but keeping the capacity at 20M bytes. The new model 724 is expected to make its debut at next month's National Computer Conference. The two-platter drive has 720 tracks per inch, 9,036 bits per inch and uses a closed-loop servo. The servo information is embedded in each track. Shugart plans to ship evaluation units by the third quarter and production units by the fourth quarter; pricing has not been set.—C. Warren

VOTAN ADDS VOICE RECOGNITION TO IBM PC

Votan, Fremont, Calif., has developed a speaker-dependent continuous-voice-recognition system for the IBM PC. The VPC 2000 Voice Card holds as many as 75 double-trained words and allows voice macro commands of up to 30 characters to be defined. With integrated spreadsheets, for example, single voice commands can trigger macro commands that move the cursor, set up graphics or do other functions normally requiring several keystrokes. The system also has a voice-store-and-forward capability. OEMs can write applications for the Voice Card using the included Voice Key software or Voice Operating Software. Voice Card consists of the software, a main board, a piggyback board, a microphone and a speaker. Price is \$2,450.—D. Bright

Breakpoints

INTERSTATE VOICE GIVES THE IBM PC AN EAR

To extend the IBM PC for specialized data entry that requires hands-off functionality, Interstate Voice Products, Orange, Calif., has developed a speech-recognition board. The \$1,650 board slips into any available slot on the IBM PC and forms a path between the PC and the keyboard, thus allowing keyboard commands to be simulated by speech commands. This means off-the-shelf applications can be controlled via speech. The company plans to unveil the board at the National Computer Conference and to start shipments in the first week of August.—C. Warren

IMAGEN INTRODUCES TWO NON-IMPACT PAGE PRINTERS

Imagen Corp., Mountain View, Calif., has developed two new intelligent non-impact page printers that merge multiple text fonts and graphics. The Imagen 60/240, due late this month, prints 60 pages per minute (ppm) at 240-dot-per-inch resolution (dpi) and lists for \$75,000. The Imagen 5/480, due late last month, prints 5 ppm at 480 dpi. Price is \$19,950. The 60/240 produces composition-quality printing; the 5/480 produces publication-quality material for pre-typesetting inspection.—D. Bright

KNOWLEDGE-ENGINEERING SOFTWARE RUNS ON PC

Software aimed at helping users explore and determine the commercial applicability of knowledge-system software should be released this month by Teknowledge Inc., Palo Alto, Calif. Knowledge-system software has been the province of R&D laboratories until now. The Teknowledge M.1 package runs on the IBM Personal Computer and is used to design, build and run the knowledge-system software that solves problems typically requiring human intelligence.—L. Valigra

INTERPHASE COMBINES DISK/TAPE CONTROL ON ONE BOARD

Interphase Corp., Dallas, this month plans to ship evaluation units of its Storager controller for Multibus-based systems. The controller brings storage module device (SMD) capability to small systems by combining the enhanced small disk interface (ESDI), HP-412 and ST-506 interfaces on the same board. The \$1,800 board supports as many as two 5¼-inch Winchester drives, four ½- or ¼-inch tape drives and two floppy drives simultaneously. The Storager has an MC68000 microprocessor plus two custom state machines to provide the intelligence. The cache permits data backup without host intervention and allows pre-fetching of sectors or tracks. Production quantities are planned for the fourth quarter.—C. Warren

TECHFILES: A QUICK LOOK AT INDUSTRY DEVELOPMENTS

RANDOM DISK FILES: Disk controller manufacturer **Xebec Gorp.**, Sunnyvale, Calif., plans to introduce a 5½-inch Winchester disk drive family in August. The drives will include a controller and a Shugart Associates systems interface (SASI). The drives initially will house 10M to 20M bytes and will be compatible with Seagate Technology's ST-506 and ST-412 drives. The drives will be offered with a board combining the controller and drive electronics, thus simplifying system integration: many new CPU boards come with a built-in

A minimum of moving parts and an exceptionally rugged design make the CI-600 from CIE Terminals the *first* 600 LPM matrix line printer you can depend on.

And when you compare the CI-600 with other 600 LPM line printers,

you'll find others either do a lot less, cost a lot more, or both.

A 600 LPM every type of computand DEC.® It doubles built on a simple business, engineering and so all of which are easily access.

The CI-600 is plug-in compatible with virtually every type of computer system, including IBM and DEC.® It doubles the throughput of our CI-300.

It gives you 600 LPM data processing and letter quality to 170 LPM. It has variable shuttle speeds. And it delivers graphics up to 4800 DLPM.

The CI-600 is ideal for retail,

business, engineering and scientific graphics applications, all of which are easily accessed and used. And there's more.

You get high resolution graphics for Bar Codes, Optical Character Recognition, Form Generation, Labels and Word

Processing. An unusually small print head diameter for needle-sharp character clarity. Hundreds of unique character fonts. And three built-in

interfaces, two parallel and one serial.

There are also two paper-loading points—front and bottom. Plus

flexible line spacing and line feed speed.

If you'd like the same quality, but don't need as much speed, we also offer the CI-300—with 300 LPM data processing and 85 LPM of letter quality.

The CÍ-600 and CI-300 come to you from CIE Terminals, a new company of C. Itoh Electronics, one of the world's most experienced printer companies.

To find out more about the CI-600—the first 600

LPM line printer that really works—and its cousin, the equally dependable CI-300, just write or call.

A new company of C. ITOH ELECTRONICS, INC.

2505 McCabe Way, Irvine, CA 92714-6297. (714) 660-1421. Call toll-free 1-800-854-5959. In California, call toll-free 1-800-432-3687.

® DEC is a Registered Trademark of Digital Equipment Corporation. © CIE Terminals, Inc. 1983

FOR THE MICRO-11 USER WHO THINKS HE HAS EVERYTHING

Perhaps you thought DEC°'s MICRO/PDP°-11 would be the answer to all your computing problems.

Until you realized it takes at least 28 floppy

disks to do a routine back-up.

What you need is a more efficient back-up device. Take our high performance StacPac 1/4" Tape Subsystem, for instance.

At \$3495*, nobody else can match it. To begin with, it's Q-bus compatible.

It comes with a true start/stop tape drive that emulates DEC's TSVO5/TS-11 tape storage systems. Which simply means it can run all the familiar DEC tape utilities such as BRU, PIP and SAVRES.

So there's nothing new for you or your MICRO-11 to learn.

It packs a formatted capacity of up to 20 Mb. So now you can back-up your 10 Mb system with a single 1/4" tape cartridge. And stop fooling with all those floppies.

Our StacPac tape module offers a compact, award-winning design. But the real beauty is the design of our dual-wide controller card.

It's half the size you'd expect. Which leaves the backplane open to all sorts of possibilities.

Finally, we've built in extensive diagnostics features. So problems are easy to find and fix. Or, with our Rapid Module Exchange,™ we can have a replacement in your hands in 24 hours.

So if you want more than DEC can give you, call DSD. And discover the big difference a 44" can make.

*Prices lower in quantities.

DATA SYSTEMS DESIGN

Corporate Headquarters: 2241 Lundy Avenue, San Jose, CA 95131. Eastern Region Sales and Service: Norwood, MA, (617) 769-7620. Central Region Sales and Service: Dallas, TX, (214) 980-4884. Western Region Sales: Santa Clara, CA, (408) 727-3163. Distributors worldwide.

TMStacPac and Rapid Module Exchange are trademarks of Data Systems Design, Inc. *DEC and PDP are registered trademarks of Digital Equipment Corporation. © 1984 Data Systems Design, Inc.

Breakpoints

SASI-compatible host adapter. Higher-capacity models, planned for late 1985, are expected to use the enhanced small disk interface (ESDI). Evaluation models should be shipped to specified OEMs in July, and full production should begin in the fourth quarter.—C. Warren

MICRO FILES: Supermicrocomputers using wide-word microprocessors have been usurping traditional minicomputer markets by offering comparable performance at considerably lower costs. Later this month, Advanced Computing Technologies Inc., Ann Arbor, Mich., plans to turn the tables by introducing a full single-board-computer implementation of its ACT-3 8080/Z80-compatible 16-bit bipolar processor introduced last November. Unlike minis-on-a-board that rely on bit-sliced microprocessors, the ACT-3 is a VAX-like processor consisting of 208 discrete TTL chips. Unlike 16-bit microprocessors that require some code modification to run 8-bit programs, the ACT-3 handles even the expanded Z80 instructions without reprogramming. Offered now with serial I/O and 64K bytes of on-board RAM, the ACT aSBC 80/300 Multibus board should be available in September for \$2,547 in 250-unit quantities.—A. Kaplan

Is **Franklin Computer Corp.** in trouble? For over a year, the Pennsauken, N.J., manufacturer of Apple-compatible systems had been preparing to introduce its first portable computer. Just a month before May's scheduled introduction, president Avram Miller resigned, and the company consolidated operations into one building and laid off 70 employees. Only five days before the introduction, chairman Barry Borden and sales and marketing vice president Eugene Sherman resigned, while co-founder Joel Schusterman, who quit in February, returned to become executive vice president and acting president. —D. Bright

communications files: Sydis Inc., San Jose, Calif., has reached a three-year, \$142 million agreement with GTE Corp. to supply Voice Station One data/voice workstations and Information Manager shared-node controllers (MMS, May, 1983, Page 193). The equipment will be integrated into GTE's Omni PBX systems for local-area network applications. The OEM agreement could be extended for two years at an annual value of \$90 million. It provides for the purchase of as much as 20 percent of Sydis' stock by GTE.—S. Shaw

Racal-Vadic, a supplier of modems and communications software to the OEM market, will be stepping into retail territory for the first time next month with two single-board modems for the IBM PC, PC/XT and compatible microcomputers. The 300-bps model will retail for \$350 and the 1,200-bps model will sell for \$595.—M. Stenzler-Centonze

PRINTER FILES: The M3071A desktop OEM laser printer from Fujitsu America Inc., Santa Clara, Calif., prints either 16 or 20 pages per minute with 240- or 300-dot-per-inch resolution, respectively. It can be configured with scanning, copying and optical image overlay options, depending on the OEM controller design and application. The print-only M3072S version is also available with 300-dot-per-inch resolution. It includes the controller, RAM and font

Breakpoints

cartridges and power supply. Both versions can come with either RS232C or Centronics-compatible parallel interfaces. The M3071A is priced at \$5,620; with the options, \$8,380.—R. Shinn

NOTES FROM ICA: Voice communication is a hot technology, and a number of companies are getting on the circuit. Among these are: Octel Communications Corp., San Jose, Calif., with the Automatic Speech Exchange Network (ASPEN); Centigram Corp., Sunnyvale, Calif., with VoiceMemo; Ericsson Communications Inc., Garden Grove, Calif., with the MD110 private automatic branch exchange (PABX) that combines voice and data; and Honeywell Inc., Minneapolis, whose integrated PABX for voice and data, called the Delta-Plex Series 2000, comes with a desktop unit with a liquid-crystal display and digital-speech capability. Another company offering a voice data system is Voicetek Corp., Newton, Mass. Its VS 700, built around the DEC PRO 350 microcomputer, operates under UNIX.—C. Warren

NOTES FROM OVERSEAS: Convergent Technologies Inc.'s European headquarters may have been overzealous a few weeks ago when it denied reports circulating on the continent that Burroughs Corp., Convergent's primary OEM, will be moving manufacture of the Convergent-made B2O and B25 (alias N-Gen) to China and Hong Kong, respectively. Convergent president Al Michaels seemed to be saying the story is true when he described it as a leak. The story came from Wang Guang Ying, a ranking Communist party official and head of the Hong Kong-based, Beijing-controlled Ever Bright Industries, with which Burroughs reportedly will join in the manufacturing venture.—M. O'Gara

IBM Corp. insiders expected Big Blue to announce an integrated VM/UNIX operating system, dubbed VMix, during the first week of this month. That timing is just before the USENIX UNIX users meeting in Salt Lake City on June 11 at which VMix should run on a 4300 computer. Sources say the operating system is the result of further collaboration between IBM and Interactive Systems Corp., the Santa Monica, Calif., company supplying the UNIX that IBM has named PC-IX. VMix should allow users access to either operating system and in all probability microto-mainframe connection with PC/IX.—M. O'Gara

Some of the first Intel 80286 machines are debuting in Europe. Following Northern Telecom's recent debut of its aggressive 80286-based Vienna microcomputer, all of whose initial sales will be limited to the continent, comes the new **Rair Ltd.** supermicro. It uses the 80286 and 80287 arithmetic coprocessor and is priced at about \$15,000 including 512K bytes of internal memory, 50M bytes of storage, 45M bytes of streaming-tape backup and eight ports. Currently, it is running Digital Research Inc.'s Concurrent DOS operating system, but Rair expects to add UNIX System V this year.—M. O'Gara

MOST VALUABLE PERFORMER

CompuPro's System 816. One of the fastest, most versatile computers on the market.



Reliability. It's crucial to OEMs and systems integrators. Without it, you can't generate business and a good reputation.

CompuPro's System 816 answers your needs for reliability. It's respected among OEMs because it not only outperforms the competition, but also operates with incredible dependability. The Most Valuable Performer. . .what you'd expect from a company with more than ten years of setting industry standards.

More Power to You

The System 816 series has the power and speed multiple workstations demand. We enhance this even more by offering a whole range of CPUs to select from and standard RAM memory expandable to 1 Mbyte or higher.

As for disk storage, the System 816 can handle up to 4.8 Mbytes on floppy

drives and as much as 320 Mbytes per controller on hard disk.

Incredible Flexibility

If that's not enough, CompuPro makes the System 816 even more attractive by structuring it on the IEEE 696/S-100 bus. For the systems integrator, this means amazing potential in arranging packages. Just select the appropriate components, you can't go wrong. And CompuPro makes sure of that, because we offer our components independently, in any combination you need. This bus also provides the flexibility to use compatible boards for graphics and other unique applications.

Built to Last

No matter what configuration you select, everything's housed in our famous enclosure. Unlike the plastic construction of most other computers,

ours is made of rugged metal for durability and shielding. A constant voltage power supply protects against brownouts. And the common modular architecture of our System 816 family makes upgrading or reconfiguring remarkably easy.

When you get right down to it, CompuPro speaks your language. With operating environments like CP/M,® CP/M-86,® MP/M-86,™ CP/M-68K,™ and our own CP/M®8-16,™ MP/M™8-16™ and CCP/M™8-16.™ And the capability to support languages like Pascal, C, mapFORTH, BASIC, COBOL, PL/1 and FORTRAN 77™ and much more.

Total Support

To show you the confidence we have in the System 816's reliability, CompuPro backs it with the industry's longest warranty coverage: from 12 to 24 months.

(ompuPro
	A GODBOUT COMPANY

3506 Breakwater Court, Hayward, CA 94545 (415) 786-0909

CP/M and CP/M-86 are registered trademarks and MP/M-86, CP/M-68K and FORTRAN 77 are trademarks of Digital Research Inc. CP/M 8-16, MP/M 8-16 and CCP/M 8-16 are compound trademarks of Digital Research Inc. and CompuPro. System 816 is a trademark of CompuPro

Prices and specifications subject to change without notice System 816 front panel design shown is available from Full Service CompuPro System Centers only. ©1984 COMPUPRO

Find out more about the CompuPro	System 816Th	ne Essential Computer™
☐ Send me your OEM/systems integrator application package.	1	
Name		
Title		
Address		
City	State	Zip
Telephone Number		
Mail to: CompuPro Attn: Sales Departmen	nt 3506 Breakwater C	Court, Hayward, CA 94545

IF IT WEREN'T FOR UNIX WE NEVER COULD HAVE BUILT THE PYRAMIDS

Ordinary computers, yes. But not a Pyramid Technology 90x.


After all, here's a supermini not just capable of running UNIX,™ but born to run it. And run it up to four times faster than the most popular UNIX host. For a lot less money.

The secrets of this Pyramid are a thorough understanding of UNIX, a few fundamentals of RISC (Reduced Instruction Set

Computer) theory, more registers than 30 VAXs, and a 32-bit proprietary architecture that outperforms a roomful of micros.

All combined to speed up UNIX just where it likes to slow down.

For example, gone are 85% of performance-robbing memory references. The endless parameter shuffling of yesterday's technology has been replaced with a hardware register win-



dow. Even context switching takes less than one percent of the CPU's time.

It's amazing what hardware architects can do, given the chance. It's almost as startling as what our software wizards did.

They crafted OSx, a dual port of Berkeley's 4.2 BSD and Bell's System V. Because you can switch environments at will, no UNIX port offers more capabilities. With absolutely no loss of compatibility.

Well, almost.

We do admit to one feature not compatible with other UNIX systems. Our single-source support.

One telephone number instantly connects you to both hardware and software experts. In-house pros, who spend their energy pointing you towards solutions. Not pointing fingers at each other.

So no matter how you see your requirements shaping up, contact Pyramid Technology, 1295 Charleston Road, Mountain View, California 94043. Or call (415) 965-7200.

Because when it comes to running UNIX, a Pyramid looks good from any angle.







Back in
1959 when
computer
graphics was
barely a concept, CalComp
pioneered the first computerdriven plotter. Since then we've
had one successful product after
another, and the momentum has
never been greater than it is now.

Versatile DUAL-MODE™ pen plotters fill out the line.

To offer you the broadest line of

plotters in the industry, we've introduced a new generation of intelligent, microprocessor-based DUAL-MODE™ pen

plotters. They give you the versatility to run unattended, continuous roll batch jobs, as well as drawings on cut-sheet or preprinted forms.

The fastest electrostatic plotters in the industry.

CalComp offers a complete line of electrostatic plotters. With the fastest paper travel speeds in the

industry, you get fast finished-quality plots at an affordable price.

An unmatched choice in precision digitizers.

Known for accuracy and reliability, CalComp digitizers range from a small 11-inch (2794mm) square to tablets as large as 44 x 60 inches (1117.6 x 1524mm), with

THE MOMENTU



graph the most into the most i

advanced features such as rear projection and microprocessor control.

Powerful new CAD systems.

The new CalComp System 25 interactive CAD system is designed to meet your most demanding design and drafting needs. Configured as a small stand-alone system or a large multi-station network, System 25 delivers the most complete

solutions quickly and costeffectively.

Displays draw on local intelligence.

We've also enhanced our display family with a valuable option that lets you use the intelligence of your terminal for developing customized graphic applications.

Move forward with the leader.

CalComp will introduce a wide array of state-of-the-art products this year. Our 25th anniversary year. That's the kind of momentum that has made CalComp the leading supplier of computer graphics equipment, with the most complete product line in the industry.

You'll find CalComp plotters, displays, digitizers and CAD systems in every corner of the world, supported by a comprehensive sales and service network.

As you can see, the momentum is growing every day.

CALCOMP, 2411 West La Palma Avenue, P.O. Box 3250, Anaheim, CA 92803.

In continental U.S., except California, call (800) 556-1234, ext. 156. In California call (800) 441-2345, ext. 156.

CALCOMP

A Sanders Company

CIRCLE NO. 18 ON INQUIRY CARD

MIS GROWING

READ

WRITE.

It is the highest performance, most reliable 51/4" cartridge disk drive in the industry.

It features more resistance to shock and vibration than any other disk drive, fixed or removable.

Its cartridge is the least expensive among formatted 5-megabyte cartridges on the market today.

Its cartridge interchangeability from drive to drive is absolute. Its start/stop time is the fastest available of any high-performance disk drive.

It is the Beta 5 Cartridge Disk Drive from IOMEGA. And it is, in a word, superlative. **IOMEGA Corporation** 1821 West 4000 South Roy, Utah 84067 Or call (801) 776-7330





High Performance Cartridge Disk Drives

See us at NCC in Las Vegas.

REGIONAL AND DISTRICT SALES OFFICES: SOUTHEASTERN REGION, (305) 755-1060; SOUTHCENTRAL REGION, (214) 458-2534; WESTERN REGION, (714) 855-1211, (408) 263-4476; NORTHEASTERN REGION, (617) 933-2000; MIDWEST REGION, (414) 782-5229; EASTERN OFFICE, (203) 359-9858. CIRCLE NO. 19 ON INQUIRY CARD

Mini-Micro World

NEWS

PC-compatible boards and boxes form low-cost modular systems

Ron Shinn, Senior Editor


One of the first IBM PC XT-compatible series of products available as bits and pieces to OEM system integrators comes from Personal Computer Products Inc. (PCPI), San Diego. Called the PC/Solution series, it offers boards, card cages and finished packages sold as separate items or as complete systems.

According to Ed Savarese, PCPI president and co-founder, the idea is to provide OEMs with a CPU, I/O capability, a card cage and a keyboard for less than \$1,000. The product is for use in applications requiring IBM PC compatibility but not the fully loaded, standalone personal computer as currently marketed.

Savarese says, "Our benefit is a boards - boxes - and - systems approach. If someone wants to buy a PC-compatible device that controls only an instrument, we can sell a product to them for less than \$1,000 because we can take away all the packaging and other luxury items that are not needed for the typical system integrator."

Savarese claims PCPI will offer products that give integrators PC compatibility that allows them to provide their own products to the IBM PC environment.

To address the OEM concept, PCPI offers its PC/Solution series system boxes as three separate subsystems that can be integrated—CPU, expansion and storage. The storage-system box can be an addition to any IBM PC-compatible system. In addition, the system boards plug into any IBM PC-compatible product. PCPI products support MS-DOS, PC-DOS and CP/M-86



The three boxes of the new PC/Solution series are the PC/Disk unit (left), the PC/Unit (center) and the PC/Expansion unit (right). The CPU (PC/Unit) and expansion boxes directly connect a 62-pin connector, thereby eliminating cabling. The disk box can be used with any IBM PC-compatible computer system as an add-on.

operating-system software.

PCPI attempts to fill the gaps in the current IBM PC-compatible market, which is boards-only or complete-systems-only. "Because of the basic nature of our system, we leave a lot of room for so-called added value by third parties," says Savarese. "To maintain system compatibility with IBM PCs, there is a minimum entry fee of \$3,000 to \$5,000 per workstation. With our unbundled system, it's \$1,000 to \$2,000, and integrators can add their own special I/O interfaces, which might include analog-todigital and AC-to-DC conversion, sensors and/or special software."

The three boxes in the PC/Solution series are the PC/Unit (CPU), the PC/Disk unit (storage) and the PC/Expansion unit (board expansion). Each system box complies with U.S., Canadian, European and Underwriters Laboratories standards and is constructed of 50 percent metal (card cage) and 50 percent injection-molded plastic (outer panels). The unit has a power supply and a 2-inch muffin fan (front-torear airflow). The top and side panels are interchangeable. The boxes

measure 5.1 inches high by 8.2 inches wide by 15 inches deep.

Proprietary motherboard

The PC/Unit contains five slots on an IBM PC-compatible Bus-Board, which is a proprietary motherboard design giving each slot a clearance of 0.82 inch, a 100W switching power supply and a front panel with power and rest switches. It also contains a keyboard connector that follows the Deutsches Institut für Normüng standard, a power-on light and the female side of a 62-pin side connector for the PC/Expansion unit interface.

The PC/Disk Unit houses two standard half-height floppy disk drives or one floppy drive and one hard disk drive, a 50W switching power supply and connection cabling to the PC/Unit.

The PC/Expansion Unit contains five slots on the IBM PC-compatible proprietary Bus-Board, with four slots spaced at 0.82 inch and one slot spaced with slightly more than 1 inch for piggyback boards. There is a 100W switching power supply, a rear-mounted power switch and the male side of a 62-pin connector for

Mini-Micro World

NEWS



interface to the PC/Unit.

The four basic boards available for use in the PC/Unit box are the PC/CPU board, the PC/Disk multicard, the PC/Multicard and the PC/Multivideo board. All PCPI boards are designed as IBM PC-add-on standard cards, which measure 4.2 by 13.13 inches.

The PC/CPU board contains an 8088 microprocessor with an optional 8087 coprocessor, 8K bytes of erasable programmable read-only memory (EPROM) space supporting 2764 or 27128 EPROMs, a PC XT-compatible ROM basic input/output system, four direct-memory-access channels (one refresh), three timer channels (one refresh), eight levels of interrupts and an on-board mini speaker.

The PC/Disk multicard disk, memory and communications board contains a floppy disk controller based on NEC Information Systems Inc.'s 765 or on a compatible chip. The controller handles one or two floppy disk drives, 64K bytes of dynamic RAM expandable to 192K bytes (or 256K bytes expandable to 768K bytes using 256K-bit chips), a parallel port with IBM- and Centronics-standard connectors and a synchronous serial communications

port with rates programmable to 9,600 baud.

The PC/Multicard has the same memory and I/O as the PC/Disk multicard but replaces the disk controller with a lithium battery-powered clock/calendar.

The PC/Multivideo board supports IBM monochrome and color monitors under software selection, providing 132 columns by 44 rows. The board also runs color graphics software on monochrome displays.

Users can add a 10M-byte hard disk and a hard disk adapter board to the basic system from off-the-shelf selections. GWBASIC and MS-DOS implementation software licensing is available from PCPI.

Fred Young, PCPI vice president of engineering, describes the PC/Solution this way: "We provide the least expensive hardware for the solution. A communications value-added company, for instance, can bundle its communications product with [PCPI's] box and make the whole thing a node concentrator or controller. That is, in some local-area networks, [the PC/Solution] can serve as a printer controller or a disk server. By putting a special application package with the box, such as a 3270 emulation package or

When placed together, the three boxes of the PC/Solution leave seven card slots for expansion add-ons and give a footprint roughly the same as that of an IBM PC. The CPU card (background) combines control logic and CPU into a single field-replaceable card, and the multiple function card (foreground) contains memory, I/O and a clock/calendar or a disk controller.

an 8780 [remote-job-entry (RJE)] type of package, you can turn the box into a remote network controller or an intelligent terminal."

The emulation hardware and software, readily available from a variety of sources, eliminates the need for 3270 or RJE terminals, which might spend a lot of time off-line. Adding these terminal functions to the PC/Solution series allows users to switch quickly from one mode to another, says Young. "You're talking about switching from one mode to another mode in a split second almost like concurrent operation. That is, in one mode you're a 3270, and suddenly you get all the data from a database to process a spreadsheet, for instance. At that point, you sign off as a 3270 and do the local processing for the spreadsheet."

Young says remote users of PC XTs or 3270s can use the PC/Solution components in networks operating as nodes for printer servers, disk servers or other resource controllers. This setup creates a PC-style data center that can control laser, dot-matrix and solid-font printers as well as incorporate the network controller cards that are available from many vendors.

PCPI constructed the PC/Solution series with OEMs in mind. The motherboard's upper layer, exposed to physical damage from tools, is made of metal. The middle layers carry all signal paths; the bottom layer is ground, and the top layer is power. The 62-pin direct-connect expansion-unit connector has no cable between the expansion unit and the CPU unit.

Undaunted by IBM, Phoenix will announce a PC-compatible ROM BIOS

Lori Valigra, Senior Editor

Phoenix Software Associates Ltd. is throwing down its glove before IBM Corp. by offering an off-the-shelf ROM basic input/output system (BIOS) that will allow IBM PC emulators to speed MS-DOS operating-system and hardware development and fatten the flourishing PC-compatible market.

The BIOS stands at the center of "how-compatible-can-compatible-be?" controversy that has won IBM lawsuits against competitors such as Eagle Computer Inc., Corona Data Systems and Handwell Corp. The IBM PC's BIOS resides in both hardware and software. Its functionality must be "recreated" by every PC-compatible manufacturer desiring to be as close to IBM's BIOS features as possible. The software BIOS resides on a diskette and is loaded with the PC-DOS operating system. But IBM has published and therefore copyrighted the hardware ROM BIOS specifications in its technical reference manual. IBM has challenged those companies closely mimicking its ROM BIOS specifica-

Phoenix, Norwood, Mass., claims to have done many MS-DOS ports, and offers a \$30,000 off-the-shelf software BIOS. The company's bold move to offer the hardware BIOS stems from observing market wants and figuring how not to duplicate the IBM ROM BIOS while achieving its functionality.

Phoenix hires an outsider

"We took a defensive position," says Lance Hansche, director of marketing at Phoenix, when de-

scribing how his company approached developing the ROM BIOS. Phoenix talked to lawyers of two companies considered to sell close PC clones, Eagle Computer and Compaq Computer Corp. It then signed on an outside programmer who hadn't read IBM's technical specification for the ROM BIOS. Hansche says Phoenix gave the programmer a description of the technical specification, which he says is in the public domain, and had the programmer design the ROM BIOS.

The programmer documented all communication and "coaching" about software bugs during the five-month development cycle in a log. Phoenix's primary correspondence with the programmer was written and also serves as documentation. Hansche explains Phoenix noted only that a bug existed; it was up to the programmer to find a way to fix it. Hansche notes the procedure was to ensure that any unwitting similarities between IBM's ROM BIOS and Phoenix's were by chance rather than by copy. "This way we can stand up in court," explains Hansche. "He [the programmer] can say he hasn't seen the technical reference manual." Hansche says Phoenix had invited IBM's lawyers to audit the ROM BIOS before it was introduced, but at press time, he didn't think they would.

Regarding concerns that potential customers would be scared off by IBM's watchful eye, Hansche says IBM could sue Phoenix's customers, but "if those customers had PC compatibility, they would run the risk of an IBM lawsuit anyway."

The Phoenix product carries no name yet. For \$90,000, buyers obtain unlimited use of the ROM. The source code is priced separately. A package with ROM BIOS, GW BASIC (configured to look like BASICA), MS-DOS 2.11 and Phoenix's PC-DOS utilities is priced at \$290,000.

Market researcher Future Computing Inc., Richardson, Texas, which developed definitions of levels of IBM PC compatibility, will test the product, Hansche says. Future charges \$5,000 for its test, he explains. The test had not been completed at press time.

BIOS may spark price war

With PC-clone makers able to purchase and integrate boards, operating systems, applications and both software BIOS and ROM BIOS as canned items, little may distinguish those configured microcomputers in the market. Hansche foresees a short market window for the Phoenix product and "lots of price wars" stemming from the commonalities. He suggests that PC compatibles will be differentiated by support and maintenance offerings from manufacturers.

In anticipation of IBM's possible separation from the MS-DOS competitive environment, Phoenix is preparing to adopt quickly whatever new operating system to which IBM gives the nod.

LOOKING AHEAD IN MMS

The premier issue of Mini-Micro System's Computer Digest is coming soon. It is MMS' first ever guide to minicomputers and microcomputers.

Mini-Micro World

NEWS

Industry braces for impact of AT&T computers

Marjorie Stenzler-Centonze Associate Editor

American Telephone & Telegraph (AT&T) Co., which began the year by announcing its entrance into the general-purpose computer business, recently introduced its first line of six computers, the 3B series, and two networking products with the promise of additional, significant announcements soon to come.

The 3B series ranges from a desktop multiuser supermicrocomputer starting in price at \$9,950 to a high-end minicomputer that sells for \$340,000. The machines use AT&T's 256K-bit dynamic RAM chips and 32-bit WE 32000 microprocessor. All models are based on the UNIX System V operating system.

AT&T's Ethernet-compatible 3BNET local-area network links 3B computers, and the AT&T PC interface enables personal computers that run the DOS operating system to communicate with each other and with 3B computers.

AT&T vice chairman James E. Olson says the products are a natural extension of a business AT&T has been in for years within its own operation. "AT&T is no Johnny-come-lately to the computer business," he states.

The company plans to sell its computers initially through OEMs and value-added resellers as well as to sophisticated end users. Olivetti SpA, of which AT&T owns 25 percent, will sell the products in Europe.

AT&T has not announced plans to sell through retail channels, but industry insiders say the company will address those channels as more System V software becomes available and when AT&T makes its long-awaited personal computer announcement. Analysts expect the


company to unveil a personal computer system this summer. That system will be priced at less than \$5,000 and will be sold through major computer retail chain stores such as ComputerLand and Businessland.

AT&T's unified software

What is most significant about the new product introductions, according to Jean Yates, president of research company Yates Ventures, Los Altos, Calif., is that AT&T has introduced a line of computer products that all run the same operating system. "That should indicate to the industry one of AT&T's major marketing strate-

James E. Olson, vice chairman of AT&T, says the new computer line is a natural extension of a business that AT&T has been in for years.





gies—the fact that they will be able to offer easy networking, software transportability and data exchange between different types of computers."

Most AT&T watchers are keeping a close eye on the low-end products. Yates says the 3B2 is particularly significant at the low end because it can act as a file server, as can IBM Corp.'s rumored high-end product, which is code-named Popcorn. Industry analysts theorize that Popcorn operates as a file server to an IBM PC network along with being a multiuser UNIX box for multiuser applications and a highend MS-DOS box. "If IBM doesn't announce the Popcorn with that

kind of capability, they'll really lose an opportunity, and AT&T is likely to step right in," Yates states.

ATST

Computer

Multi-User

Desktop

UNIX SystemV

3B2

She says the demand is increasing for multiuser software, multiuser databases and business applications that the PC could access via a file server running UNIX.

Alex Stein, senior analyst at research company Dataquest Inc., Cupertino, Calif., agrees that the low end of AT&T's line, including the models 100 and 200 mid-range minicomputers, bear close watching. "The low end is considered more of an issue because AT&T is considered to be a very significant factor in local-area networks through its ability to connect to its own private-branch exchanges," he says.

Stein says AT&T is competing against IBM on the low end, but he sees "a gaping hole" in IBM's product line between the single-user PC and the multiuser minicomputers. "AT&T's \$10,000 product fits that gap perfectly," he states.

Penetrating the high end of the market will require AT&T to vie for accounts that are currently commit-

AT&T's 3B2 desktop microcomputer features 32-bit processing, 256K-bit memory chips and the UNIX System V operating system. The 3B2 can be configured as a single-user system or can serve as many as 18 users.



ted to such companies as IBM, Data General Corp. and Digital Equipment Corp., Stein says. But AT&T may have a significant edge over these vendors, according to Yates, because the 3B20D runs UNIX in real time. "This could theoretically allow voice/data switching to occur on the same computer. A user could have a terminal that incorporates a telephone on his desk, and the 3B20D would allow voice messaging and data to run through the same wire coming off the terminal," she says. Although AT&T has not detailed its plans for the voice side of its network, Yates believes the company will shortly firm up plans.

Market anticipates AT&T's moves

Meanwhile, the industry is bracing itself for the impact of AT&T's products. Though analysts disagree about whether the company will have problems getting its systems into volume production quickly, they agree when that happens AT&T will spell trouble for many vendors.


Maureen Fleming, senior analyst with research concern International Resource Development, Norwalk, Conn., says AT&T's computers will have a delayed impact on the market. "I really can't see AT&T getting the supermicro or the

minicomputers out for a while," she says.

Dataquest's Stein, however, says the important issue will be what AT&T can configure out of its available products. "Since AT&T hasn't announced its PC yet, it may mean that it will have to make some compromises in the types of configurations it develops, like using dumb terminals instead of personal computers as workstations," he says.

Most likely to feel the pinch as AT&T products hit the market will be IBM, DEC, Wang Laboratories and DG. "This is the biggest competition that IBM has ever seen, and it is taking AT&T very seriously," states Yates. She predicts that AT&T will be at least the number-three U.S. computer company within five years. She also predicts that DEC "will take a real bruising" at the high-end of its VAX line, particularly at the VAX-11/780 level.

Meanwhile, AT&T is accelerating the development of broad-based applications to run under UNIX System V, according to Jack Scanlon, vice president of AT&T's Computer Systems Division. "In 1982, the installed base of computers running UNIX systems or their derivatives was about 45,000,"



NEWS

AT&T's 32-BIT LINEUP AT A GLANCE

3B2 desktop multiuser microcomputer; handles as many as 18 users or can be configured as a single-user system; prices start at \$9,950.

3B5 mid-range minicomputer for office use;

Model 100 accommodates as many as 30 users; basic system price: \$57,000. Model 200 accommodates as many as 60 users; basic system price: \$73,000.

3B20S high-end superminicomputer; basic system price: \$230,000.

3B20A an enhanced version of the 3B20S; basic system price: \$330,000.

3B20D high-end minicomputer features UNIX real-time reliable (RTR) operating system with real-time and fault-tolerant features; basic system price; \$340,000.

Scanlon says. "Today, that number has grown to about 70,000, and we expect that number to at least double by the end of the year." He expects the number of available software packages to total about 600 by then.

Convergent deal still a mystery


AT&T is making no further details available on an OEM agreement it signed this year with Convergent Technologies Inc. Under terms of the agreement, Convergent will design and manufacture a proprietary line of products for AT&T.

Some observers say the Convergent product is likely to be a low-end desktop system that integrates telephone technologies. Pauline Alker, vice president and general manager of the special products division at Convergent, does not comment on how AT&T's line fits in with Convergent products.

Dataquest's Stein notes, however, that while the Convergent-developed product is not likely to conflict in any way with AT&T's plans, Convergent OEMs will face more competition that will affect Convergent as well.

Stein says the market should take the view that AT&T's introduction is a systems-solution sale. "I don't think [AT&T is] selling hardware because the performance of the machines doesn't justify their being sold independently. It will be selling an Ethernet network system that has multiuser capabilities at the department level."

Stein notes that AT&T is selling much the same system that IBM intends to sell. "By adopting the IBM standards AT&T has avoided the kinds of problems that IBM has



had in establishing a market standard. AT&T is building on IBM's strength and going a little bit further," he says.

NEC offers an alternative PC-compatible microcomputer

Lori Valigra, Senior Editor

Choosing to sidestep the mainstream IBM PC-compatible suppliers competing head-on with IBM Corp., NEC Information Systems Inc., Boxborough, Mass., instead plans to become an alternative to vendors such as Texas Instruments Inc., Hewlett-Packard Co. and Digital Equipment Corp., which do not offer total IBM PC compatibility. Those manufacturers make microcomputers that run the MS-DOS operating system and their own versions of the most popular IBM PC application programs. NEC also claims media compatibility—the ability to read or write IBM diskettes-for its computer and will supply retailers with a list of standard packages that run on its machine.

NEC's "A1" microcomputer, at press time an unnamed part of NEC's Advanced Personal Computer (APC) line, is available initially only to U.S. buyers. It is based on a version of the Intel Corp. 8086 processor manufactured by NEC, runs MS-DOS version 2.11 that includes a basic input/output system implemented in hardware and software and has 32K bytes of ROM and 8K bytes of video-display RAM. It comes in four versions aimed at home and professional buyers: the versions differ in mass-storage capacities. The choices are one 320K-byte floppy drive, two 320Kbyte floppy drives, one 320K-byte floppy drive and one 640K-byte floppy drive and one 320K-byte floppy drive and one 10M-byte Winchester drive. A 128K-byte entry-level system with one slimline 51/4-inch floppy disk drive is tagged at \$1,595. With the CRT the system sells for \$1,995. Adding an integral hard disk to that system raises the price to \$3,895. Memory can be expanded to 640K bytes.

YOU THINK IT




If you want to get technical about it*, call or write...



INFORMATION TECHNOLOGY INC.

11339 Sorrento Valley Road, San Diego, CA 92121 (619) 457-2270/TWX: 910-337-1258



* A powerful, flexible, networked, multi-user, multiprocessor OEM computer system featuring AT&T's UNIXT*, Xerox's Tamiltalk-80*, 64-bit floating point, alpha-numeric terminal support, and integrated graphics.

CIRCLE NO. 20 ON INQUIRY CARD

JLEX COMM



MICRO/PDP-11 systems to handle up to 16 lines on one board! Emulates DEC DHV11.

New! CS32 Series - Singleboard controller is totally transparent to DEC DMF-32 Can handle up to 128 lines. all modem controlled

New! Statcon Series 32-Up to 256 local and/or remote lines on a single hexsized controller. Totall software transparent to

PLUS Series computers. Handles 8 to 64 asynchronous lines per controller. Replaces DEC DLV11 and

No matter what type of DEC you're using, Emulex will make you happy. For LSI-11, PDP-11 and VAX-11 systems. we offer more than 17 transparent controllers emulating DHV11, DH11, DZ11, DV11, and DMF-32. All deliver improved line-handling capabilities, in a smaller package, at lower costs.

TWO NEW HIGH-PERFORMANCE MULTIPLEXERS.

FOR QBUS SYSTEMS:

Our new CS02 multiplexer is a good example of the kind of performance that only

Emulex delivers. It allows LSI-11 through 11/23 PLUS and MICRO/PDP-11 systems to handle 16 lines eight lines more than DEC's DHV11. The CS02 fits into existing space within the DEC system. It saves that valuable board slot, and power too, for those expanded system applications.

FOR VAX SYSTEMS:

VAX users will appreciate our new CS32. Totally transparent to DEC's DMF-32, this single-board controller can handle many more

lines - up to 128. All modem controlled. (With DEC, only two out of every eight lines have modem control.)

If your VAX system needs even more power, our field-upgradable Statcon 32 Series is the answer. It allows your system to grow to 256 remote and local lines, still operating off a single controller.

LESS BACKPLANE SLOTS.

Since Emulex packs so much more capability onto each board, fewer boards are needed. For example,

TIONS CONTROLLERS: DEC USERS ALL THE TIME.



take a 64-line DH11 emulation. Emulex does it on one board. DEC takes 36. The only thing more impressive than the savings in rack space will be the savings in price.

NO GROWING PAINS.

nous lines.

Emulex makes upgrading simple. As your system grows, just change PROM sets. For instance, DH to DMF costs just \$350. In addition. Emulex's advanced microprocessor architecture is consistent throughout the product line. Just think

of the inventory savings. For that matter, think of the dollar savings, too.

THE PRICE IS RIGHT.

Up to 64 local and/or

remote lines on a single Unibus SPC slot.

Here's a typical example. A DEC DMF-32 controller lists at \$3,995 per eight lines, with expansion chassis costing \$3,500 or more. Compare that to Emulex's CS32/F at \$5,000 for the first 16 lines and \$3,200 for each additional 16 lines. At 128 lines, you suddenly have a savings of about \$36,520 and a lot of extra slots to boot.

Now that ought to be enough to keep a DEC user happy. And Emulex can do the same for you. Call tollfree: (800) 854-7112. In California: (714) 662-5600. Or write Emulex Corporation, 3545 Harbor Blvd., P.O. Box 6725, Costa Mesa, CA 92626.

on a single hex-sized Uni-

bus controller. Transparent

to PDP-11 and VAX-11 CPUs.





Child's Play



Complex pictures.
Beautifully produced on screen.
Easily controlled and manipulated.

For the D-SCAN GR-1104, it's child's play. Because this is

the compact desktop terminal that thinks it costs twice what it does. And acts that way.

Picture this. A 60Hz non-interlaced 14" display. Bright. Stable. And flicker-free. With 1024 x 780 resolution!

But that's just the beginning. The 1104 lets you display 8 colors from a palette of 512 (not the usual 64). And lets you expand display list memory to a full 512K!

All of which means someone is going to be very happy. Visual cueing is better. And picture manipulation is localized. Which, of course, makes operators faster and more productive. And mainframes less burdened. Two cost-efficiencies every company can live with.

The 1104 will even support ANSI 3.64. And give you a VT100 keyboard (with 16 function keys). So there are no re-learning curves to finance.

What's more, the 1104 is Plot 10 compatible. Which means it can emulate the TEK 401X instruction set. And you can save a lot of time and money on software development.

Now for some impressive technology.

The 1104 uses four (not the usual one) graphic display controllers. So figures are drawn, filled and manipulated faster. There's no drag on the system caused by processor or memory overload.

Next, the video formatter is our own custom-LSI design. A gate array (2000 gates) that reduces power consumption and board space. And provides the video speed necessary for output to our high resolution display.

Which, we hasten to add, is beautiful. Especially with its .31mm pitch shadow mask. And contrast enhancement filter that eliminates screen glare and improves visual acuity.

You'll also be happy to note that the 1104 supports our Graphics Tablets (there are two) and Color Hard Copier (the one that's already taking the industry by storm).

One last item. Because we design, build, sell and service all of our products, you can count on getting the back-up you need. Direct service from 13 offices across the U.S.

So make life easy on yourself. Call today to get the full GR-1104 picture. It's easy. Just call your local Seiko Instruments sales person, or us at (408) 943-9100, or write 1623 Buckeye Drive, Milpitas, CA 95035.

You'll see that getting better resolution from a more user-friendly terminal, for a lot less money, really is child's play.



D-SCAN is a trademark of Seiko Instruments & Electronics. Ltd VT100 is a registered trademark of Digital Equipment Corp. TEK and Plot 10 are registered trademarks of Tektronix, Inc.

© 1984 Seiko Instruments U.S.A., Inc., Graphics Devices & Systems Division.

NEWS

Output devices for the A1 include the new Series 8000 Spinwriter fully formed character printer, expected late last month, and the forthcoming Series 2000, expected in the fall. The \$2,100 Series 8000 prints at 55 characters per second (cps), while the \$1,200 Series 2000 prints at 23 cps. The company's dot-matrix Pinwriter models also are available. Parallel and serial interfaces are included.

The A1 incorporates a new eight-color monitor with NEC's 7220 graphics chip, which includes graphics primitive commands. Available monochrome or color monitors offer 640-by-200-dot or 640-by-400-dot resolution, respectively.

PC not wholly IBM-compatible

The product's design forsakes total IBM hardware and software compatibility in many ways. For example, the function keys are parallel to the display, while IBM's are positioned in a cluster on the left side of the keyboard. It can't accommodate standard IBM PC add-in boards, and NEC does not guarantee that third-party add-in boards will work in the A1's four expansion slots. Lotus Development Corp.'s 1-2-3 integrated package had to be modified to run on the machine. As of press time, NEC still was testing the machine's degree of hardware and software compatibility with IBM's PC.


But NEC does not want to be completely IBM compatible. "We don't want to be completely vulnerable to IBM's moves by being 100 percent compatible," explains Peter J. Schlegel, product line manager for personal computers at NEC. "There's also a sense of pride in developing unique capabilities on a machine," such as being able to program each of the 12 function keys four ways to get more than

double the number of functions offered by IBM. But, he admits, "There's no question that if it were fully IBM-compatible we'd sell more units."

The A1 represents the steppingstone in NEC's attempt to align an industry-standard general-purpose microcomputer line. Earlier APC models, which also run MS-DOS as well as CP/M, are more limited and mostly are used in graphics applications, Schlegel notes. He says the earlier APCs incorporate 8-inch diskette drives, which precludes them from being massmarket products. Schlegel says NEC will continue to support earlier APC models and keep them and the A1 as parallel product lines.

Multiuser systems in the works

NEC is planning to make a UNIX System III operating system with Berkeley enhancements available in September. With that announce-



NEWS

ment, it appears NEC is signaling its future direction with personal computers: multiuser networking systems. In this way, NEC is paralleling IBM in fleshing out its product line. IBM recently announced an MC68000 multiuser microcomputer running XENIX (MMS, May, Page 48). UNIX will be available on a combination hardware/software "softcard" incorporating an 8087 math coprocessor and memory-management func-

tions. NEC's parent in Tokyo developed the \$1,500 product.

NEC is also readying networking capabilities to let products such as NEC Home Electronics' 8200 lapsized computer hook into a network with A1s, APCs and Astra series small business computers, says Schlegel. One option is a fiber-optic local-area network NEC has been demonstrating at computer shows for the past year. This networking would give NEC microcomputer

users hooks to larger computers similar to those that users of Tandy Corp.'s model 100 lap-held computer enjoy. Tandy users can link their machines to IBM PCs.

NEC vies as TI, HP alternative

NEC will compete with TI, HP and DEC for dealer shelf space beginning in mid-month. Schlegel estimates that IBM and Apple Computer Inc. now occupy half of the available retail shelf space. "We

Olivetti makes its IBM PC-compatible bid

Keith Jones European Editor

After a false start with the non-standard M20 microcomputer, Olivetti SpA, Ivrea, Italy, now offers two machines claimed to provide compatibility with IBM Corp.'s Personal Computer.

The desktop M24 and the 3-pound transportable M21 are configured around the 8-MHz 8086 processor from Intel Corp. and feature 640-by-400-pixel screen resolution in graphics mode. Each incorporates 16K bytes of ROM loaded with a basic input/output system (BIOS) said to be compatible with the IBM PC's ROM-based BIOS but not infringing

the copyright on IBM's ROM.

Price of the M21 with 256K bytes of memory, two floppy drives and a display is \$2,900, which equals the price of a 128K-byte similarly configured M24. Adding a 10M-byte hard disk brings the price to \$6,100.

An option for both machines is a processor board employing the Zilog Inc. Z8000 processor. It gives software compatibility with the M20, which is configured around the Z8000 and hosts Olivetti's PCOS operating system.

"The M20's market share in the United States was marginal," acknowledges Vittorio Cassoni, marketing director of the Olivetti Group. Anticipating a much bigger welcome

for the IBM-compatible machines, Cassoni notes, "Our main aim is to find distribution channels for the M21 and M24." Massimo Samaja, the Olivetti Group's commercial director, suggests as possible outlets the phone shops of AT&T Co., which owns 25 percent of the Italian company. "But we cannot put our computers into shops without suitable salespeople," Samaja adds. He confirms that the U.S. sales setup will embrace Docutel Olivetti Corp., Dallas. Less certain following the M21 launch, according to Samaja, is Olivetti's continued commitment to selling the M18, a transportable unit bought from Corona Data Systems

Some other standard features common to the M21 and M24 include one RS232 asynchronous communications port and one Centronics-compatible parallel port. Common options include an Intel 8087 numeric coprocessor, main memory expansion to 384K bytes from a 128K-byte minimum and a graphics expansion board for 16 colors or shades of gray instead of the standard four.

Differences between the two machines include screen size—9 inches diagonal on the M21, 12 inches on the M24. The M24's bus converter provides seven expansion slots compared with only three on the M21. Both machines come with one or two integral floppy disk drives, but on the M24 one can be replaced by a 10M-byte Winchester drive. Both machines can have an optional external 10M-byte Winchester.



Olivetti is expanding its personal computer family with two IBM-compatible models, the M24 desktop (far left) and the M21 transportable (far right).



NEWS

want to have an alternative [in the A1] to displace some of that other 50 percent," he says. If the 3,000 U.S. NEC dealers each sell 40 units per month as he projects, this means that 50 percent of that monthly number, or 60,000 units, is NEC's target market. NEC hopes to glean 10 percent of those sales in two years—an overall 5 percent market share among retailers. Schlegel estimates that 80 percent to 90 percent of first-year sales will be through retail channels.

NEC will also offer the A1 to large corporate accounts and system houses. Schlegel notes that, to these customers, the A1 is more attractive when communications capabilities are added. NEC plans to supply dealers with a list of generic application software it doesn't offer but has qualified for use on its machine. Languages that run on the A1 off-the-shelf and not offered by NEC include Microsoft BASIC, FORTRAN and Pascal.

Schlegel says NEC does support some software, such as the operating system and communications. NEC will initially offer the Acculink communications software package, priced at about \$300. The company also will support Dow Jones news-retrieval database connections and third-party software tailored to the A1, such as MicroPro International's Wordstar word-processing program. NEC is looking into offering Lotus' Symphony

integrated package and Digital Research Inc.'s language library. The company also plans support of Concurrent CP/M 3.0 with MS-DOS.

NEC is revising its dealersupport program—going directly to dealers rather than through distributors. Typical dealer margins will exceed 35 percent, Schlegel claims, especially with hard disk A1s. The company also is setting up national NEC distribution centers to sell to the dealers. These are planned to open in Chicago, Dallas, Seattle, Atlanta and Westboro, Mass. NEC will supply dealers with spare parts so that they can maintain the hardware if they wish. But NEC offers purchasers a warranty on hardware for the first year.

Winchester interface controversy heats up

Chris Bailey, Western Editor

Amid the clamor of claims and counterclaims, system OEMs and integrators are facing a difficult choice in determining which disk drive and controller manufacturers to believe when choosing a high-performance, 5¼-inch Winchester disk interface.

Seagate Technology, Scotts Valley, Calif., is touting its ST-412HP interface that ups the current ST-412's 5M-bit-per-second (bps) data-transfer rate to between 5M and 15M bps. Meanwhile, proponents of the 10M- to 25M-bps Enhanced Small Disk Interface (ESDI) are attracted by its on-drive data separator and disk/controller intelligence.

Most observers agree that OEMs and system integrators want a low-cost standard with a higher-than-5M-bps data-transfer rate, but there is no consensus yet on which proposed interface will become the

de facto standard. In the meantime, system builders are moving ahead with planned new systems while waiting for a definitive standard to emerge.

Some support both

Seagate is proclaiming the ST-412HP, essentially a higher-speed ST-506/-412 interface, to be the most logical, economical and easily manfactured solution. But ESDI proponents believe ESDI is the only reliable 10M-bps interface suitable for 50M-, 100M- and more-than-100M-byte drives.

For Skip Kilsdonk, director of marketing at ESDI proponent Maxtor Corp., San Jose, Calif., there is no controversy. "We did not define the ESDI; we merely sponsored the meetings that led to its creation. The ESDI in its present form is a result of the input of 35 to 40 companies including drive manufacturers, controller manufacturers,

system integrators and even tapedrive manufacturers. It was derived after looking at the systemlevel problems and determining which features best met the needs of the ultimate end customer." Kilsdonk feels that the ST-412HP could find a place in low-end, medium-capacity drives with capacities of 50M bytes or less in the high-capacity, high-performance end of the market. But he believes the ESDI will be the choice because of its high data-transfer rate, intelligent drive/controller interface and superior data reliability.

Many drive and controller manufacturers claim they will eventually support both interfaces. Jim Adkisson, vice president of Vertex Peripherals Inc., San Jose, Calif., says Vertex will support the ST-412HP in the company's upcoming 84-byte drives in the third quarter of 1984 and the ESDI in the first quarter of next year.



TS11 Tape Controller...

Because the world is changing

We're on this journey together. We have been since MDB first enhanced DEC systems with our interfaces to the PDP-11 in 1972.

This dynamic new world requires that we anticipate what system designers will need to take advantage of the new micro architecture. Today and tomorrow.

And this is just the beginning. The MLSI TS11/TSV05 has the capability tape controllers of the future must offer. It interfaces the Q-bus family of processors to the new generation of tape drives with embedded formatter. And it allows up to eight different magnetic

tape drives with data densities of 800, 1600, 3200 or 6250 BPI to be connected to a single quad board.

Its out of this world capability includes 16K byte buffer for streaming tape drive connection and software configurable operating modes that can be changed at the operator's console.

We've made a commitment to the future. The immediate future. One that will see us introduce several compatible products that are interchangeable. They not only keep pace with the new micro system architecture advances...but lead the way.

Just watch this space.

*TM Digital Equipment Corp

MDB

Corporate Headquarters 1995 N. Batavia Street, Box 5508 Orange, CA 92667-0508 Tel. 714-998-6900 TWX: 910-593-1339 FAX: 714-637-4060 MDB Systems Europe, Inc. Geneva, Tel. 41 22 439410 MDB Systems U.K., Ltd. Berkshire, Tel. 44 06286 67377 MDB Systems Germany Munich, Tel. 49 89 9101272 MDB Systems Australia Neutral Bay, Tel. 612 929-6526

In the western states MDB products are also distributed by



ELECTRONICS MARKETING GROUP

Circle 191



ABLE's ATTACH customers enjoy their spaghetti in the dining room, not the computer room.

ABLE's ATTACH, the breakthrough multi-host terminal switching system for DEC UNIBUS computers that eliminates the spaghetti-like mess of cables in your computer room.

One ATTACH host board and a *single* cable replaces 16 DEC interfaces, and their associated "spaghetti." And it still supports up to 128 terminals on your system without the endless tangle of cables that tie-up your computer room.

One ATTACH host board does the work of many multiplexers. The immediate advantage is a dramatic reduction in mounting space and expansion cabinetry, resulting in significant cost savings. And ATTACH can be located up to a kilometer away from your computer room.

Cook up a system to meet your present data communication requirements with ATTACH. At the touch of a keyboard, terminals can be dynamically *switched* among any combination of VAX and PDP-11 UNIBUS systems. And,

ATTACH is compatible with RSX, RSTS/E, VMS and UNIX operating systems.

Expanding your capabilities, or adding terminals is easy with ATTACH. As your requirements grow, simply add modular ATTACH units to your system.

Whether you have 28, or 128 or more terminals,
ATTACH has the right recipe for cost-effective connectivity.

ARLE Computers' ATTACH is the most efficient terminals.

ABLE Computer's ATTACH is the most efficient terminal interconnection system on the table.

Contact the ABLE representative near you, or call ABLE toll-free at 800-332-2253.



The communication specialists

1732 Reynolds Avenue, Irvine, California 92714. In the Irvine area: (714) 979-7030. Or, TWX: 910-595-1729.

DEC, PDP, RSTS, RSX, UNIBUS, VAX and VMS are trademarks of Digital Equipment Corporation. UNIX is a trademark of Bell Laboratories. ATTACH is patent pending.

NEWS

Taking a different point of view is Donald Redmond, vice president of engineering at Xebec Systems Inc., Sunnyvale, Calif. "The ST-412HP has not solved any of the problems of the ST-506 interface," he declares. "Primarily, the data reliability problems will intensify at the doubled data rate, and the specified driver/receivers at the data-bus level do not yet exist."

Integration causes problems

Redmond says the major problem of any interface is system integration, which caused Xebec customers the most problems with the ST-506. Integrating ST-506/-412 drives into small systems resulted in excessive soft-error rates. Redmond believes this problem is compounded by the fact that the data separator is not located on the drive itself. Since the ST-412HP calls for the data separator to be on the controller

interface board, this problem remains.

In contrast, the ESDI, first touted by Maxtor in early 1983 and now supported by Control Data Corp. (CDC), Micropolis Corp., Xebec, Memorex Corp., Fujitsu America Inc., OMTI and others, calls for placing the data separator electronics in the drive. Proponents contend that this architecture solves the soft-error rate problem by eliminating the major source of noise and timing problems. They also bill the ESDI as the higherperformance interface because it supports data-transfer rates as high as 25M bps.

Xebec's Redmond disputes that figure: "The ST-506/-412 interface is already pushing transistor-to-transistor logic limits. No one will support the HP at more than 7M bps this year, and 10M bps and beyond is unlikely."

Seagate's Don Manneman, product manager for high-performance drives, points out that the ST-412HP is a logical evolution of the older interfaces. "The similarity of the 412HP to the existing ST-506/412 standard should result in a lower cost as compared to the other alternatives," he states. He does not foresee problems with parts availability for the 412HP. Manneman expects the interface to first appear in high volumes in mid-1984 in the 100M-byte, half-height, 8-inch ST-8100 drive.

Manneman suggests that the 412HP can reduce overall system costs in multidrive systems due to the placement of the data separator. "When you place the data separator logic in each drive, the end user or OEM pays that cost in each drive of a multidrive system. With the 412HP, that cost is paid only once—in the controller board."

A COMPARISON OF THE WINCHESTER INTERFACES

The initial ST-506 interface was designed for the original 51/4-inch Winchester, the 5M-byte ST-506. The ST-412 interface improves on the ST-506 by supporting buffered seek, which improves access time when moving the read/write heads across many data tracks by bunching the positioning commands rather than sending commands singly, track-bytrack. The ST-412HP ups the data rate of the ST-412 to between 5M and 15M bps and adds another head-select line, bringing the number of selectable heads to 16.

The ESDI takes a different approach, even though in its step mode it operates similarly to the ST-412. It calls for the inclusion of the data-separator logic within the drive. The aim is to reduce the data-error rates by eliminating one source of tolerances in the drive/system interface. Additionally, it adds a serial command/status interface that permits a number of configuration, status and command data to be passed between the drive

and the controller.

Finally, it specifies non-return-tozero (NRZ) data coming out of the drive that allows the use of advanced run-length-limited (RLL) dataencoding schemes that can effectively increase the amount of data stored by as much as 50 percent without altering the basic bits-per-inch capabilities of the disks. The use of NRZ data and RLL encoding represents the migration of these large disk techniques to the emerging small 51/4-inch and smaller disk systems.

	ST-506/412	ST-412HP	ESDI
Basic function	basic drive/ controller interface	similar to ST-506, faster	upgraded ST-506, faster, more intelligence
Data rate	5M bps	5M to 15M bps	10M to 25M bps
Data encoding	MFM	MFM, NRZ possible	NRZ
Data separator	on controller	on controller	in drive
Additional functions	buffered seek	extra head- select line, recovery mode line for error recovery	extra head-select line, step mode (similar to ST-412 but with overlapped seek); command mode: serial mode for passing commands from controller to drive including direct track addressing; status mode: permits passing of parameters, fault condi- tions and configuration information between drive and controller

NEWS

Xebec's Philip Devin, director of marketing, disagrees. He says the cost of the data-separator circuitry is low and should not impact multidrive configurations. Further, the relaxation of phase-margin problems on the heads and media due to on-board data separation will help reduce the cost of the interface.

Xebec's Redmond disputes the lower-cost notion. "There has been so much finger-pointing at the 5M-bps data rate between drive, controller and system manufacturers that from a customer-support point of view it would be cost-prohibitive for us to even consider manufacturing a 412HP product."

According to John Worden, manager of disk systems engineering at CDC, the increase in the datawindow margins can provide drive manufacturers with more design leverage in the rest of the drive. "With today's ST-412 and the proposed ST-412HP, 30 percent to 50 percent of the theoretical data-detection window is allocated to the controller subsystem. This means that drive manufacturers must produce a drive to tighter tolerances in the head, media and positioning system. With the ESDI, drive manufacturers have control over the data separator, writeprecompensation circuitry and datarecording code and thus 100 percent of the data-detection window. This gives them more options in designing the more costly portions of the drive. Reduced costs in the heads, media and positioning system should result in a less expensive drive."

CDC announced its ESDI support with the introduction of the Wren-2 family of 86M-, 174M- and 213M-byte, 5¼-inch drives, which are expected to be in production in early 1985. Experience from using parallel production lines for modified-frequency-modulation and non-return-to-zero (NRZ) models of the

36M-byte Wren-1 drives has led CDC to favor the NRZ, or ESDI, interface.

Larry Boucher, president of Adaptec Inc., Milpitas, Calif., takes a softer view. "Technical superiority is by no means the determining factor in winning the acceptance battle. Almost everyone agrees that the American National Standards Institute (ANSI) standard is the most well-thought-out proposal from a technical point of view, but it has failed in the marketplace." Early supporters of the ANSI standard have now adopted more mainstream interfaces.

A recent ANSI supporter to switch allegiances is Micropolis, Chatsworth, Calif. Vice president of marketing Chet Baffs cites a lack of demand from OEMs and system integrators and says, "ESDI meets the requirements for a higher-performance interface. It's an economical and relatively easy migration from our ST-506/-412 interface.


One of the early members of the ESDI committee, Western Digital Corp., Irvine, Calif., is now supporting the ST-412HP. Explains Kathy Braun, director of marketing of storage-management products, "As the proposed ESDI standard became more complex and expensive, we began to lose interest. When Seagate and Tandon [Corp.] announced its support of the ST-412HP, we felt that the company's market presence would result in wider use of this interface." Adds Joseph Jaworski, director of strategic planning, "We are driven by our ability to produce [very-large-scaleintegration (vlsi)] components, and to do this we need volume markets. With Seagate and Tandon behind the ST-412HP, we feel comfortable that there will be the volumes we need to support VLSI development." In addition, Western Digital's interface components are more adaptable to the ST-412HP than to the ESDI.

TANDON TO SUPPLY SOME WINCHESTERS TO IBM

Tandon Corp. insiders making the Hannover Fair rounds reported that the company recently made a serious play to supply all of IBM's current needs for 10M-byte Winchesters—some 750,000 units. IBM declined the offer in favor of signing a second source but reportedly bought 400,000 drives from Tandon because the price was low—\$325 each. Deliveries should start this month.

BASF UNVEILS 51/4-INCH WINCHESTER

BASF unveiled the top-of-the-line 6190 51/4-inch Winchester drive at the Hannover Fair. The 6190 incorporates high-performance Winchester features that include a dedicated servo system and a voice-coil actuator. Unformatted capacities are 52M, 73M and 94M bytes on models with five, seven and nine recording surfaces, respectively. BASF officials note that the company is delaying the re-establishment of a full U.S. disk drive sales operation. But international accounts manager Hans Wallner is using BASF Systems Corp., Bedford, Mass., the company's U.S. media outlet, as a base to contact U.S. computer companies wanting drives for their European sales and manufacturing operation.



Our giant commitment to OEMs

BOARDS TO SYSTEMS. YOU NAME IT.

CIE Systems is committed to being your source for the very latest in micros and all that goes with them.

The micros are the CIES 680™ Business Computers with the advanced 32/16-bit 68000 microprocessor and Intel's Multibus™ architecture. So from boards to

systems, you can easily configure your product line for virtually any business.

There are four 680

models. The 680/30 (shown above), 680/20 (on the right), 680/35 and the 680/40. MINI-MICRO SYSTEMS/June 1984

The 680/30 and 680/35 will accommodate up to eight interactive users. The 680/20 expands to four users. And the 680/40 expands to as many as 20 users.

Disk capacities range from 10 to 300 Mbytes, memory from 256K to one Mbyte.

Operating systems include REGULUS™ (UNIX™ compatible) and RM/COS.TM

Language processors include BASIC, FORTRAN, COBOL and PASCAL.

Applications offered are general accounting, financial worksheet and word processing, as well as a wide range of vertical applications.

And you can include PRO-IV,™ the applications processor that allows you to develop applications in onetenth the time or modify applications in one-hundredth the time it normally takes.

CIRCLE NO. 25 ON INQUIRY CARD

Boards up to complete CIES 680 systems. Our name or your name on them. That's an ongoing commitment to OEMs from CIE Systems, the company backed by the third largest trading company in the world with well over \$50 billion in sales.


Just call or write CIE Systems, Inc., 2515 McCabe Way, Irvine, CA 92713-6579 (714) 660-1800. Call toll free 1-800-437-2341. In California, call 1-800-458-6279.



TM CIES 680 is a Trademark of CIE Systems, Inc.
Multibus is a Trademark of Intel Corporation.
REGULUS is a Trademark of Alcyon Corporation.
UNIX is a Trademark of Bell Laboratories.
RM/COS is a Trademark of Ryan-McFarland Corporation.
PRO-1V is a Trademark of Data Technical Analysts, Inc.

© CIE SYSTEMS, INC., 1983

Introducing TI's Climb on the 32-



Nu Machine. bit NuBus now.

The Nu Machine™ Computer. The first system in the Texas Instruments Nu Generation Computer family. The only system now available built on a modern 32-bit bus. The processor-independent NuBus™ architecture helps meet your advanced-technology design requirements today. And tomorrow.

First high-performance 32-bit bus

The NuBus technology, designed at M.I.T., is optimized for 32-bit data and address transfers. Its 37.5-Mbyte/sec bandwidth combines with an elegant arbitration scheme to ensure fast and fair data flow.

Innovative, flexible architecture

The NuBus design was developed to support sophisticated system architectures and eliminates the


built-in obsolescence of processordependent systems. It lets you concentrate on developing applications, not architecture. Your significant investments are protected as new technologies develop.

The Nu Machine's open architecture solves your make vs. buy dilemma. Multiple-processor configuration support combines with the NuBus high bandwidth, highresolution graphic displays, cache memory, and high-speed disks to make the Nu Machine system attractive to sophisticated end-users, systems integrators, and OEMs in the engineering and scientific marketplace.

Anticipating industry trends, the power and expandability of TI's Nu Machine allow it to accept 32-bit processors of the future.

Open system supporting industry standards

TI's Nu Machine system is currently available with a



Combining innovative NuBus architecture with advanced graphics. powerful peripherals, and UNIX-based software, TI's Nu Machine provides the outstanding performance and flexibility required by scientific and engineering systems designers. 27-7379

© 1984 TI

10-MHz 68010 processor supporting a UNIX™-based operating system with enhancements for windowing and high-resolution displays.

Those who want to design their own system processors and controllers can now license the NuBus design from Texas Instruments.

Also, a NuBus-to-Multibus™ converter allows the use of existing interface cards and peripherals from third parties.

The system you can build on from now on

Because its high performance and flexibility are designed for the long run, TI's Nu Machine can be updated when other systems are outdated.

And, Nu Machine computers are backed by TI's service and customer-support network and by TI's commitment to quality and reliability.

To climb on the NuBus bandwagon, call toll-free: 1-800-527-3500. Or write Texas Instruments Incorporated, P.O. Box 402430, Dept. DNA203MY, Dallas, Texas 75240.

Nu Machine and NuBus are trademarks of Texas Instruments Incorporated Multibus is a trademark of Intel Corporation

System V/68 is a trademark of Motorola, Inc. UNIX is a trademark of Bell Laboratories



Creating useful products and services for you.


NEWS


DEC announces its most powerful VAX

David Bright, Assistant Editor

Digital Equipment Corp. has finally announced its top-of-the-line, single-processor VAX-11/785 superminicomputer. The announcement comes amid new and intensified competition from all quarters, including the formidable AT&T Co. and IBM Corp. DEC claims the new system provides 50 percent to 70 percent more throughput than the 11/780—its first superminicomputer—which was introduced in 1977.

The VAX-11/785, which is compatible with the other VAXs, runs the VMS and ULTRIX-32 operating systems and can be configured in VAXclusters. A VAXcluster is a loosely coupled group of as many as 16 VAXs connected via 70M-byte-per-second coaxial cable. DEC says the new machine has hosted at least 196 users and that there is no theoretical limit to the number of users. Virtual memory, like on other





DEC's high-end VAX-11/785 is housed in the same cabinetry as the VAX-11/780 but provides a 50 percent to 70 percent throughput increase, DEC says. Prices start at \$195,000.

VAXs, is 4G bytes. A building-block system with 2M bytes of main memory, a VMS license and cabinetry sells for \$195,000, and a similarly configured VAX-11/780 system sells for \$145,000.

Many observers were unenthusiastic about the VAX 11/785 system. It is "nothing shocking, surprising or new," comments Adolph "Sonny" Monosson, publisher of the Monosson on DEC newsletter. Observers expect DEC's high-end Venus superminicomputer to generate more interest. DEC president Ken Olsen says the Venus will be announced by year-end. The Venus will use emitter-coupled logic, which is faster than the Schottky transistor-to-transistor logic (TTL) that the current VAXs use.

DEC leads in worldwide superminicomputer shipments. The company's market share of shipments jumped from 37 percent in 1981 to 49 percent in 1982, according to International Data Corp. figures. But several announcements by other companies threaten DEC's

lead. These threats include IBM's 4300 series mainframes, which were announced last fall, AT&T's 3B20 and 3B5 superminicomputers, which were unveiled a week before DEC's announcement of the VAX-11/785, and Data General Corp.'s MV superminicomputers. IBM is targeting its new \$200,000 4361 Group 5 processor at DEC's OEMs in the scientific/technical market, in which DEC so far has the jump on the 4300 series, and at the business market. IBM rates the 4361-5 at 1.45 whetstones in a mix of singleand double-precision computation. DEC rates the VAX-11/785 at 1.6 single-precision whetstones.

VAX-11/785 product manager Al McGuire acknowledges IBM's 4361 as the DEC system's most serious competition but claims that DEC has several advantages. For example, the VAX-11/785 can be clustered and can be linked via the Ethernet local-area network. DEC designed the system for timesharing applications and claims this is another advantage over IBM's 4361.

UNIX IS A DINOSAUR CP/M & MS-DOS ARE TOYS

MULTI SOLUTIONS PRESENTS

THE WORLD'S FIRST 4th GENERATION

OPERATING SYSTEM

A SERIOUS OPERATING SYSTEM

SI

FOR TODAY AND TOMORROW

- PORTABLE
- MODULAR
- MULTIUSER
- MULTITASKING
- MULTI PROCESSING
- PARALLEL PROCESSING
- 64 CHARACTER NAMES
- 3 COMMAND PROCESSORS
- REAL TIME

- NETWORKING
- DISTRIBUTED PROCESSING
- HIERARCHICAL DIRECTORIES
- KEYED FILES
- · ISAM
- VSAM
- B-tree
- RECORD LOCKING
- UNIX SOURCE COMPATIBLE

- WINDOWING
- BIT MAPPED DISPLAYS
- FULL SCREEN MANAGEMENT
- FULL SCREEN EDITING
- FULL MEMORY MANAGEMENT
- VIRTUAL MEMORY
- SEMAPHORES & LOCKS
- EXTENSIVE UTILITIES
- · AND MUCH, MUCH MORE

S1 IS THE ONLY OPERATING SYSTEM WORTHY OF THE TITLE:

"THE NEXT WORLD STANDARD."

ONLY S1 DOES IT ALL.

NO OTHER OPERATING SYSTEM COMES CLOSE. CUTS DEVELOPMENT TIME FROM MAN YEARS TO MAN MONTHS.

MULTI SOLUTIONS INC.

Multi Solutions, Inc. 123 Franklin Corner Rd. Lawrenceville, N.J. 08648 609-896-4100 Telex; 821073

Please send for our FREE S1 Book or Call 609-896-4100

IN TIME, ONLY THE BEST WILL SURVIVE: S1

How can you develop one system and offer your customers a choice of three?

Simple. Develop it around HP's new three-inone microsystem. That way, you don't have to redesign your system to offer your customers a range of performance. Because the entire power range of HP's new A-Series computers fits into the same small, convenient package. At a slimmed-down starting price of \$6110*

So you can offer 1 MIPS performance. Or floating point hardware and microprogramming in either a 1 MIPS

or 3 MIPS computer. Whichever one your customer chooses, you can fit it easily into the same space in your system.

Identical software keeps it simple.

When you change processors, you don't have to go back to the drawing board with your programs. Because, in addition to compatible hardware, these computers run identical software. That's the best kind of compatibility you can buy.

Our A-Series family consists of the Micro 26, Micro 27 and Micro 29. The Micro 26 comes with integrated 14.6 Mb mini-Winchester disc and microfloppy. And it has 8 I/O slots, giving you plenty of room for our wide selection of I/O cards for instruments, measurement and control, and datacomm, to name a few.

The Micro 27 adds floating point hardware and microprogramming. And, for jobs needing up to three times the power, our 3 MIPS Micro 29 has got what it takes.

> Our brand new operating system really performs.

That's one secret of our success. The new, full-function RTE-A real-time operating system provides the performance you need for your real-time automation applications. Ranging from dedicated machine control to monitoring instruments to supervising a network of computers.

This power, speed and I/O capacity also make our A-Series systems ideal for multi-user, multi-tasking environments.


Of course, these compact new computers are part of our newly expanded OEM program. This includes higher discounts and credits, extended warranties and free training. So you'll make more when you get to market. And you'll also get there faster with our new operating system and newly packaged microsystems.

If you'd like micro, mini or maxi performance in one micro package, call your local HP sales office listed in the white pages of your phone book. Ask for a technical computer representative. Or write for more information to: Hewlett-Packard, Attn. Greg Gillen, Dept. 08171, 11000 Wolfe Road, Cupertino, CA 95014. In Europe, write to Henk van Lammeren, Hewlett-Packard, Dept. 08171, P.O. Box 529, 1180 AM Amstelveen, The Netherlands.

*A600+ microsystem component, 128Kb memory, box, Winchester disc.

Prices are U.S.A. list in OEM quantities of 100 and include integrated peripherals, one interface card, RTE-A and 512Kb of memory for Micro 26 and Micro 27. Micro 29 includes 768Kb





Our new microsystems also come in this floor-mount or bench-top models.

licro:

\$7445

Maxi:

3 MIPS, plus floating point hardware and microprogramming, for \$16.650

andimmidinamidinamic

1 MIPS, plus floating point hardware and microprogramming, for \$13.140

Whatever the level of performance you pick, it fits in this little 7" x 19" x 25.5" package.



The difference is more than clear!

"Perhaps the finest quality 132 column display on the market today..." See for yourself. Send for your FREE unretouched, actual size photo of the TAB 132/15. Place it by any other terminal. Compare the non-glare 15 inch screen, the crisp, clear 132 characters per line with the large 7" x 11" dot matrix resolution. Even with just a photo print, you'll see the difference . . . and more!

More productivity, more throughput. Give people a better tool and they'll produce more—whether they're the president, accountant, engineer or order entry clerk. An easier to read, easier to use terminal means more effective, error free throughput.

More data, larger screen. Display data in the same 132 column format you're used to seeing on your printer. Reduce or eliminate slow, expensive printed reports. Break away from the old 80 column display limitation. Whether you're involved with inquiry, interactive or word processing applications, the TAB 132/15 can give you the display flexibility you need.

More than compatible. ANSI and DEC1 VT521, VT1001 and VT1321 compatibility, plus a special TAB mode for even more capabilities. All standard. The TAB 132/15 also gives you four page memory, 14 function keys, status line and

English prompts on the screen. With options like printer port and current loop.

More capability with full graphics. TAB's optional graphics package is full featured and emulates Tektronix 40102 terminals and is compatible with PLOT IO2, TELLAGRAF3, DISSPLA³, Template⁴ and Plot Pak⁵ software. Features include arc and vector drawing, point plotting, area fill, selective erase and more.

More desk space with internal modem. TAB terminals are now available with a new Internal Modem that is Bell 212A compatible. This 1200/300 Baud modem with memory is keyboard controlled to initiate calls and automatically answer calls. Ten phone numbers can be stored for auto-dialing. For a free photo print or

a demonstration of the TAB 132/15 Series Terminals, call or write TAB Products Co., 1400 Page Mill Road, Palo Alto, CA 94304, (415) 852-2400. Outside Calif. (800) 672-3109.



TECHNOLOGY BUSINESS

- Trademarks of Digital Equipment Corporation
- Trademarks of Tektronix Inc.
- Trademarks of Integrated Software Systems Corp.
- 4 Trademarks of Megatec 5 Trademark of Digital Engineering

NEWS

But IBM value-added reseller support representative William Bozarth counters that, although the 4361 is batch-oriented, the VM operating system, which is installed on roughly half of the 4300 systems, enables the system to support real-time timesharing equal to the VAX's.

McGuire says he is not worried about further competition from AT&T's 3B20 and 3B5 superminicomputers. Although AT&T has used the systems internally for several years, the company continues to buy a lot of VAXs from DEC, he points out.

DG remains a leader

DG's MV/10000 superminicomputer, rated at 2.5 single-precision whetstones for a \$150,000 system, apparently remains a price/performance leader. DEC says its optional FP785 floating-point accelerator can enhance the VAX-11/785's floating-point performance by an average of 47 percent. The FP785 uses the same technology as the VAX-11/785 CPU and is priced at \$14,000.

Previously, DEC offered its VAX-11/782 to scientific and technical customers desiring more computational power. The VAX-11/782 incorporates two VAX-11/780 processors and two shared-memory controllers. But DEC rated the system's performance to be 60 percent to 80 percent greater than the VAX-11/ 780's, which makes the VAX-11/782 and VAX-11/785 about equal in performance. Because a VAX-11/785 lists for \$200,000 less than the VAX-11/ 782's \$395,000, DEC's McGuire says it could reduce the demand for the VAX-11/782. However, customers may still want to use the VAX-11/ 782 in some applications, such as when a second CPU is needed for

DEC boosted VAX-11/785 CPU performance through the use of ad-

Wang adds high-end supermini

A week before Digital Equipment Corp. introduced its VAX-11/785 32-bit minicomputer, Wang Laboratories Inc. announced its most powerful superminicomputer—the VS 300. It is more compact and three times faster than their second most powerful system, the VS 100, Wang says. Prices start at \$170,000 for the VS 300 and \$113,000 for the VS 100. A new version of the VS operating system, which will be compatible with current VS machines, will support the VS 300.

The VS 300 uses a pipelined processor that overlaps instruction cycles. In every 120-nsec. processing cycle, the CPU executes one instruction, decodes a second and fetches a third. The system includes 4M to 16M bytes of memory using 256K-bit RAM chips.

The system sports 32K bytes of cache memory and a dedicated, buffered memory-control unit. It also features 15 intelligent I/O controllers for serial devices, disk and tape drives, telecommunications links and networking gateways. Wang says the VS 300 supports as many as 255 concurrent user tasks and 192 workstations and printers. A floating-point accelerator is available.

The VS 300 measures 36 inches high by 48 inches wide by 25½ inches deep, and the VS 100 measures 48 by 41 by 32 inches.

A basic VS 300 configuration, including 4M bytes of memory, the operating system, a serial I/O controller and an assembler language license, sells for \$170,000.

vanced Schottky TTL, a shorter cycle time, quadrupled cache memory-to 32K bytes-and the use of a writable control store for microprogrammed instructions. The company shortened cycle time on the VAX 11/785 to 133 nsec. from 200 nsec. The storage of VAX-11/785 microcode in RAM simplifies microcode updates and reportedly increases CPU performance. VAX-11/780 microcode is stored in ROM. DEC also increased console memory for the VAX-11/785 to 48K bytes from 16K bytes. The VAX-11/780 and -11/785 use the same cabinetry.

Customers can upgrade their VAX-11/780s to VAX-11/785s for \$91,200, or for \$95,000, including the FP785 floating-point accelerator.

An All-In-1 office-automation configuration, including a VAX-11/785 with 6M bytes of memory; a 456M-byte disk drive; a tape drive; four DECmate II systems with word-processing software; and licenses for VMS, the All-In-1 office menu, VAX DECmail and DECdx/VMS communications, sells for

\$322,735. Shipments are scheduled for September.

Relational DBMS for VAX

DEC also announced its first relational database-management systems and the VTX videotex system for the VAX. The Rdb/VMS software supports local and remote database applications under VMS, and Rdb/ELN is designed for the VAX ELN execution environment on lowand mid-range VAXs. License fees are \$9,000 for Rdb/VMS, \$7,500 for Rdb/ELN and \$25,000 for VAX VTX.

LOOKING AHEAD IN MMS

The premier issue of Mini-Micro System's Computer Digest is coming soon. It is MMS' first ever guide to minicomputers and microcomputers featuring articles on:

- single-board micros
- · single-user micros
- multiuser micros
- mini systems
- OEM computers

NEWS



HEARD ON THE HILL

FCC advocates pro-U.S. communications policies

Stephen J. Shaw Washington Contributor

The Federal Communications Commission (FCC), the philosophical champion of the deregulated U.S. telecommunications industry, is trying to export its vision of a laissezfaire market for advanced computer information networks to the rest of the world.

In April, the FCC issued an interim report on the development of international standards for integrated services digital networks (ISDNs), all-digital communications networks that bundle a variety of information services-packet switching, protocol conversion, high-speed data, digital voice and video-into a single transmission stream. The report states that international ISDN standards should be in accord with the procompetitive attitude of U.S. policies. The commission also criticized the International Consultative Committee for Telephone and Telegraph (CCITT), the agency responsible for drawing up ISDN standards, for failing to consider some technical and policy characteristics of evolving U.S. ISDNs.

The first technical concern of the FCC is that CCITT draft recommendations do not specify the form of network interface needed at the input to the network-channel terminating equipment (NCTE). The CCITT plan calls for communications carriers to provide NCTE. In the United States, such equipment can be sold on an unregulated basis. Many network-interconnection functions are embedded into U.S. telecommunications and computer equipment, such as digital private-branch exchanges and integrated workstations, on a custom-

er's premises. "Our viewpoint is that the [network-interface] box can still be a carrier function, but it's not a carrier monopoly," says Michael Slomin, legal adviser to the FCC.

The second technical concern of the FCC is to ensure that multiple information service providers will be allowed access to foreign countries' ISDN networks. Foreign governments and their telecommunications agencies must recognize the importance of allocating adequate numbering codes to satisfy the needs of a variety of vendors, states the report.

The FCC urges other countries to give due consideration to the U.S. distinction between basic and enhanced information services. A basic service is one that does not alter the format, protocol or code of the transmitted information, except for technical clarity and fidelity. An enhanced service, according to the FCC, is one that employs computer-processing applications that add value to information transmitted through common carrier facilities. In the United States, enhanced services are not subject to regulation. The FCC has vowed not to allow carrier monopolies to charge improper cost subsidies for basic and enhanced services. But the CCITT ISDN plan would commingle the two services.

U.S. industry participants disagree about whether to abandon the basic-vs-enhanced distinction for international ISDN service. AT&T has argued in comments to the commission that the distinction was "parochial" and "may require appropriate modification." IBM Corp. recommended that FCC policies be incorporated into ISDN network policies. The FCC agrees, saying that the CCITT is moving to treat basic and

enhanced services separately.

The FCC questions the CCITT's use of the International Standards Organization's Open Systems Interconnection (OSI) model as the starting point for designing ISDN network architecture. A potential problem the FCC sees is that the network processing of protocols invoked across the OSI may limit the information-transmission capabilities available to users. The OSI model, states the FCC report, should not be used to draw basic/enhanced service distinctions or to determine those services that must be performed as part of the network and those that can be offered separately.

The FCC believes that private, unregulated vendors will be able to offer a far more extensive array of new information services than tightly regulated, government-owned carriers can offer. The commission asks for more reliance on market forces to evolve ISDN technical standards and less on by-committee international mandates. Whether the FCC's voice is loud enough to be heard by the CCITT remains to be seen. The FCC's role is to advise the CCITT and the U.S. State Department on the U.S. domestic industry-not to design international communication networks.

It remains to be seen what scope of services can be bundled into the developing digital networks for international applications. The FCC thinks its decade-old recipe that has helped produce a smorgasbord of domestic information services is ready to be shipped abroad. But will it sell? "It's nice to have sundaes with hot fudge and jimmies, but some people like just plain vanilla ice cream," comments FCC adviser Slomin.

Announcing the WY-75.



Adding elegance to your DEC* computer never cost less. Just add the WY-75, VT-100* software-compatible terminal.

It's a lot more than just an accessory. The WY-75 has a compact, ergonomic design. With a finely sculpted, low-profile keyboard. And a swivel and tilt non-glare 14" screen, tailored with an 80/132 column format. A combination of features other VT-100 software-compatible terminals just don't offer.

The WY-75 lists for only \$795. A price that won't tie you down.

Contact Wyse Technology for more information and you'll see why we're so well-suited for your DEC.

Dress up your DEC for \$795.






Wyse Technology, 3040 N. First Street, San Jose, CA, 95134, 408/946-3075, TLX 910-338-2251, Outside CA call toll free, 800/421-1058, in So. CA 213/340-2013.

*VT-100 and DEC are trademarks of Digital Equipment Corporation.

SCHOOL



ED BUS

Take advantage of our learning curve with the STD BUS.

Sometimes, there's just no substitute for experience. And that's why so many smart designers continue to develop new ideas with our MD Series™ STD-Z80 BUS-compatible boards. For energy, environmental and process control. Test and measurement equipment. Computer peripherals. High-speed printers. Medical electronics. Data communications. And an ever-expanding list of applications too numerous to mention.

Because for a wide variety of situations, our compact boards provide all the power designers need. At a price that's powerfully cost-efficient.

Not only that, our boards are already designed and proven in thousands of applications. Plus, they're assembled. Tested. Debugged. And modularized by function so you only have to buy what you need. And there are more than 30 boards to choose from. Available through Mostek or your local Mostek distributor.

We also offer development software and operating systems, plus a complete array of card cages and sub-system enclosures to ease and speed your design and packaging.

What's more, the STD-BUS is fully expandable. Which makes it simple and economical to add, delete, or interchange boards when you want

to redesign or upgrade.

Take advantage of our learning curve experience with the STD-Z80 BUS. It's a time-proven course that can add a degree of success to your own system designs. For more information, contact Mostek, 1215 W. Crosby Road, MS2205, Carrollton, TX 75006, (214) 466-8816. In Europe, (32) 02/762.18.80. In Japan, 03/496-4221. In the Far East (Hong Kong), 5-681157.

MD Series is a trademark of Mostek Corporation.





NEWS

Sperry's PCs provide micro-to-mainframe link

Marjorie Stenzler-Centonze Associate Editor

As part of a new focus on the microcomputer market, Sperry Corp., Blue Bell, Pa., recently introduced the Mapper 5 and Mapper 6 multistation desktop microcomputers that provide a microcomputer-to-mainframe link to Sperry and IBM Corp. systems.


Both systems are based on the Motorola MC68000 microprocessor and can control as many as 16 workstations. The systems, which can be used with Sperry's UTS display stations or connected to the Sperry personal computer, use Mapper software, which until now was available only on mainframes.

Mapper is written in assembly-type language and, according to the company, acts as decision-support software, an application-development system and a real-time language tool that extracts and organizes data for operations control.

"Over the past two years, Mapper software has become well-recognized for going beyond even the fourth-generation language category in functionality and ease of use," says Dewaine Osman, vice president of the Americas Division of Sperry. Now support is available on a chip instead of a mainframe at a multiuser system entry-level price of less than \$40,000, he states.

The Mapper microprocessor systems can be used for standalone or for mainframe connection and are being aimed at current Sperry customers, at new users and, as a supplement, at IBM users.

As a standalone desktop system, Mapper is aimed at the dataprocessing needs of middle managers. It features color graphics,



Jan Brundin (left), vice president of product strategy and management at Sperry, demonstrates the Mapper 5 microcomputer system with Tom McCaffrey, vice president of worldwide marketing.

message sending and related office functions. A typical configuration of a Mapper 6 system providing IBM connection consists of a processor, a freestanding mass-storage and backup system with integrated streaming tape and 30M bytes of disk storage and a choice of eight display stations.

To launch Mapper 5 and 6, Sperry is expanding its distribution by adding a value-added remarketer (VAR) program and instituting a marketing-assistance program for software houses, according to Thomas S. McCaffrey, vice president of worldwide marketing at Sperry. The VAR program enables third-party software houses and system integrators to add specialized application software to the Mapper system. The marketingassistance program is designed for software houses that have their own applications operating on the Mapper system. These companies can use Mapper 5 and 6 at no charge to develop specialized applications to sell to their customers.

"We are going into alternate distribution channels for two reasons," McCaffrey says. "First, the marketplace has changed radically, and we can't rely solely on selling systems in our traditional way. Second, the Mapper systems provide an ideal vehicle for moving into additional distribution channels."

Mapper 5 is available for immediate delivery, and Mapper 6 will be available in late fall.

DG PLANS NEW RETAIL APPROACH

Data General Corp. has been seeking ways to mass-market its low-end Desktop Generation microcomputer in the United States and abroad. DG research shows a niche in retail channels for a multiuser machine such as DG's entry-level, four-terminal Desktop model 10. But DG wants to avoid the cutthroat discounting of retail channels. General Business Group European marketing manager Tom Weanie says DG plans to fix prices and exercise tight control over retail inventory, having retailers order machines as they sell them. DG Europe intends to test-market the concept in Britain, probably by the summer. Weanie declines to disclose the names on his European and U.S. prospect lists. DG may try to qualify as many IBM Master Distributors, dealers and retailers as it can.

Litch Advanced rentice Corona ta South I BM Di botics Microlog

Because we know the leading you need know only one for se

At TU Services, we know the major computer products inside and out because we take them apart and study them before we integrate them into any system we sell. That's why, no matter what hardware you're running, we understand what makes it work—or not work. And when your system's down, that's when our knowledge of computers is most important.

When you call TU Services, our in-house automated Field Management System immedi-

ately recalls your product's service history. Sometimes this information is enough to help get your computer back on-line over the telephone. Sometimes it even helps manufacturers pinpoint possible design and configuration problems.

Our sophisticated Field Management System also recalls the name and current location of your assigned technician as well as your back-up technician so they can be on-site

Digital Corp. Ver Supervision Intablo Qume Penr Ziyad NEC Sav


names in computer products, rvice.

within hours, and with the proper equipment needed to insure timely repairs.

When it comes to repairing your defective boards, we depend on GenRad and Fluke test equipment to pinpoint board faults. In really complex situations, we can call on the TU National Technical Support Group to resolve the problem.

As new computer technology is developed, the list of manufacturers grows ever longer. Yet no matter how many different products you use, 1-800-336-0423 reaches the one company you can depend on to repair them all.

TU Services.



NEWS

Pick enhances OS flexibility with 'open architecture'

Marjorie Stenzler-Centonze Associate Editor

Pick Systems, Irvine, Calif., recently unveiled a machine-independent "open architecture" operating system, the culmination of a 20-year effort. "Open architecture is like the operating system's operating system," states Dick Pick, chief executive officer of the company. "It's a very powerful, complete machine architecture but not in the sense that it ties into a specific computer because it can run on any computer." The new software also increases the possible size of individual records.

"We've built a framework that is a machine-independent generalized tool for other software," Pick explains, "making it easier for us to put up other software tools or standards under the open architecture."

Pick Systems' Release 80 will be the first operating system to run under the open architecture, Pick says. Pick claims there is a 30 percent efficiency improvement in Release 80 running under this system.

Pick Systems is developing a C compiler this year. "When that is completed," Pick says, "the UNIX operating system will effectively run as a subset of [our software]."

Pick says versions of open architecture Release 80 that run under PC-DOS, for example, will be able to coexist with programs written for the IBM PC XT. "You can have a WordStar or a VisiCalc running under MS-DOS simultaneously on the same machine with our system," Pick states. He says the system has data-management functions at its core.

Records can occupy 5M bytes

In past implementations of the operating system, items and records stored on file were limited to 32K bytes. "This was fine when we started with the system, but with word processing that's a tough limit," Pick says. "Now if you want to have a record out on the disk that's 5M bytes in size, you can do it with open architecture."

The company plans to introduce an integrated word processor/editor to update data management and an integrated word processor.

Pick has about 18 licensees for its Release 80 operating system, most of which are likely to take on the open architecture, Pick says. "We are looking for good licensees that we feel can open alternative distribution channels. We need strong, mature companies that can take our product to market and run with it."

Pick says many companies are too ready to license other companies. "If you want to make a standard I think [too much licensing] can be counterproductive because a lot of these [licensees] can get you into very deep trouble."

Pick must market actively

But some observers see deep trouble around the corner if Pick Systems does not actively market the system. Jean Yates, president of the Los Altos, Calif., market research company Yates Ventures, says marketing is still a major problem for Pick. "With AT&T and IBM [promoting their versions of UNIX], it's going to be difficult to get the Pick operating system to be a primary focus," Yates says.

The product will grow, she



Dick Pick, chief executive officer at Pick Systems, says open architecture represents the culmination of 20 years of work including suggestions from users.

predicts, but mostly in specialized vertical markets. "The growth of Pick will depend on the manufacturer getting behind it with a consistent campaign of media advertising, shows, etc.," Yates maintains.

Licensees may market software

Kirsten Sanders, an analyst with Yates Ventures who attended the recent Pick Spectrum '84 held in Reno, Nev., says licensees at the show may come up with their own marketing effort. "Companies are paying a license fee to use the Pick name, yet only a small group of people really know the name," Sanders says.

Rick Vieth, OEM marketing manager for Pick licensee Altos Computer Systems Inc., San Jose, Calif., says a joint marketing effort would not overcome the difficulties he sees. "Our concern is a general lack of office productivity and

THE EVOLUTION SOLUTION

WINCHESTER DRIVE PROBLEMS:

Size — Weight — Heat Power — Shock.

THE SOLUTION:

The 3.5" Winchester.

WHY?

The evolution of this 3.5" model has greatly reduced drive size, weight, mass, power requirements and heat generation, while increasing shock resistance. The problems of larger Winchesters are virtually eliminated by these inherent advantages of this miniaturized model.

MMI offers the same 3.5" Winchester in different package sizes to make the advantages of the smaller model immediately available to systems now using the 5.25" drive, either full size or half height, without design changes.

Capacity: 6 or 12 MB Interfaces: ST506, ST412 Dimensions: 1.625" × 4.0" × 5.75" Weight: 2.2 Pounds

To take advantage of the EVOLUTION SOLUTION please contact



MICROCOMPUTER MEMORIES, INC.

7449 Valjean Avenue, Van Nuys, CA 91406 • (818) 782-2222

CIRCLE NO. 34 ON INQUIRY CARD

Maxtor Is Now Delivering 65-140 MB Drives In Volume.

Available today from:

Domestic Distributors

Anthem Electronics, Inc. Pioneer-Standard Electronics, Inc. Pioneer Washington Electronics, Inc.

International Distributors

Canada Future Electronics, Inc. (514) 694-7710

France J.O.D. 1-7497044

Germany Metrologie GmbH 89-573084


Scandinavia Scancopter AB 8289425

United Kingdom Ambar Systems, Ltd. 296-34602

All Other Countries Prima International (408) 732-4620 Telex 910 338 0282

Sales Offices

Northwest Region—(408) 942-1700 Eastern Region—(617) 872-8556 Southwest Region—(714) 859-3100



CIRCLE NO. 35 ON INQUIRY CARD

Mini-Micro World

NEWS

communications software," Vieth says. Altos offers the Altos 586 and 986 microcomputers, which range in price from \$10,500 to \$14,500 and which are bundled with the Pick operating system.

"We are best known for being a UNIX-based system manufacturer, and there's a wealth of UNIX

software compared to Pick," Vieth comments.

Vieth says there have been reports that Pick will integrate some communications software into the operating system. "That would be more help than any sort of marketing effort on the part of Pick or any group of licensees."

Quarter-inch streamer group eyes standards

Edward Foster, Associate Editor

The working group for quarter-inch cartridge (QIC) drive compatibility is developing a proposed set of recording format and interface standards for a 100M-byte class of ½-inch streaming-tape cartridge drives. Manufacturers in the group expect to introduce products employing the new standards as early as July's National Computer Conference (NCC) in Las Vegas, Nev.

"By the end of the QIC meeting in Oslo, Norway, on June 13 and 14, I expect we will at least have agreements on the basic interface and the intelligent interface, and a proposal on the recording format will be well along, if not completed," says Raymond C. Freeman, QIC facilitator and president of Freeman Associates, a Santa Barbara, Calif., consulting company. The group, consisting of 10 QIC members and several observing companies, agreed in early March on the need to establish standards for 100Mbyte cartridge drives. "The 100Mbyte product class is a logical evolution from 45M-byte-compatible products and provides an upgrade path for users," notes Freeman.

As several companies have demonstrated products or prototypes that achieve 100M-byte capacities through different methods, the

principal challenge to manufacturers appears to be agreeing on which technical means to employ. The major trade-off facing designers of the new class of ¼-inch streamers is number of tracks vs. recording density. Several proposals the QIC committee began studying in March involve the use of 16 tracks recording at 10,000 flux changes per inch (fcpi). "With 16 tracks, edge referencing will be required, although not necessarily full-time servo-tracking capability," says Freeman.

Another proposal the QIC committee is considering is a 12-track version of the ¼-inch streamer that records at 12,500 fcpi and does not need a track-sensing facility. Other approaches under consideration employ nine tracks—as does the QIC-24 standard recording format—while increasing bit density.

"Some suggestions have been made for as much as doubling the bit density, but the consensus of the manufacturers appears to be toward not getting hung up on new technologies," observes Whitney G. Lynn, vice president of marketing for Wangtek, Culver City, Calif. Part of the reason for the committee's preference for established technology is that each component is progressing at a

We Made It.

We reached our first milestone in becoming the leading manufacturer of high-capacity, high-performance 5¼-inch Winchesters. Achieving volume delivery wasn't easy, but we made it.

Thousands of our XT-1000 disk drives are already in the field.

Thousands of XT-2000s[™] and EXT-4000s[™] are on the way.

But it takes more than delivering products to become a leader in the Winchester marketplace.

It takes a commitment to the most stringent quality assurance. Modern, efficient manufacturing facilities. Ongoing new product development. Dedicated technical support. Worldwide channels of distribution.

It takes a company that's proven higher capacity and higher performance can be achieved with innovative designs.

It takes a company called Maxtor.


Maxtor Corporation, 61 E. Daggett Drive, San Jose, California 95134, (408) 942-1700, TELEX 17107. Eastern Regional Sales Office: (617) 872-8556. Southwest Regional Sales Office: (714) 859-3100.

"XT-1000, XT-2000, EXT-4000 are trademarks of Maxtor Corporation. @1983 Maxtor Corporation.

CIRCLE NO. 36 ON INQUIRY CARD

Mactor





PUT AN END TO EXPENSIVE COMMUNICATIONS SERVICE CALLS.

We can save you the expense of repeated and troublesome third party service calls by giving you the same equipment and application assistance your telephone company already uses to find your communications problems.

The Navtel Datatest I gives you a do-it-yourself data communications trouble kit that satisfies the needs of even the largest user ... at a price that allows the savings to start right away.

Weighing less than two pounds with battery, the Datatest I packs a host of features into a hand-held test unit. It is easy to use with test parameters clearly marked for all phases of operation including colour grouped functions and bright LED read-outs.

Put Datatest I to the test. Your telephone company, all the major OEM's and end users, have already declared it a winner.

Datatest I. Your datacomm trouble kit for the one time charge of just \$1295.00.

Call, write or circle the reader service number for free literature and application notes. Navtel, 8481 Keele Street, Concord, Ontario, L4K 1B1. Telephone (416) 669-9918.





Mini-Micro World

NEWS

different rate. "Recording-head manufacturers told us at one of the meetings that it would be at least two years before there would be heads in sufficient commercial production for recording densities of 20,000 bits per inch," Lynn says.

Lynn and other manufacturers on the QIC committee emphasize that they are willing to consider any approach to achieve 100M bytes as long as it can be implemented soon. Several of the initial proposals—including 12 tracks at 12,500 fcpi and 16 tracks at current densities—are workable, says Lee Elizer, vice president of product planning for Cipher Data Products Inc., San Diego. "Right now, it is mostly a matter of all of us analyzing what the various proposals will mean in terms of manufacturing costs."

Thomas Makmann, vice president of marketing and sales for Archive Corp., Costa Mesa, Calif., believes his company could accept more than one proposal as a standard. "The only absolute requirement we see is backward-compatibility because of the products we already have out there," he says. "In terms of coming to a resolution within the QIC committee, I don't think there will be much problem once all the technical details have been made clear."

Wangtek's Lynn expects the committee to have completed its work in time for its members to demonstrate prototypes at NCC. Elizer and Makmann don't see that as a deadline, but neither anticipates much trouble in agreeing on standards in time to react to market pressure. "I think this time we are ahead of the market rather than being driven by it, as we were with the committee's earlier work," says Makmann.

Elizer sees no overwhelming requirement for 100M bytes in the market yet but stresses that increasing capacities of hard disks

IF YOU'RE LOOKING FOR A PC NETWORK THAT'S NOT WORK,

CUT IT OUT.

etwork or perish!" That's the challenge echoing through the PC industry. Offer networking and you invite your customers to buy more than one system. Fail to offer it and

potential customers
may look elsewhere.
Now you can plug in

networking capability
without delay, without development expense and without having
to become a network protocol expert.

Just add a NetSource/PC-LAN interface board
from Western Digital. It uses our own WD2840
VLSI Network Controller to provide a powerful
token passing protocol and predictable performance — no collisions! Link up to 254 nodes, including shared peripherals.

NetSource/PC-LAN is user friendly, too. It uses low cost cable and is user installable in minutes. It even offers encryption for data privacy.

Today NetSource/PC-LAN is available in the IBM PC/XT form factor with MS-DOS compatible software. Or we can build a proprietary LAN board for your system.

So if you're a PC manufacturer, or a systems integrator, make WD your NetSource. And make your system more competitive. Use the coupon. Or call our NetSource Hotline 714/863-7828.

Make the NetSource/PC-LAN connection today!

NetSource/PC-LAN is the best bet for cost-effective, reliable PC networking, whether you're a compatible manufacturer or a systems integrator. Clip this coupon and make us prove it to you.

Send me your full-color NetSource/PC-LAN brochure, including complete product details.

Send me ordering information on the Net-Source/PC-LAN Evaluation Kit, which includes boards for three nodes, cable and software.

_ Time is of the essence. Please call me immediately at (phone number)___

Name _____Title _____


Address _____

 City ______ State _____ Zip ____


 Phone ______ Ext.

Mail to: Western Digital Corporation Literature Dept. 2445 McCabe Way Irvine, Ca 92714

WESTERN DIGITAL



TANDBERG DATA TAKES THE NEXT STER



The first step, if you remember, was the introduction of our QIC-02 8," four- and nine-track tape drive. This 1/4" streamer set new standards for data integrity and accuracy. (You can actually stand on one.)

Our next step, the QIC-STOR™ Series, finally brings 100% QICcompatibility to the ¼" streamer market. And now with QIC-02 and QIC-24, our newly announced Mini-Mark II™ packs incredible performance and reliability into a half-high 5½" form factor. It has all the best features of our new 8" Mark II," including precise track locating and rugged cartridge locking/loading to totally eliminate the machine interchangeability problems that have plagued the industry. You get all this, plus capacities of up to 60 megabytes on a single ½" tape cartridge!

We've stepped up our facilities and capabilities too, just to keep up with demand. But that's another story. If you'd like the full story on our growing lineup of QIC-STOR streamers, you'll have to take the next step and contact Tandberg Data, Inc., DATA STORAGE DIVISION, 571 North Poplar, Suite H, Orange, CA 92668.



TANDBERG DATA

QUALITY IN EVERY BIT.

CIRCLE NO. 38 ON INQUIRY CARD

Mini-Micro World

NEWS

will mandate 100M-byte streamers in the near future. "The QIC committee is not set up to be an ongoing body; we're going to reach an agreement as fast as we can." Elizer is optimistic about the likelihood of agreement. "All companies in this business know that before QIC got started the amount of market activity in ¼-inch streamers was not extremely significant. The customer base wants standards."

Freeman agrees that the success of the QIC committee in reaching previous standards has had much to do with the dynamic growth in the ¼-inch cartridge-drive market. He estimates 1983 worldwide shipments at 80,000 units and predicts that 145,000 units will be shipped this year.

Capitol Records division plays the flip side of diskettes


Lori Valigra, Senior Editor

A division of Capitol Records Inc. appears to have taken the analogy "records are to a turntable what software is to a computer" to heart and carried its recording-media expertise into the computer industry. The Capitol Data Systems division, Los Angeles, recently entered the disk drive supply business with a 5¼-inch diskette designed to run on both of its sides.

Capitol claims its new Platinum series diskette runs on single-sided/ single-density, single-sided/doubledensity, double-sided/double-density and quad-density floppy disk drives. Allowing the softsectored diskette to be flipped over and used on both sides are two data-protection notches and two index holes that let users register and index recording tracks on either side of the diskette. Suggested retail price is \$55 for a box of 10 diskettes. Initial release of the product is in Southern California, but that will expand nationally over this year through retail channels.

Company officials say Capitol's experience in manufacturing master lacquer disks, audio tapes and other magnetic media made the transition to computer storage media logical.





Meet ALL their needs with the L-XT and DIPLOMAT.

Authorized

Logical



Quickly

We give you a head-start over your competition with our library of existing applications. Select the one that's closest to your client's need and tailor it to a perfect fit, or develop your own, DIPLOMAT can save weeks over the old method of generating applications from the "ground up."

Easily

DIPLOMAT uses easy-to-understand English nouns and verbs instead of obscure codes. Simple prompts guide you through the process. Your programs are easier to read, so they're easier to understand and modify, even long after they're created.

Profitably

DIPLOMAT means greater productivity, so you can produce more custom applications in less time. That adds up to more clients, happier clients, and higher profits.

What's more, your DIPLOMAT applications run on the L-XT system. The L-XT is IBM-compatible, so your customers can use off-the-shelf software for routine applications like word processing, while you take care of highly profitable custom applications. And as your clients' businesses grow, you can configure multi-user environments with the L-XT and our

L-NET™ network. Now you can meet your

clients' needs quickly, easily, and profitably. Call us today.

L-XT includes: 192kB RAM,
12-inch amber display,
10mB hard disk, 360k
floppy disk, two serial ports
and one parallel port.
Software includes
MS™-DOS 2.11,
DIPLOMAT natural language, Microsoft®
Word word processor, Multiplan®
spreadsheet.



Logical Business Machines 1294 Hammerwood Avenue Sunnyvale, CA 94089 (408) 744-1290

800-538-1868

© 1984 Logical Business Machines L-XT, DIPLOMAT, and L-NET are trademarks of Logical Business Machines. Microsoft and Multiplan are registered trademarks of Microsoft Corporation. MS is a trademark of Microsoft Corporation. IBM is a registered trademark of International Business Machines Corporation.

See us at the 2nd Annual

PCE 0 0 0 New York Collseum
June 26-28, 1984

Booth 2702-2704

CIRCLE NO. 41 ON INQUIRY CARD

Floating Point Systems array processor to break

The FPS-5000 Series from Floating Point Systems

Now, a new family of products from Floating Point Systems brings increased computing power and unmatched price/performance to the signal/image processing world.

With 3 to 6 times the speed and 4 times the memory capacity of previous FPS products, the FPS-5000 Series provides computing for applications that exceed their present system's capability.

The FPS-5000 Series offers fast, accurate, flexible computing for the most demanding real-time, user-interactive, and production-oriented applications.

Four basic product groups make up the new FPS-5000 Series: the 5100, 5200, 5300 and 5400. Peak performances range from 26 million floating-point operations per second (MFLOP), to 62 MFLOP. Data memory of 0.5M to 1M words is available along with program memory to 32K words.

By combining a distributed architecture concept with the latest VLSI technology, the

Typical performance examples of geophysical, medical imaging and signal/image processing applications.

Application Example		AP-120B	FPS-5410	5420	5430
1.	Demodulation/Signal Analysis	13.8 msec.	6.5 msec.	N/A	N/A
2.	Tomography Preprocessing	60 sec.	25 sec.	16 sec.	12 sec.
3.	Multispectral Image Classification (512 x 512 pixels 8 Bands, 4 classes)	49 sec.	25 sec.	13.3 sec.	10.5 sec.
4.	2D FFT (512 x 512 complex)	3.4 sec.	1.4 sec.	.7 sec.	.5 sec.
5. Bo	Matrix Multiply (100 x 100) sed upon specifications subject to change.	439 msec.	177 msec.	96 msec.	71 msec.

FPS-5000 Series sets a new standard for cost-effective computing, breaking the \$2,000 per MFLOP* barrier—the first time this has been achieved in any floating-point computing system.


*Based on U.S. Domestic Prices

Distributed processing architecture

The FPS-5000 Series is a distributed processing system that maximizes throughput by allocating the computational load to a set of high-performance, independent, floating-point processing elements called

Arithmetic Coprocessors. Data flow is simultaneously managed

FPS-5000 Series Architecture





introduces the first the \$2,000/MFLOP barrier.

by a combination of independent I/O Processors and the central Control Processor.

Each Arithmetic Coprocessor, with synchronous architecture to allow simple application debugging, functions as a selfcontained unit.


The new Multiple Array Processor **Execution Language** (MAXL), based upon

FORTRAN 77, allows the user to construct an integrated system environment which can be tuned to application requirements.

Increased performance can be achieved by adding Arithmetic Coprocessors as a field-installable upgrade as the user's requirements evolve.

Compatibility

The FPS-5000 Series maintains software compatibility with previous FPS 38-bit processors and is supported on a range of host computers. Thus, the extensive



software support developed for FPS-100 and AP-120B products is maintained and users are able to move existing applications onto the FPS-5000 Series with minimal effort.

Quality and Reliability

The FPS-5000 Series was designed and built with the same quality standards inherent in all of the previous Floating Point Systems products—standards that have earned those products a reputation for unprecedented reliability and one of the best

meantime between failure (MTBF) rates in the industry.

The Series is backed by the same outstanding worldwide support services that distinguish Floating Point Systems from other manufacturers.

For more information about how the FPS-5000 can be used in your specific application, call (800) 547-1445 or your local sales office.

The world leader in array processors.



FLOATING POINT SYSTEMS,

Portland, OR 97223 (503) 641-3151 TLX: 360470 FLOATPOIN BEAV


FPS Sales and Service Worldwide H's Sales and service wordarde U.S.: CALaguna Hills, Los Angeles, Mountain View, CO Lakewood, CT Simsbury, FL Winter Park, GA Atlanta, IL Schaumburg, LA New Orleans, MD Rockville, MA Dedham, MN Edina, NJ Red Bank, NM Corrales, PA Devon, TX Grand Praifie, Houston, WA Bellevue.

INTERNATIONAL: Canada, Calgary, Montreal, Ottawa; England, Bracknell, Berkshire; **France**, Rungis; **Japan**, Tokyo; **Netherlands** Gouda; **West Germany**, Haar.

DISTRIBUTORS: Argentina, Buenos Aires (Coasin Computacion, SA); Australia and New Zealand, Milsons Point-N.S.W. Melbourne-Victoria, Canberra-ACT (Techway Pty, Ltd.); Austria, Vienna (Othmar Lackner Elektronische Bauelemente Und Vienna (Othmar Lackner Elektronische Bauelemente Und Geräte); **Denmark**, Copenhagen (BLT Agenturer AS); **Finland**, Helsinki (OY Emmetr AB); **India**, Bomboy (Filnditron Computers PVT, Ltd.); **Israel**, Tel Aviv (Eastronics, Ltd.); **Korea**, Seoul (World Business Machine, Inc.); **Singapore** (Hong Kong, Brunei, Indonesia and Malaysia), Singapore (Scientek Engineering Co.); **Southern Africa**, Johannesburg (Anker Dafa Systems); **Sweden** and **Norway**, Vaxholm (Tire Konsulter AB); **Talwan**, Taipei (Scientek Corporation); **United Arab Emirates**, Rashidya, Dubai (Albwardy IAL), Abu Dhabi (ADIAL).

© Floating Point Systems, Inc. 1984





Zetaco's newest Slot-Saver uses a touch of genius to control both disk and tape.

The ZDF-1 dual function board has dedicated microprocessors to control disk and tape drives for DG's Nova/Eclipse series.

Now there is a dual function controller you can trust. Zetaco's ZDF-1 combines two well-proven products and more: our Model 295 Disk Controller and our Model 133 Magnetic Tape Coupler. Two complete controllers on a single board, with full emulation of DG's 60XX and 61XX series disk subsystems and 6021 and 6125 tape systems, enhanced to provide higher transfer rates and maximum use of your storage capacity.

There's more. On-board ECC and the ability to run unmodified RDOS/AOS. E²PROM technology

eliminates on-board switches, making each drive configurable from your keyboard. ZDF-1 has true "plug-and-go" compatibility: it needs no software patches, and backplane cabling is compatible with DG's new FCC-compliant chassis.

Zetaco designed the ZDF-1 as a controller to grow with. As technology



advances to higher transfer rates, beyond 600 MB Winchesters, beyond 150 ips GCR tape drives, you'll find the genius of ZDF-1 is ready. Now, and in the future.

Get the full ZDF-1 story from Zetaco, 6850 Shady Oak Road, Eden Prairie, MN 55344, (612)941-9480. Telex 290975. European Headquarters: 9 High Street, Tring, Hertfordshire, HP23 5AB, England. (044282) 7011. Telex 827557. ZETACO G.



Controller Division, Custom Systems Inc.


Mini-Micro World

NEWS

"We are putting our years of experience in the magnetic media and recording business into an area for which I believe we are uniquely qualified—data-recording devices for personal computers," notes Edward Khoury, president and chief executive officer of Capitol Data Systems.

Capitol's parent company, Thorn EMI Plc., London, spearheaded the project. Thorn's central research laboratories are said to have invented the technique used to produce stereo records.

Capitol guarantees the diskettes, which it claims undergo stringent quality-assurance tests, are errorfree. Capitol will give a lifetime warranty; the disks must be maintained properly, however. Capitol tests all diskettes on both sides



to meet quad-density standards. This is important, notes Bob Gaskin, a senior industry analyst following the floppy disk drive market at market researcher Dataquest Inc., San Jose, Calif. Gaskin says the difficulty has been with people or companies converting regular diskettes to two-sided diskettes. Both sides of these diskettes typically aren't tested.

Capitol Data, formed in 1983, is Capitol Records' newest venture. Another household name, Eastman Kodak Co., is expected to bring notable brand identification to the market with its rumored forthcoming floppies.

ALCYON TO SHIP MC68000 COMPILER

Alcyon Corp., San Diego, is ready to ship its C-68 MC68000 C language compiler. The compiler not only works with a number of UNIX and XENIX operating systems and Motorola Inc.'s VersaDOS but also operates standalone. The package is priced at \$295 and is delivered on 51/4-inch floppies.

OEM/VAR PARTNERS WHOSE DETERMINATION TO SUCCEED MATCHES OURS.

Here's our card. We're New Channels, a division of Cincom Systems. And we're looking for qualified OEM's and VAR's interested in partnering with one of the world's most successful independent software vendors.

New Channels Division
Cincom Systems, Inc.
2300 Montana Avenue
Cincinnati, Ohio 45211
800-543-3010/513-662-2300
TWX 810-461-2732

TOTAL®
Data Base Management System
MANTIS™
Application Development System

A partnership with Cincom means access to proven products. Like TOTAL, the industry's most reliable DBMS which is portable across more than 50 different mainframe and minicomputer systems. And MANTIS, our powerful 4th Generation Application Development System that enables you to build applications faster, more efficiently and with more quality than any other system.

A partnership with Cincom means attractive pricing policies designed specifically to help you both

build your application and maximize its sales potential once it has been introduced to the market.

We provide the technology and the software industry expertise. We back up our commit-


ment with unparalleled support for you and your customers.

If you're serious about an OEM/VAR venture, Call
Bret Schultze, Marketing Manager for New Channels today

at 1-800-543-3010 for additional information. It could be the beginning of a productive and profitable partnership.



CIRCLE NO. 44 ON INQUIRY CARD



To add markets as well as profits to your business, add Zaisan to your system.

The ES.1 voice/data workstation offers single-key access to simultaneous voice, data or text. With the touch of a button, users can also access internal and external databases, PBX functions, and electronic mail.

The ES.1 is also upgradeable. So you can add application and communication software to tailor the ES.1 to the individual information needs of your users. Which can add sales to your business.

Another plus is the price. And the wide range of service options.

Add these all up and you'll see the formula for success is rather elementary. Add Zaisan.

13910 Champion Forest Drive. Houston, Texas 77069. 713.580.6191. The new direction in business communications.

MINI-MICRO SYSTEMS/June 1984



The IBEX PCT-1000 is a revolutionary new IBM format compatible 1/2-inch tri-density streaming tape drive that slims and trims your space and budget requirements in one easy installation.

At less than 40 lbs., this mighty mite weighs over 60% less, costs 25% less and occupies 25% less space than any other 9-track tape drive available.

The PCT-1000 is IBM and ANSI compatible. It can accommodate standard 1/2-inch, 9-track tape reels from 7 to 10-1/5 inches in diameter, yet it fits into dual 8-inch Winchester or floppy drive footprint.

There's more. Much more. The IBEX PCT-1000 gives you:

- Storage of up to 136M bytes per reel
- Transfer rates of 20K to 160K bytes/second
- 800 bpi NRZI, 1600 and 3200 bpi PE format operation
- Plug compatible with standard Cipher/Pertec interface
- Internal diagnostics
- Mounting options: 5-1/2" high top-loading drawer mount or 14" high front-loading conventional rack mount

No matter what your application — disk backup, data interchange, or access to archives — the PCT-1000 is your most cost-effective, load-lightening answer.

PCT-1000. The lean machine that out-muscles the competition.

Call, TWX or write today for complete technical data.



Right for the times

IBEX COMPUTER CORPORATION

20741 Marilla Street, Chatsworth, CA 91311 (818) 709-8100 - TWX 910-493-2071

Please see us at NCC Booth #A2225.

CIRCLE NO. 46 ON INQUIRY CARD

THE CASE F

It measures 5.00"x 6.62"x 14.75". And it fits smartly beside many of today's popular microcomputers. But the case in point, Xebec's new 10-megabyte 9710 Universal Storage Subsystem, has more to do with the components inside—specifically, the controller and the disk drive—than with the dimensions and the aesthetics outside.

Actually, the most important thing on the outside of the case is the name. Xebec. A company whose 5.25" hard disk controllers are found in more business micros—including those of IBM, Hewlett Packard, TI and Eagle—than any other, anywhere. What put us there was—and remains—our ability to *engineer in* more features and *manufacture in* more quality—zero defect quality, delivered on time and in quantity.

What puts us here, in the subsystem business, is at once a derivative and encompassing quality issue. The fact is that the more sophisticated we make our controllers, the more obvious become the deficiencies of the disk drives they control—the very drives found in all of the subsystems for small business computers being sold today. And all the more obvious becomes the need for someone to create a new standard for bringing these critical components together.

The Xebec 9710 is that new standard. First, it houses the industry's best selling 5.25" hard disk controller, the Xebec S1410, with its patented architecture, state-of-the-art feature set and VLSI design. But the real key is the incorporation of a disk drive that is "quality matched" to that controller, not just "component compatible." A drive that goes through the most rigorous testing possible before it goes into a 9710.


The results are directed at the serious end users and system integrators of microcomputer mass storage. Superbly matched components that deliver unmatched performance and reliability, right down to a complete range of host adaptors—for the IBM PC, Apple IIe, S-100, Multibus and Q-bus—that give the Xebec 9710 its impressive "universatility."

And lest you think that our case for quality is made at the expense of other important considerations—like price and availability—consider this. The 9710 is founded on a commitment to the processes that optimize all of these factors—computer-aided design, manufacturing and test. A commitment most recently demonstrated by our \$20 million investment in advanced robotics equipment.

The case we are making is not, then, an empty one—no high-minded cliché thrown into the promotional fray. It is solid and smart.

It is, bottom line, an open and shut case for quality.





INTERNATIONAL Xebec International 2 Blvd. De la Woluwe 1200 Brussels, Belgium Telephone: 32-(02)-762-9494 TWX: 65054 Xebec B SALES OFFICES U.S.A. Sunnyvale, CA (408) 733-4200 Irvine, CA (714) 851-1437 Atlanta, GA (404) 457-9872 Boston, MA (617) 740-1707 Dallas, TX (214) 361-0687 NORTH AMERICAN DISTRIBUTORS Kierulff Hamilton-Avnet



See us at the NCC Show in Las Vegas, Booth #A2134. CIRCLE NO. 47 ON INQUIRY CARD

AVAILABLE NOW FROM

MICROFERM



ERGO® 201

COMPLETE PERFORMANCE FOR ONLY

\$795

FEATURE	ERG0 201	Visual 50	ADDS Viewpoint	Hazeltine Esprit II	Televideo 925
LIST PRICE	\$795	\$695	\$650	\$645	\$995
User defined function keys	16	0	3	0	11
"MT" Video Attribute Control	Yes*	No	No	No	No
Custom Mode	Yes	No	No	No	No
Keyboard LED's	7	1	0	0	0
25th Status Line	Yes	Yes	No	No	No
2-Speed Smooth Scroll	Yes	No	No	No	No
Graphics Characters	Yes	Yes	No	No	No
Configurable Print & Send	Yes	Yes	No	No	No
Set Up Mode	Yes	Yes	No	No	Yes
Settable Tabs	Yes	Yes	No	No	Yes
Choose Protected Attribute	Yes	Yes	No	No	No
Screen Saver	Yes	Yes	No	No	Yes
Max. Number of Displayable Characters on one screen	256 256	128	128	128	128
2 Pages of Memory	Opt	No	No	No	Opt
Amber Phosphor	Opt	No	No	No	No
Plot 10 Graphics from Manufacturer	Opt	No	No	No	No
Warranty (Days)	365	90	90	90	90

** 128 Characters Standard; 256-Optional

ERGO 201 is the first user definable block mode terminal available in this low price range. While fully emulating TeleVideo 925, VT52, Lear Siegler ADM3A, and Micro-Term's ACT-5A, the ERGO 201 also performs extremely well in most ADDS and Hazeltine environments.

Standard Equipment includes:

- 16 host definable or user programmable function keys to provide 48 functions. User programmable functions are programmable from the keyboard and saved in non-volatile memory.
- •* "MT" video attribute control means the ERGO 201 can display 17 combinations of reverse, underline, half, blink and blank on the same screen without using a character space.
- Custom mode allows the operator to define the terminal's control codes and escape sequences and save designations in non-volatile memory.

All these features, plus a built-in tilt mechanism, 7 x 9 character matrix, green, non-glare screen. Check the comparison chart at left and you will agree that ERGO 201 is the performance leader.

MICRO-TERM, INC.

Terminals are our only product, and we put more into them.

CALL OR WRITE: 512 RUDDER ROAD, FENTON (ST. LOUIS COUNTY), MISSOURI 63026
(314) 343-6515, TWX: 9107601662, MICROTERM, STL.

On site service available at over 450 locations through Western Union.

VT52, Espirit II, ADDS Viewpoint, TeleVideo 925 and ADM3A are Registered Trademarks.

Mini-Micro World

CORPORATE AND FINANCIAL

DEC pushes Al with new marketing group

David Bright, Assistant Editor

Digital Equipment Corp. recently formed the Artificial Intelligence Marketing Group that will emphasize the active role artificial intelligence (AI) will play in DEC's future. In the next five to 10 years, "everything that DEC does will somehow tie in with AI, and, 15 years from now, there may not be an AI group [at DEC]," states group manager Gale Morgan. Instead, all DEC operations—not just one group—will involve AI.

The use of AI in the general computer market should increase rapidly, according to International Resource Development (IRD) Inc., a Norwalk, Conn., market research company. From a total size of \$70 million last year, the AI market should triple to \$220 million in 1985 and grow to \$8 billion by 1993, according to IRD. Software will make up the largest sector of that market.

DEC may lead in Al installations

With its expert systems XCON, XSEL and XSITE for the VAX supermini running the VMS operating system, DEC may be the leader in installed AI products in the industry. DEC's configuration engineers, salespeople and planners, respectively, use XCON, XSEL and XSITE, which mimic the way experts perform their jobs. The systems are written in the commercially available OPS language, which is based on the LISP AI language.

DEC plans to introduce a version of LISP for VAX/VMS this year, sources say. LISP has many "dialects," and one of DEC's objectives is to help standardize the language. The industry-wide version may be called Common LISP.



Gale Morgan, manager of DEC's new Artificial Intelligence Marketing Group, says the group will have an open-ended strategy because the field changes so fast. "I'm not sure we can figure out what's needed five years from now," he says.

Natural language is a goal

Besides expert systems, DEC's AI research comprises natural-language interfaces, voice recognition and robotics. A long-term goal is to make natural-language systems available for commercial applications. Natural-language systems could eliminate the need for using menus and detailed proce-

dures. For example, a business end user might type: "How many of my customers are credit risks?" and "What percentage is that of all customers?" Because natural-language systems typically have longer programs than conventional programs, natural-language systems would have to be highly specialized for each task, Morgan notes.

DEC works with AI research leaders Carnegie-Mellon University, Pittsburgh, and Stanford University, Stanford, Calif., on AI projects, but Morgan points out that the research often is not directed at specific products.

DEC's AI work extends beyond the marketing group. Last year, about a dozen U.S. companies, including DEC, Motorola Inc. and National Semiconductor Corp., backed an AI research venture (MMS, December 1983, Page 33). Morgan says the Marketing Group will not deal directly with that organization.

The Marketing Group has headquarters in Hudson, Mass., and offices in Sacramento, Calif., and France. This year, Morgan hopes to guide a development staff of about 150 people in addition to a technical marketing staff of 15.

DOW JONES ANNOUNCES THREE MODULES

Dow Jones Information Services, Princeton, N.J., has introduced the first three modules of an integrated, seven-part software accounting series for the IBM PC XT hard disk-based computer. The modules—general ledger, accounts payable and accounts receivable—should be available this month for \$995 each. The company expects the modules to be able to be integrated with the rest of the series, which is due out early next year. The forthcoming modules include sales-order entry, purchase order entry, inventory and management analysis. The menu-driven programs are for first-time users, and the price includes a training seminar. The series features automatic audit trail to enable users to track summary account balances back to the original transactions and pencil posting, which enables users to create preliminary journal entries.

This year Mini-Micro Systems readers will spend almost \$50 billion on Minicomputers and Microcomputers*




Mini-Micro Systems is the only advertising vehicle to reach the *complete* value-added market for mini-micro computers, peripherals, software, data communication products, supplies and services.

Who are these key prospects? Over 122,000 systems integrators, value-added OEMs, value-added resellers, and value-added users who purchase hardware and software products to configure mini-micro computer systems.

For more information on our market and our magazine, call or write Mini-Micro Systems, 221 Columbus Avenue, Boston, MA 02116 (617) 536-7780.

Mini-Micro Systems




MINI-MICRO SYSTEMS: 221 Columbus Ave., Boston, MA 02116 (617) 536-7780/Chicago: (312) 635-8800/Dallas: (214) 980-0318/ Denver: (303) 388-4511/Los Angeles: (213) 826-5818/Mid-Atlantic: (215) 293-1212; in New York, (212) 724-1790 Orange County: (714) 851-9422/ Northern California & Northwest: (408) 243-8838/Southeast: (404) 955-6500

Cahners Publishing Publishers of 33 specialized business magazines in Building & Construction Electronics & Computers

Proofservice Manufacturing Health Care

*Based on the 13th Annual Mini-Micro Computer Market Report

CIRCLE NO. 49 ON INQUIRY CARD



UNIX* UNLIMITE IN THE DEC SYST

Now, when you choose from our large selection of VAX, and Q-bus 68000 systems, we'll integrate the power, flexibility, and portability of UNIX...so all you have to do is open the box, plug in and run! That's how Cambridge Digital gives you "The Edge" in system integration. To make your job easier and more productive.

First, choose from a selection of FOUR UNIX operating systems - each a fully supported implementation of AT&T's UNIX:

■ UNIX System III and V for VAX and PDPs with all the commercial enhancements and support features you'd expect.

■ Real-time UNIX for PDPs with the best elements of versions 6 and 7 plus a text-editor, database manager, and communications package.

■ UC Berkeley 4.2 BSD for VAX with all the Berkeley utilities and systems features including optional Ethernet networking.

■ UNIX System III for Q-bus-based Univax 68000 gives you VAX performance in a low-priced system.

Next, add the UNIX tools you'll need from our broad line of proven layered products. Database Managers. Word processors. Spreadsheets. Languages. Cross compilers. Emulators. Menu shells. Networking packages. You name it. Cambridge Digital has your solution.

The result: you get the power of UNIX, the performance of a DEC-based system, and the confidence of dealing with a PROFESSIONAL organization, totally dedicated to satisfying your needs. That's The Edge you get only from Cambridge Digital. The system integrator's system integrator since 1979. To find out more or to receive our latest fact-filled catalog, call us at 800-343-5504 or write to us at Dept. 7401, P.O. Box 568, 65 Bent Street, Cambridge, MA 02139.

I want The E	dge:
Name	Title
Organization/Compa	any
Address	
City	State/Province
Zip/Postal Code	Country
Phone No. ()	
7401	

Cambridge

The Edge in System Integration

800-343-5504 In Massachusetts call 617-491-2700

CIRCLE NO. 50 ON INQUIRY CARD




OEMs LOVE PRINTEK

DISTRIBUTORS LOVE PRINTEK

DEALERS LOVE PRINTEK

See Why at NCC Booth A1921-27

and get your FREE LOVERS HEART



For remarketers, there's still room at the top.

We're looking for new members for the "4300 Club."

If your company creates application software that will run on an IBM 4300, we invite you to consider matching your skills to our systems.

In short, IBM is looking for experienced firms that will remarket the 4300—and become what we call Value Added Remarketers.

The standards are high, but for companies that meet them. IBM has much to offer.

To start with, IBM can add strength to your marketing efforts. We can, for instance, help with product literature, with direct mail and with business show support. IBM also has a wide range of professional classes for VARs.

And thanks to an online referencing system used by IBM's own sales force, we can refer prospects with special needs to VARs who have unique solutions.

In addition, IBM offers to VARs that qualify

other highly competitive products: System/36, Series/1, System/38, the IBM Personal Computer and the System 9000 family.

For more information on qualifying as an

IBM VAR, simply send in the coupon or call 1800 IBM-VARS, Ext. 96.

IBM

P.O. Box 764 Atlanta, GA	tion Channels	6/84 ng for Leaders."
Name		
Title	10,200	
Company		
Address		
City	State	Zip
Phone	Product Inter	est



If you're trying to keep production on schedule, cut QA and field service problems, start with our coupon.

And with a 5¼" Pyxis from Ampex. Because this reliable Winchester can be in your hands in less than a week. In OEM

quantities. At competitive prices.

And that-along with its industrystandard interfaces and 5, 10, 15 or 20 MB formatted capacities—makes this drive ideal when you need fast turnaround.

But short delivery times are just the beginning. Pyxis ensures quality perfor-

mance over the long haul with features like a 90-msec access time. A unique dual chamber design that seals out contaminants and ensures data integrity. Exclusive temperature compensation features designed for operating environments harsher than any you're likely to encounter.

Plus self-diagnosis and board level swaps that cut mean repair time to just

half an hour.

How can Ampex pack all that into a price-competitive drive? By taking advantage of something no competitor can match.

YOUNEEDTO CUT 20 MB DELIVERY TIMES.



Our level of vertical integration. Plus over 20 years of computer peripheral and offshore manufacturing expertise.

So if you're trying to cut it in the OEM market, start with our coupon Or call Ampex Computer Products Division at 800-621-0292. 800-821-9473 in California.

In return, we'll see you get a timesaving, cost-saving, repair-saving Pyxis to test for yourself. And you'll see.

It's just what it's cut out to be.

CUT ME IN!

I'd like to test a 51/4" Pyxis drive. Please contact me.

Name
Title Company
Address
City State Zip
Telephone Quantity

Ampex Computer Products Division


10435 North Tantau Avenue Cupertino, CA 95014

MM6

-AMPEX

Ampex Corporation • One of The Signal Companies

THE BEST PLACE TO BOARD THE BUS.



Of course, we're talking about the MULTIBUS* architecture. The most widely accepted, best supported bus architecture in the world.

But since you've already made the wise decision to use MULTIBUS as your road to riches, we're now going to show you the best place to start your journey.



Right here. Because as you might suspect, we know just about all there is to know about MULTI-BUS. After all, we invented it. And we have the largest selection of MULTIBUS products to be found. Anywhere.

For starters, there are our boards. We've produced over a million since 1976. Which should give you an indication of the experience we have in manufacturing quality boards. Quality that's not easily achieved.

Our boards are scrutinized at every level of integration. From chip through system level. And each board is tested to make sure it does its job in every one of its configurations. We even pull finished product from our warehouse for retesting and inspection. Just to make certain nothing slips by.

You can count on the road being smooth for a long time to come, too. Reliability is assured from start to finish. We continually monitor each board throughout its entire production life. Even going so far as lot sampling older boards and putting them through 5000-hour life test studies.

Then there's the selection. A big one.

Over 115 different

© 1984 Intel Corporation

board-level products. Supporting 15 CPUs (from our 8080 to 80286). So you won't get stuck into one or even two design approaches. A tranquil thought when you consider how fast things change in the marketplace.

What's more, you can count on getting everything you need. From peripheral controllers to memory expansion, data communications and graphic boards. Plus card cages and software (including iRMX 86, the most popular real-time operating system in the MULTIBUS world).

One more fact about our MULTIBUS products. You can get fast service anywhere along the road. We've got one of the largest field engineering forces in the world. Over 600 factory-direct people. Not to mention localized support from our world-wide network of trained distributors.

So don't miss the bus. Travel safely. And arrive sooner. Call toll-free (800) 538-1876. In California, (800) 672-1833. Or write Intel, Lit. Dept. C-20, 3065 Bowers Ave., Santa Clara, CA 95051.

We'll be happy to welcome you aboard.



CIRCLE NO. 161 ON INQUIRY CARD

WHERE'S THE DATA?

Family of 5.25" Fixed and Removable Disks.

Here's the data. 31, 51, 71 or 13 + 13 megabytes of extremely reliable capacity with exceptionally fast access times and a 5 megabit per second transfer rate. That's the kind of ongoing performance you'll get from CPC's family of compact Winchesters.

Standard interfacing (ST 506, SCSI) and power requirements coupled to the 5.25" floppy disk drive dimension are configured to make life easy for system integrators. So are the many reliability enhancing features like dual-frequency closed-loop servo that guards against performance degradation due to temperature variations. Servo information further

improves throughput and reliability by indicating head/track location.

Ship with confidence. Automatic positioner locking with power off, means head and disk surfaces are protected

from damage. And should a malfunction occur during operation, position limiting at inner and outer tracks protects both head and media.

Get more data. Call or write Cynthia Peripheral Corporation, 766 San Aleso Avenue, Sunnyvale, CA 94086, (408)745-0855, TLX 17-2356.



Pure OEM Hardware.

Cynthia Peripheral Corporation

Manufacturers of Winchester Disk Drives, Magnetic Page Printers and Impact Band Printers.

CIRCLE NO. 165 ON INQUIRY CARD

Tally Technology Works Great On Paper.

N o other 600 LPM line printer is enginered like a Tally. So nothing else performs like a Tally. Or prints like a Tally.

The proof's on paper.


Everything from high volume report printing to high resolution graphics. And a quality, fully formed look for correspondence.

All in one machine. All the result of Tally technology. Like the MT660's innovative hammer bank and linear "shuttle" system that perfectly positions every impression and prints with

There's also more than enough resident intelligence and paper handling versatility to make programming shortcuts easy. For operator convenience, status reports are illuminated on a scrolling display. And it's quiet enough—at 60 dBa—to go almost unnoticed.

Precision printing at its reliable and repeatable best. From Mannesmann Tally.

For more information on the world's most advanced, most productive line printers call now: (206) 251-5524. **MANNESMANN**



The RAIR SuperMicrotm Out-Benchmarks VAX

The RAIR SuperMicro heralds a new era in low-cost highperformance computer systems. In fact in independent benchmark tests our SuperMicro's processor actually out-

performs a VAXtm 11/780 supermini.*


Key to this incredible performance is our state-of-the-art dual-processor architecture – combining the latest iAPX 286 and iAPX 287 VLSI microprocessors—with up to two megabytes of high-speed RAM memory, a hundred megabytes of fast-access hard disk, integral tape streamer and floppy drive—interfaced to sixteen multi-protocol serial ports, an IEEE 488 instrumentation bus, and Ethernettm local area network controller.

To match our SuperMicro's processing power we've implemented the industry's two most popular multi-user operating systems – Multi-Concurrent CP/Mtm and Unixtm System V-plus a full range of software tools and development aids – supporting up to sixteen simultaneous user activities.

And the complete system comes packaged in a compact design which can be utilized in conventional desktop mode – or a space saving "tower" configuration. The RAIR SuperMicro – it all adds up to super price/performance – which ever way you look at it!

*Intel iAPX 286 Benchmark Report VAX is a trademark of Digital Equipment Corp. Ethernet is a trademark of Xerox Corp. CP/M is a trademark of Digital Research Unix is a trademark of Bell Laboratories

Name	ease send me full details of the RAIR SuperMicro
Title	
Company	
Address	
City/State	/Zip
Phone	Extension
Sen	d to RAIR Microcomputer Corp., 4101 Burton Drive Santa Clara, CA95050, Phone (408) 988 1790
	CLE NO. 162 ON INQUIRY CARD



Mini-Micro World

INTERNATIONAL

Taiwanese companies march into U.S., Europe seeks sellers for PC clones

Lori Valigra, Senior Editor

Taiwanese companies' expertise in high-volume, low-cost manufacturing, backed by their government's push to help them catch up in the high-technology race, has almost assured the next wave of low-priced Taiwanese products: IBM PC-compatible microcomputers (MMS, July 1983, Page 11). List prices for the new desktop computers should run as much as 25 percent lower than comparable PCs. Their degrees of software and hardware mimicry will vary.

About 75 percent of the companies exhibiting at Taiwan's booth at

the recent Hannover Fair Show in Hannover, West Germany, sported IBM PC look-alikes. The companies this year are seeking dealers and OEMs in Europe and the United States. In some cases, Taiwanese companies may sell their products under their own labels, a feat few have attempted outside their domestic market. In other cases, OEMs such as Applied Digital Data Systems (ADDS) Inc., Hauppauge, N.Y., have signed up to sell the products.

Two Taiwanese suppliers showed PC-compatible systems resulting from a design adopted from government-sponsored research group

Electronics Research & Service Organization (ERSO), says Ramone Ju, marketing director for CAF Computer Corp., Taipei, Taiwan. CAF markets a look-alike manufactured by its sister company, Advanced Datum Information Corp., Taipei. Ju adds that some companies in Taiwan have reverse-engineered PC-like machines in much the same way that other Taiwanese suppliers have reverse-engineered the many Apple Computer Inc.-compatible microcomputers. But CAF, Multitech Industrial Corp., Taipei, and Sony Taiwan (which did not show its product in the grouped Taiwan booth) all worked from an original

Manufacturer, Model	CAF Computer Corp., PC (ADI Corp.)	MITAC Inc., MPC160	Multitech Industrial Corp., MPF-PC	President Enterprises Corp., BC-5000	Tatung Electronics Corp. MCS-1616
Processor(s)	8088, 8087 (option)	8088, 8087 (option)	8088, 8087 (option)	8088, 8087 (option)	80186, 80286/8087 (option)
Operating system	MS-DOS 2.11	MS-DOS, CP/M-86 (option)	MS-DOS 2.0, CP/M-86 (option)	MS-DOS, CP/M-86 (priced separately)	MS-DOS, CP/M-86 or MP/M-86
Memory, expandable to:	64K bytes RAM, 256K bytes (also 8K bytes ROM, expands to 48K bytes)	128K bytes RAM, 512K bytes (also 8K bytes ROM)	128K bytes RAM, 256K bytes (also 8K bytes on-board ROM; expands to 48K bytes)	128K bytes RAM, 256K bytes (also 8K bytes ROM)	256K bytes RAM, (also 16K bytes ROM)
IBM-like keyboard	yes	yes	no (function keys parallel screen)	yes	yes
Display	25 lines x 40/80 col., 640 x 200 black/white, 320 x 200 4-color, APA* or alphanumeric	24 lines x 80 col., monochrome, color/graphics	640 x 200 black/white,	25 lines x 80 cols., 720 x 240 color, monochrome	color & monochrome available separately
Mass storage	251/4-in. slimline FDDs*	2 51/4-in. slimline FDDs, 1 10M-byte WDD* (option)		2 51/4-in. slimline FDDs, (can expand to 4 FDDs)	2 51/4-in. slimline FDDs, 2 10M-byte or 20M-byte 51/4-in. WDDs (option)
Ports	parallel, RS232C serial	parallel, RS232 serial		2 parallel, 2 serial	1 parallel, 4 RS232 serial
Expansion slots	5	9 (5 are occupied)	5	6	6
Price	25 percent below IBM's (excluding monitor)	\$3,000 (excluding monitor)		\$1,720 (with mono- chrome monitor)	\$2,000 with 2 FDDs (excluding monitor); \$3,000 with WDD (excluding monitor); \$4,000 with 2 WDDs (excluding monitor)
Availability	now	next month	now	now	October

Mini-Micro World

INTERNATIONAL



Mitac's IBM PC-compatible MPC 160 desktop unit is one of a half-dozen products for which Taiwanese manufacturers are seeking U.S. and European dealers and OEMs.

design by ERSO and created their own products from it.

CAF's priced 25 percent lower

CAF's PC runs the MS-DOS 2.11 operating system under license from Microsoft Corp., Kirkland, Wash. The PC is based on Intel's 4.77-MHz 8088 processor and can include an optional 8087 math coprocessor. The 64K bytes of main memory can be expanded to 256K bytes. Its U.S. introduction came at last year's November Comdex show in Las Vegas, Nev., but CAF has not yet signed any customers for the machine. Its European debut was at Hannover. Ju says the CAF PC's list price is 25 percent lower than IBM Corp.'s list price for the PC.

Multitech, which also took advantage of ERSO's efforts, is seeking European customers for its PC- and PC XT-compatible units. Multitech's Micro-Professor line includes both IBM- and Apple-compatible microcomputers. Price for the PC-look-alike without a monitor is

\$2,550 with floppy disk drives and is \$4,500 with a hard disk drive, notes William Lu, director of Multitech's international marketing division.

Multitech's 8088-based MPF-PC has 8K bytes of on-board ROM and 128K bytes of RAM, which can be expanded to 48K and 256K bytes, respectively. It runs the MS-DOS 2.0 operating system. The function keys parallel the CRT screen, a setup different from IBM's cluster at the left portion of its keyboard. The MPF-PC includes a color/ graphics adapter card and a floppy disk interface circuit. A company spokesman says Quadram Corp.'s Quadlink "Apple" board does not work with the system. Concurrent CP/M and UCSD Pascal do not run. but he says all other software works, including Microsoft's Flight Simulator and Lotus Development Corp.'s 1-2-3 integrated package.

ADDS signs for Multitech PC

Exclusive distribution of the product in the United States reportedly will begin this month through ADDS. ADDS will sell the product under its own name as the PC-1, notes Michael Genes, ADDS technical support specialist.

The ADDS PC-1 will include a 360K-byte, 5¼-inch floppy disk drive, five expansion slots, a monochrome monitor with a screen resolution equaling that of IBM's product, a serial port, a parallel port, a 10M-byte Winchester drive and 64K bytes of memory for \$2,000. A color screen, a second floppy drive and more memory are optional. ADDS will sell the system through distributors.

Genes says ADDS assumed a fully configured system to save R&D time. "It's quicker to go to fully configured machines."

President Enterprises Corp., Taipei, is searching for U.S. and European dealers and OEMs for its IBM-compatible BC-5000 microcom-

puter. The product is already available for U.S. prospects but is new to Europe. The 8088-based system has the MS-DOS and CP/M-86 operating systems priced separately. Lotus' 1-2-3 package also is available separately for the system. An 8087 math coprocessor is optional. The machine has 128K bytes of main memory, expandable to 256K bytes. Sample units are priced at \$1,300 for the 128K-byte system unit, \$70 for the keyboard (which is laid out similarly to the PC's), \$165 for a monochrome monitor, \$290 for a 720-by-240-dot color display, \$200 for a 560-by-240-dot color display and \$165 for a monitor graphics adapter.

Tatung has 80186-based machine

Tatung Electronics Corp., Taipei, with more than 20,000 employees, is a leader in Taiwan's electronics business. The company set its sights on high-technology 80186-based PCcompatibles, as many others already have. Tatung exhibited its MCS-1616 at the Hannover Fair, and the system should be available to U.S. dealers and OEMs in October. Price for the system is about \$2,000 with dual floppy disk drives and \$1,000 more for a hard disk version, notes planning manager Chin-Shin Chen. Tatung offers an optional Intel 80286/8087 coprocessor system. Memory for the MSC-1616 is 256K bytes of RAM and 16K bytes of ROM. The system is for multiple users.

Another large Taiwanese manufacturer, Mitac Inc., claims to be the country's "premier" manufacturer of IBM-compatible systems and PC add-in boards. The company also supplies Apple add-on products. Mitac's PC XT-compatible MPC 160HD-10 runs on MS-DOS, and CP/M-86 is available as an option. The system includes 128K bytes of RAM, expandable to 512K bytes, and is based on the 8088

If you've been waiting for a supermicro with UNIX* System V on a 68010-based processor, stop.

Introducing the Callan Unistar™ 300. It's the single best supermicro you can buy. For a couple of reasons:

One, the 10MHz 68010 CPU. It's the newest, fastest, best. It crunches numbers in a snap. And works beautifully with the new UNIX.

Two, the new UNIX System V. It's faster than UNIX System III. On the Unistar 300, it supports a host of languages. And when it comes to portability, flexibility and system support, nothing comes close.


There's more. The Unistar 300 allows for expansion to 172M bytes of high-speed disk storage with integral tape backup—all within one enclosure that easily fits under a desk.

Its convenient 12-slot Multibus* chassis lets you easily add options like networking, communications, floating point array processors and more. Up to 2M bytes of main memory provide real power for every user. And nationwide service is available through ITT/Courier.


Unistar 300. Finally a supermicro with super everything. Available today from Callan. For more information contact Callan Data Systems, 2645 Townsgate Road, Westlake Village, CA 91361. (800) 235-7055. In California (805) 497-6837. TELEX 910 336 1685.

Callan Unistar

*Callan and Unistar are trademarks of Callan Data Systems. UNIX is a trademark of Bell Labs. Multibus is a trademark of Intel Corporation.



SUPER. MICRO.



Western Digital your technology partner in digital communications. Whether your system needs are as direct as a printer-to-computer interface, as sophisticated as a local area

SUCCESSFUL


network, or as large scale as a packet switching network, you can turn our expertise and technology resources to your advantage.

Systems in silicon.

We're experts at putting complex systems in silicon. Our NetSource™/25, for example, is a powerful VISI device incorporating three micro

We're experts at putting complex systems into silicon. Our NetSource™/25, for example, is a powerful VLSI device incorporating three microprocessors into a single chip. It's the first and only VLSI controller for X.25 packet network applications. Years of painstaking software development and the complexities of the X.25 protocol are reduced to a single integrated circuit.

NetSource is a trademark of Western Digital Corporation.



Chip-to-board synergy.

To get you to market even quicker, our VLSI network controllers are the foundation of an emerging family of board-level products. Our NetSource/PC-LAN, for example, is an IBM compatible single board local area network interface including data encryption. It's based on our NetSource/40, an awesome token-passing network controller implemented in a VLSI device.

With our advanced computer-aided design systems and highly automated board manufacturing and test facilities, customized variations of this PC network board are never more than weeks away.

Make us your NetSource.

Our pioneering efforts in communications began in 1971, with the development of the first LSI receiver/transmitters, still basic building blocks in all data communications applications. Today we're committed to providing the basic building blocks for reliable, efficient networks in the office and across the factory floor.


Make us your NetSource and you get more than chips or boards, though. You get a corporate commitment to roll up the sleeves and work side-by-side with you to get your system or network to market quickly and economically. Ensure your success. Call our NetSource Hotline, 714/863-7828. And get your network off to a fast start.

START HERE.


For the complete story of our communications capabilities and a postersize reproduction of the illustration above, send your business card to Western Digital, Network Literature, 2445 McCabe Way, Irvine, CA 92714.

WESTERN DIGITAL

DATA GENERAL'S MV/10000. LESS MONEY THAN DEC'S VAX 11/780 AT TWICE THE SPEED.



DATA GENERAL'S MV/FAMILY-TOP PERFORMANCE, NOT TOP DOLLAR



Forget VAX™

Data General's ECLIPSE® MV/Family of 32-bit computers brings you the best price/performance available for engineering applications—while running some of the best electronics engineering software.

TWICE AS FAST AS VAX

Consider the price/performance graph shown below. On the basis of dollar-per-MIP,

Data General's MV/10000™ gives you twice the performance of the VAX 11/780—at a lower price.

Now compare the MV/8000®II to the VAX 11/780. Same performance. But the MV/8000II is half the price.

The same holds true when you compare the MV/4000® to the VAX 11/750. And our recently announced

OEM MV/8000 C offers almost twice the performance of the VAX 11/750. But it's the same price.

RUNS THE MOST WIDELY-USED SOFTWARE


You can run all of the best software on our ECLIPSE MV Series, including TEGAS,™ NCA/DVS™MicroSet-86,® ECAD's DRACULA, and Mentor's CADISYS.®

And Data General keeps you a generation ahead by bringing you comprehensive service plans and industry standard software development environments.

CALL NOW

For more information on Data General's ECLIPSE MV/Family, call **1-800-554-4343** and ask for **Operator 06 F.**

Copyright 1984 Data General Corporation, Westboro MA. ECLIPSE, ECLIPSE MV/4000 and ECLIPSE MV/8000 are registered trademarks, and ECLIPSE MV/10000 is a trademark of Data General. DEC and VAX are trademarks of Digital Equipment Corp. Prices based on Data General and DEC price lists and other publicly available information as of Jan. 1984. TEGAS is a trademark of Calma Co. MicroSet-86 is a registered trademark of First Systems Corp. CADISYS is a registered trademark of California Automatic Design.



Data General
a Generation ahead.

Mini-Micro World

INTERNATIONAL

processor. The 8087 math coprocessor is optional. The system includes two half-height double-sided, double-density floppy disk drives. A 10M-byte Winchester disk drive is optional. Price for one unit is about \$3,000. Mitac is seeking OEMs and dealers and will make the product available in the United States after July.

Other PC-line products from Mitac include the CAS-160 PC ex-

pansion chassis with a nine-slot boards including a multifunction motherboard and a group of add-in board and a color graphics board.

GERMAN COMPANY INTRODUCES IBM-COMPATIBLE

Computer Systems Peripherie Geräte, Hannover, West Germany, introduced its CM-86 IBM-compatible professional computer for the European market at April's Hannover Fair trade show. The company is seeking dealers for the 8088-based, 128K-byte machine that runs CP/M-86 or MS-DOS. Price is about 6,950 German marks, or \$2,780.


Complete systems propel integrators into PC-compatible market

In perhaps its swiftest development efforts, IBM Corp. produced its PC microcomputer in less than a year and in double that time carved out a dominant market share. Those following IBM's lead had to respond with compatible designs even more rapidly to take advantage of the fast-paced mar-

Most began by designing lookalikes. But off-the-shelf components, including MS-DOS, the Faraday Electronics motherboard, and the ROM and software basic input/output systems from Phoenix Software Associates Ltd. gained popularity. Recently, companies began accessing an even quicker and less expensive route to market: buying complete systems from other manufacturers and tacking on their own labels.

Several such machines were on display at the April Hannover trade show in Hannover, West Germany. Commodore International, for example, displayed the Commodore PC, a portable computer obtained via an agreement with Bytec-Comterm Inc., Ottawa. Bytek designed one of the first IBM PC-compatible portables, the Hyperion. Also sporting the Hyperion at its booth with its own tag, 'AGIL," was Anderson-Jacobson Inc.'s German group.

Philips Kommunikations Industrie AG, West Germany, attracted a crowd to its Philips PC, a PC-compatible desktop system from Corona Data Systems Inc. that Philips is selling under its own moniker. Olivetti SpA is selling Corona's portable as the M18, which may be superseded by Olivetti's recently introduced M21 portable.



Ricoh's SBC-16 microcomputer is one of the many complete system products being sold to OEMs wishing to rush into the IBM PC-compatible market.

Ricoh Co. Ltd., Tokyo, showed its SBC-16 PC-compatible for the first time at Hannover. The OEM-only product has attracted one U.S. buyer, which Ricoh spokesmen decline to identify. Ricoh may show the microcomputer at next month's National Computer Conference in Las Vegas.

The SBC-16 with a monochrome or amber CRT, two 51/4-inch floppy disk drives, 256K bytes of RAM, MS-DOS 2.2 and a keyboard carries a singleunit price of \$4,000. Ricoh assistant manager Kenichi Sato declines to disclose OEM discount schedules. The product is for sale in the United States and Europe to OEMs only, he notes.

The product is based on Intel Corp.'s 80186 processor and has a 12-inch monochrome 640-by-400-dot bit-mapped display or 14-inch high resolution color graphics display. The standard 256K bytes of RAM can be expanded to 896K bytes. The 51/4-inch slimline floppy drives hold 720K bytes of information each. Two RS232C serial ports and one Centronics parallel port are standard. Options include a 10M-byte Winchester drive, mouse cursor controller, 3270 Systems Network Architecture support, 3770 and 3780 emulation software, the CP/M-86 operating system, an expansion RAM board and a Teletext communications adapter unit. Five expansion slots are available. The keyboard differs from IBM's in its placement of the function keys parallel to the display rather than clustered at the left of the keyboard.

Six Taiwanese companies made a big OEM push as well, one with an 80186-based system.

Also offering an 80186-based PCcompatible is Northern Telecom Data Systems GmbH, West Germany. Philips introduced the terminal computerbasically a beefed-up terminal with an 80186 processor and 256K bytes of RAM that can run MS-DOS and serve as a standalone microcomputer. This is part of Philips' recently released Vienna line of sharedresource computers and intelligent terminals that will be test-marketed in Europe and perhaps followed by a parallel product lineup in the United States. Priced at about \$5,500, the terminal computer was jointly developed by Northern Telecom and Nokia Ab Electronik, Helsinki, Finland.

STANDARDS

Ease of integration. Interchangeability. Economies of scale. If you're in engineering or marketing, what you're talking about are standards.

Standards that deliver ease of integration, interchangeability, economies of scale.

You demand standards. Your customers demand standards. Which means you should be getting every bit of information you can about SCSI.

And ADSI.

After all, ADSI is the major manufacturer of SCSI-compatible peripheral controllers. These high-performance controllers are designed to link the powerful industry standard Small Computer Systems Interface (SCSI) to the industry standards in disk and tape drives.

Consider these three product lines ADSI is shipping now.

2.

STREAMING TAPE CONTROLLERS

The SCSI/QIC-36 STC is the first controller designed specifically for use in a streaming environment. It links SCSI to the industry standard QIC-36 basic streaming tape interface. ADSI has more controller experience with the QIC-36 interface than anyone else in the world. Maybe that's why we've shipped more than anyone in the world. Data integrity is ensured by bus and buffer parity, 16-bit CRC and read-after-write data check. There is also complete QIC-11 and QIC-24 format support. And arbitration is standard. This advanced device was designed for use with basic 1/4" streaming tape drives such as those from Archive, Wangtek and Cipher.

FIXED DISK CONTROLLERS

The SCSI 55 FDC product family links SCSI to the industry standard "ST506" 5\4" Winchester disk drive interface. Defective media management provides transparent in-line sparing and post-format block re-assignment with no performance degradation. Non-interleaved operation and arbitration are standard features of the SCSI 55 FDC line, producing maximum data throughput. Data integrity is ensured by a 32-bit ECC (transparent to the user) along with bus and buffer parity. The multi-threaded operation of the SCSI 55 FDC offers concurrent access to two physically separate disks, increasing I/O capability per second.

IBM PC DISK CONTROLLER

The PC 5 FDC links IBM PC to the industry standard "ST506" Winchester disk drive. This advanced device has exclusive LSI technology and a high performance, on-board microprocessor to provide emulation of the IBM controller, establishing full compatibility with PC-DOS. It has an IBM PC expansion form factor and supports two ST506 Winchester disk drives. The PC 5 FDC has IBM PC I/O channel plug compatibility and an 8-bit ECC.

Also available from ADSI is the IBM PC Host Adapter which makes the IBM PC I/O channel compatible with SCSI. This host adapter is designed to provide OEM's with a non-intelligent host interface to yield the highest possible implementation flexibility.

Another standard—available at no extra cost from ADSI—is the unparalleled level of technical support and customer service. As the leading manufacturer of SCSI-compatible controllers, ADSI enters into full partnership with each customer. This means you receive support through your design and integration stages, right through your administrative support requirements and finally through your post-sale technical support needs.

With ADSI, you get high performance from our entire

company-not just our products.

So now is the time to find out everything you need to know about standards, about SCSI and about ADSI...from the company who wrote the book.

In fact, you should order the book. It's free for the asking. Call or send in the coupon below. What you'll find out is now standard information.

About standards.

I also need product information abo	
 ☐ Fixed Disk Controllers ☐ Streaming Tape Controllers 	☐ PC Disk Controllers ☐ PC Host Adapters
Name/Title	
Company	Paraginal School and Length
Address	
City/State/Zip	
Telephone ()	Ext
Mail to: ADSI	
126 Pioneer Place Pomona, CA 91768	ADS ADAPTIVE DATA SYSTEMS INC.

Mini-Micro World

INTERNATIONAL

DOCdata plans to make 6,000M-byte optical-tape cassette

Keith Jones, European Editor


DOCdata N.V., Venlo, the Netherlands, is carrying the massstorage industry's theme of placing higher capacities into smaller packages one step further by promising an optical-tape cassette with a capacity of 6,000M bytes, which competes with that of optical disks. The optical tape is packaged in a cassette with dimensions similar to those of a regular tape cassette.

DOCdata director Sjef Beaujean says the company has raised more than \$3 million on the Amsterdam. the Netherlands, stock market. The company has used the money to develop a working prototype of DOCWheel, a carousel system that will house 100 6,000M-byte opticaltape cassettes, yielding a total capacity of 600,000M bytes. DOCWheel's average access time will range from 1 second to 10 seconds.

"That access time will create problems in a multiuser environment without magnetic-disk buffering," warns Dr. Leonard Laub, president of Vision Three Inc., a Los Angeles optical storage consulting concern. Beaujean at DOCdata agrees but notes that DOCdata plans to develop buffers for multiuser database applications. The company will initially offer the DOCWheel as a backup medium requiring no buffering, according to Beaujean.

DOCWheel may be more reliable

DOCWheel will offer the advantages over optical disks of greater compactness, reliability and information security, claims Beaujean. One cassette can hold as much as 250m. (about 273 vards) of 4-mm.-



disk.

Beaujean believes that tape offers improved reliability over disks. Unlike a disk, tape can be stopped at each data position. It can be written, read, corrected or marked incorrect. The tape is stopped for less than 1 msec. at each data position, which is more than enough time to verify data, says Beaujean. A small metal clamp inside the cassette, actuated by a magnetic coil outside the cassette, stops the

The optical rather than magnetic nature of DOCWheel and the physical lightness of the tape reels will help the magnetic forces that rotate the reels. The company plans eventually to produce a sealed cassette with only magnetic and optical links to the outside world. Beaujean says not having operators load cassettes will further enhance data security.

Lasers comprise read/write heads

The planned read/write heads comprise a parallel array semiconductor lasers (gallium aluminum arsenide)—one for each bit.

DOCdata is now working with arrays of 32 lasers, but hundreds of lasers are required. Beaujean acknowledges that problems have arisen from using hundreds of lasers, the worst of which is the problem of wiring the lasers to the rest of the system.

But, according to Beaujean, DOCdata has solved another potentially serious problem—the chaos created when cassettes are read on a different read/write assembly. This problem is caused by the fact that as many as 10 percent of the lasers in arrays of hundreds may be defective because of imperfect yield rates in laser manufacture. Although the defective lasers can easily be identified, the faulty tracks could cause problems when read by different assemblies. The solution, according to Beaujean, is to assign about 40 percent of the lasers to generating bits for parity checking. Software developer Logica B.V., Rotterdam, the Netherlands, has developed an algorithm

XYLOGICS CONTROLL

THE 450 SMD DISK CONTROLLER.

It simply outperforms any other high capacity Multibus disk controller.

With DMA speed up to 3.0 MB/sec. Non-interleaved data transfer up to 1.9 MB/sec. And 2 or 8KB FIFO buffering. The Xylogics 450. The fastest SMD disk controller available anywhere for Multibus applications.

And its unparalleled versatility and capacity make it

And its unparalleled versatility and capacity make it the choice of OEMs. It supports as many as four SMD disk drives, is programmable to any configuration, and works with any 16, 20 or 24 bit address system.

All this power resides on a single IEEE-796 bus compatible board. Multiboost from Xylogics. Is it any wonder that Xylogics has sold more high performance. Multibus peripheral controllers to more major OEMs than anyone else in the world?



THE 472 TAPE CONTROLLER.

The state-of-the-art Multibus tape controller that outperforms all others in price and features.
Fast DMA up to 3.0 MB/sec. Channel control for

true high-speed streaming with no repositioning. And 2 or 8KB FIFO buffering. The Xylogics 472. The fastest Multibus tape controller on the market.

And the most advanced. The 472 supports up to eight Pertec formatted streaming and start/stop tape drives. Runs at speeds up to 125 ips and at densities up to 6250 bpi GCR. Programmable to any drive mix. And it occupies only one backplane slot in any 16, 20 or 24 bit address Multibus system.

Expand the universe of Multibus microprocessing with Multiboost from Xylogics. The peripheral performance leader.



U.K.)

CIRCLE NO. 55 ON INQUIRY CARD

World's largest local distributor with 48 locations stocking the finest lines of electronic components and computer products ALABAMA Huntsville (205) 837-7210 ARIZONA (602) 231-5100 Phoenix (602) 231-5100

CALIFORNIA

Avnet, L.A. (213) 558-2345
Avnet, S.F.V. (818) 700-2600
Avnet, O.C. (714) 754-6111
Hamilton, L.A. (213) 558-2231
Hamilton, S.F.V. (213) 558-2232
Hamilton, O.C. (714) 641-4100
Sacramento (916) 925-2216
San Diego (619) 571-7510
San Francisco (408) 743-3355 Denver (303) 779-9998 CONNECTICUT
Danbury (203) 797-2800 GEORGIA (404) 447-7507 ILLINOIS Champaign/ Urbana (800) 625-8654 (312) 860-7700 INDIANA Indianapolis (317) 844-9333 KANSAS
Kansas City (913) 888-8900
Wichita (800) 532-6720 KENTUCKY le (800) 428-6012 on (800) 543-4783 Louisville MARYLAND re (301) 995-3500 Baltimore MASSACHUSETTS ton (617) 273-7500 Boston MICHIGAN

Detroit (313) 522-4700 Grand Rapids (616) 243-8805 MINNESOTA polis (612) 932-0600 Minneapolis

MISSOURI St. Louis (314) 344-1200 NEBRASKA Lincoln/Omaha (800) 255-6702

NEW JERSEY
Fairfield (201) 575-3390
Cherry Hill (609) 424-0100

NEW MEXICO (505) 765-1500 Albuquerque

NEW YORK (516) 434-7421 (315) 437-2641 (716) 475-9130 Long Island

Syracuse Rochester NORTH CAROLINA eigh (919) 878-0810 Raleigh

OHIO (216) 831-3500 (614) 882-7004 (513) 433-0610 Columbus Dayton

OREGON (503) 635-8831 Portland **PENNSYLVANIA**delphia (215) 831-1300
urgh (800) 321-6890 Philadelphia Pittsburgh

SOUTH CAROLINA umbia (800) 334-1597 Columbia

TEXAS (214) 659-4111 (713) 780-1771 (512) 837-8911 Dallas Houston Austin UTAH Salt Lake City (801) 972-2800

WASHINGTON (206) 453-5844 Seattle

WEST VIRGINIA eston (800) 543-4783 ngton (800) 543-4783 Charleston Huntington WISCONSIN ee (414) 784-4510

Milwaukee INTERNATIONAL EXPORT Los Angeles New York Telex (213) 558-2441 (516) 997-6868 66-4329

CANADA
(416) 677-7432
(514) 335-1000
(613) 226-1700
(403) 230-3586
(604) 224-0619
(604) 272-4242 Toronto Montreal Ottawa Calgary

JAPAN (03) 662-9911




The fine family of terminals from Esprit was built to go places straight into a wide range of business and communication systems.

The Esprit Series features the Esprit III with color. It's a high performance smart terminal that offers high resolution color displays and compatibility with Esprit III software.

The Esprit III, of course, is

the head of the family. With its programmable remote commands and programmable function keys for user designed functions, the Esprit III is a model of design flexibility.

At the low end of the series are the Esprit I and II. Both are compatible with a number of Hazeltine 1500 and Regent 25*



From January 1 through July 31, 1984, \$.50 of each \$500 of Esprit orders shipped will be donated to the U.S. Olympic Committee. Help us support our 1984 Olympic Team.

and/or Hazeltine 1500 and ADM-3A** applications. The Esprit II can be called upon to perform a variety of editing functions to aid the user

in data entry, systems control and software development applications. When your requirements call for economical high-performance ASCII video display terminals, call on us and ask about the Esprit family of "smart" terminals.
We're Hamilton/Avnet. We're

number one and we stand ready to meet your requirements with in-depth local inventories, highly trained technical assistants, and our terminal value added distribution program. You'll be going places too—all the right ones when you go to your nearby Hamilton/Avnet stocking facility and ask for Esprit.

LECTRONICS A

A commitment to stock and serve your local market!

CIRCLE NO. 56 ON INQUIRY CARD

Mini-Micro World

INTERNATIONAL

for DOCdata to process these parity bits. Tom de Neef, Logica B.V.'s marketing manager, says the parity-checking algorithm combined with DOCWheel's read-after-write feature will reduce the product's overall error rate.

The DOCWheel tape is made of two transparent layers separated by a metal layer. The transparent layer farthest from the read/write head incorporates preformed holes 4 µm. apart. The metal layer hides these holes from the head until information is written. During writing, the laser melts the metal over the hole.

Beaujean says DOCdata is negotiating to license the manufacture of the tape to a large recording-media manufacturer. DOCdata has also hired the Wiesbaden, West Germany, office of management consultant Arthur D. Little Inc. to appraise the commercial potential of DOC-Wheel. Senior consultant Michael Gora recommends OEM vendors as the best marketing channels for DOCWheel. He believes DOCdata should extend the product's applications to embrace image- and text-retrieval work as well as archival. According to Gora, the U.S. market for optical archival systems will grow from about \$70 million this year to \$300 million in 1991. But document storage-andretrieval systems may see a much more impressive expansion-from virtually nothing now to \$2 billion by 1991.

DOCdata's Beaujean hopes the company can demonstrate a working prototype of DOCWheel by the end of next year. DOCdata is contemplating enhancing the product by incorporating a read-only mode. This would preclude the use of the tape-clamping mechanism and would substantially boost the datatransfer rate-now around 1M bit per second in read/write mode.

Laub at Vision Three knows of no U.S. company that is working on DOCWheel but points to work on also notes that FileNet Inc., Costa optical recording film at Drexler Mesa, Calif., is working on an Technology Inc., Palo Alto, Calif., optical disk "jukebox."

products exactly analogous to and at chemical giant Du Pont. He

3½-inch floppies dominate **Hannover Trade Fair**

Lori Valigra, Senior Editor

Many major U.S. manufacturers have adopted Sony Corp.'s 31/2-inch microfloppy disk drive as a standard, and drives sporting Sony-like specifications dominated small drive introductions at the recent Hannover Fair in Hannover, West Germany. For their part, 3-inch and smaller drives appeared mostly in briefcase or game computers, while the 3½-inch drives were in desktop systems.

TEAC Corp.'s 3- and 3½-inch floppy drives were on display by reseller NBN Elektronik GmbH, West Germany. An NBN representative, however, speculates that the 3½-inch drives will win the controversy surrounding standardization of microfloppy disk drives and their media. The TEAC FD-35 31/2-inch drive is available in four models ranging in unformatted capacities from 250K bytes to 1M byte. Track density varies from 67.5 tracks per inch (tpi) to 135 tpi.

Olivetti OPE's FD-301/-302 31/2-inch microfloppy disk drive was one example of several drives that size that made their debuts at the recent Hannover Fair.

LINING UP THE 3½-INCH MICROFLOPPY DRIVES							
Manufacturer, model	Capacity (unformatted) (bytes)	Average access time (msec)	Transfer rate (bits per sec.)	Track density (tpi)	No. of tracks	No. of heads	Encoding method (*)
MDD 6161 MDD 6162 MDD 6163 MDD 6164	250K 500K 500K 1M	59 59 99	250K 250K 250K 250K	67.5 67.5 135 135	40 40 80 80	1 2 1 2	MFM MFM MFM
Mitsubishi Electric MF 351 MF 351	250K 500K	94 94	125K 250K	135 135	80 80	1	FM MFM
Olivetti OPE FD-301 FD-302	500K 1M	95 95	250K 250K	135 135	80 160	1 2	MFM MFM
FD-35A FD-35B FD-35E FD-35F	250K 500K 500K 1M	93 93 94 94	125K 250K 125K 250K	67.5 67.5 135 135	40 80 80 160	1 2 1 2	FM MFM FM MFM
Tokyo Electric (Nissei Sangyo) FB 352 FB 354	500K 1M	94 94	250K 250K	135 135	80 160	1 2	MFM MFM
Toshiba ND-353 (single density)	250K	79	125K	135	80	1	FM
ND-353 (double density) ND-354	500K	79	250K	135	80	1	MFM
(single density) ND-354	500K	79	125K	135	160	2	FM
(double density) *FM encoding available of	1M	79	250K	135	160	2	MFM

NOBODY DELIVERS HALF-HEIGHT WINCHESTERS LIKE SEAGATE

Everybody promises you half-height drives, but you can't ship promises.

Only Seagate[™] ships zero-defect 10MB (formatted) half-height Winchesters in production volumes for the lowest total system cost.

Designed for survival in the real world of portable and down-sized desktop systems, the ST212 can withstand a 40G drop. It features a reliable single platter design, proven risk-free technology, controller compatibility with the ST412 standard height drive, and lower power consumption.



you the most dependable half-height Winchester you can buy, product in volume to meet your needs, and the industry's largest Winchester support team. All of which translates into 51/4" Winchester disc drives with a total system cost that no other supplier

Unformatted capacity (MB)	12.76
Formatted capacity (MB)	10
Average access time (ms)	65

Make us prove it. We want your business. Call Seagate.

Seagate NOBODY DELIVERS QUALITY SIN VOLUME LIKE SEAGATE.

920 Disc Drive, Scotts Valley, California 95066 Telephone (408) 438-6550, TELEX 176455SEAGATESCVL



Authorized U.S. Distributors: Arrow Electronics, Pioneer Electronics and Wyle Laboratories Canada:

Mini-Micro World

INTERNATIONAL

Mitsubishi Electric Europe GmbH, Ratingen, West Germany, is waiting for a double-sided drive standard for its model 353 31/2-inch drive before releasing it worldwide this month. The 1M byte drive has 135 tpi and uses 80 tracks. The Mitsubishi 351 single-sided drive is available now in the United States and Europe. Price for the drive in 1,000-unit quantities is 450 German marks, or about \$180. Singledensity versions house 250K bytes, while double density iterations house 500K bytes. Track density is 135 tpi. The drives use Sony's hardjacket flexible media.

Toshiba Corp., Tokyo, introduced its ND-353 and ND-354 31/2-inch microfloppy drives. The singlesided ND-353 models have 250K bytes of storage in single-density versions and 500K bytes in doubledensity versions. Track density is 135 tpi. Average access time is 79 msec. The ND-354 double-sided model has 500K bytes of information in a single-density form and 1M byte in a double-density model. The single-sided, double-density ND-353 model sells for 83,000 yen, or about \$415. The dual-sided, doubledensity ND-354 model sells for about 85,000 yen, or \$425. All four versions are slated for sale to OEMs in Europe and the United States in 1985. The drives use the media supplied by Sony, Verbatim Corp., 3M and Memorex Corp.

Tokyo Electric Co. Ltd., Tokyo, a sister company to Toshiba, spotlighted its FB 354 and FB 352 3½-inch flexible disk drives. The 354 stores 1M byte of data, while the 352 stores 500K bytes. Average access time is 94 msec., and both have a track density of 135 tpi. Worldwide distributor Nissei Sangyo Co. Ltd. sells the models for Tokyo Electric under the same model numbers. The drives should be available in the United States at an undetermined future date.

Olivetti OPE joined the newcomers with a 3½-inch line, the model FD-301 and model FD-302. The features approximate those of the Tokyo Electric drives. Olivetti exhibited the drives with 3M's hardjacket floppy media. Shugart Corp.'s 3½-inch drive was being shown by Synelec Datensysteme GmbH. BASF Aktiengesellschaft, West Germany, quietly showed its line of MDD microfloppy drives and FlexyDisk diskettes. Prices of both products were not available.

The 3½-inch drives were incorporated into products by several major manufacturers. Apple Computer Inc. showed the Sony drives in its Lisa and Macintosh microcomputers, Hewlett-Packard Co.'s exhibit showed the drives in the HP150 personal computer, Epson Corp. had it in its SMD-100 series system, and Sord Computer had it in its new 323P portable desktop computer. Sord is one of the few Japanese manufacturers backing the Sony media.

OVERHEARD OVERSEAS

Multiuser micro builders could beat IBM to the punch

Tim Palmer, European Contributor

IBM Corp. regularly leaves windows of opportunity open in the European market, and now there is a gaping one that should be plugged quickly: a multiuser microcomputer.

This window is open to system builders with the courage and imagination to second-guess IBM about what it will do for its follow-on Personal Computer: a multiuser model that is expected to use Intel Corp.'s 80286 microprocessor. European users think they have an idea of what the machine will look like—a combination of PC-DOS and UNIX is likely. It is also likely to be able to run the Displaywriter word processor's software and System 23 small business system applications.

Although 80286s are in short supply, Intel is keen to make a success of its systems business. That business is guaranteed a captive share of the available chips, which means that customers can obtain 80286s by buying them assembled from Intel as single-board computers running the XENIX operating system and can

configure IBM-compatible systems around them.

By beating IBM to market, system integrators could gain a strong market hold, in much the same way that financially troubled Victor Technologies Inc. did. In its heyday, Victor signed an ambitious service bureau in Birmingham, England, to be its exclusive distributor. This distributor, Applied Computer Techniques Plc., was so successful in exploiting the gap between the September 1981 launch of the IBM PC in the United States and the PC's January 1983 arrival in Europe that the Sirius 1/ Victor 9000 microcomputer is still the market leader ahead of IBM in Britain, and has done almost as well in Germany.

Others, such as Compaq Computer Corp., probably won't be so fortunate in their timing. Compaq is still gearing up for its European launch of the IBM-compatible Compaq portable computer. But it will get the machine to market just as IBM slams the window of opportunity in its face by launching the Portable PC, due in Europe about now.

The Retro-Graphics® Advantage:

High-Detail Resolution on DEC Displays.



Plus ... Tek 4014 emulation and DEC ReGIS compatibility.

Simply stated, it takes the benefit of high-detail resolution to put your Tektronix® 4014 and DEC™ ReGIS™ graphics into proper perspective.

A benefit delivered quite clearly by Retro-Graphics. Our terminal enhancement that installs in DEC VT100/101/102/131/132™ displays.

With Retro-Graphics and its 800-by-480 resolution, you have the dot-density most suitable for displaying highly detailed graphs. For example, the surface plot shown below.

Retro-Graphics lines come out well defined. Not "blurred" and "stair-stepped" as they appear on

other well-known displays with, say, 640-by-240 resolution.

Retro-Graphics' high dot-density also permits the legible display of all 4014 character sizes. Again, a shortcoming of low-resolution devices as shown below.

In brief, Retro-Graphics ensures compatibility with both Tek® and non-Tek software written for the 4014 and other 4010-Series terminals.

Retro-Graphics and DEC ReGIS.

Along with its Tek graphing features, Retro-Graphics is additionally compatible with DEC's

ReGIS graphics protocol.

This means, with our low-cost enhancement, you can generate technical and business charts using the most suitable graphics software, either DEC or Tek.

Strong reasons for choosing Retro-Graphics and DEC. Now the only graphics workstation featuring 4014 and ReGIS graphing along with the advantage of high-detail resolution.

Call today for complete information and the name of your local Retro-Graphics dealer.

> See us at SIGGRAPH '84 Booth #838



Retro-Graphics generated plot with Tek 4014's smallest characters [133 char x 64 lines] displayed at 800-by-480 bit-mapped resolution.



The same plot and character set displayed on a name-brand terminal at 640-by-240 resolution. Graphs are enlarged 1.5X.



630 Bercut Drive, Sacramento, CA 95814 (916) 447-7600 Telex: 910-367-2009

Retro-Graphics is a registered trademark of Digital Engineering, Inc. ©1984 Digital Engineering, Inc.

Now you don't have to be rich to be powerful.

Riches and power don't always go together. Take Plexus, for instance. The world's most powerful UNIX*-based supermicros.

Powerful because multiple processors share the UNIX load. So processing power is distributed to where it does the

most good.

Terminal I/O. Disk I/O. Data communications. And, of

course, data processing.

Our unique architecture also lets us bring you the world's first UNIX Network Operating System (NOS). So you can combine Plexus systems in an Ethernet network for even more power.

NOS gives you real time, continuous access to files. From anywhere in the network.

Files are also updated on the same basis. So everyone in the network works with up-to-theminute data. Automatically.

No waiting for file transfers. And

that's a decided improvement over everything else that's out there.

You also get to save money on powerful UNIX-based software, including COBOL, FORTRAN, Pascal, BASIC, and C. Database management and word processing, too. As well as hundreds of third party UNIX packages.

Plus our own software and main-

tenance support. And even a software referral service for your OEM programs.

Does all this make us expensive?

Absolutely not.

In fact, Plexus systems cost thousands of dollars less than the minicom-

puters we outperform.



To get a better idea of just how good that performance is, come get a demonstration. Call 800-528-6050, ext. 1444. In Arizona, 800-352-0458, ext. 1444. Or write Ralph Mele at Plexus Computers, Inc., 2230 Martin Avenue, Santa Clara, CA 95050.

You see? You don't have to be rich to be powerful. Just smart.

PLEXIUS

Built for speed.

An analysis of news, issues and trends affecting the computer industry

Dual-personality IBM 3270-PC bridges micros and mainframes

New architecture tests PC compatibility, increases functions for 3270 and PC users


Lori Valigra, Senior Editor

IBM Corp.'s recent spate of personal computer introductions, including the PCjr home computer and the Instruments Division's MC68000-based 9002 UNIX workstation, has eclipsed the impact of its 3270-PC multiple window workstation. But the 3270-PC may be the sleeper in IBM's personal computer line. As it represents IBM's first serious attempt to merge its mainframe and microcomputer worlds within large corporate accounts, much remains to be learned about the 3270-PC's capabilities and who will use it.

Users have been testing the product since U.S. deliveries began in late February. Early reactions include questions about whether executives will use the powerful product and whether it is compatible with other IBM PCs. IBM has set some guidelines on what

the machine should be used for. Differences between the system and the standard PC will test the 3270-PC's PC compatibility. Like other manufacturers attempting to dent the microcomputer market, IBM must conform to the industry-standard PC to gain market share. Market researcher InfoCorp, Cupertino, Calif., expects IBM to ship 30,000 3270-PCs this year.

Unlike earlier IBM personal computers, the 3270-PC is technically sophisticated. It combines 3270 terminal functions and a PC in one desktop unit. Under the guidance of a powerful control program, the 3270-PC displays seven windows, or sessions—four showing data from host mainframe applications, two housing electronic notepads and one employing personal computer programs running under PC-DOS versions 2.0 or 2.1. The PC session normally does not communicate with the host. The workstation uses a 122-key keyboard



There are five key areas on the 3270-PC's keyboard—two sets of control keys for windows and for the cursor, a set of program function keys for 3270 and PC functions, a typewriter area and a numeric pad.

IBM claims that the keys are arranged according to frequency of use and logical function groupings. There is an auto-key function to record and save frequently used keystrokes for playback.

combining the PC and the 3270 keyboards. The 3270-PC communicates with IBM System/370, 308X or 43XX processors via a 3274 control unit connected by coaxial cable. Systems Network Architecture (SNA) local channel, non-SNA local channel, SDLC remote and bisynchronous remote communications support network attachments.

Price of a basic 3270-PC, including a new high-resolution model 5272 color display and a 3270-PC control program, is \$5,585. A monochrome display can be used in lieu of the color display. RAM size ranges from 256K bytes to 640K bytes.

IBM expects the 3270-PC to be used in program-

Electric Co., Bridgeport, Conn., who has used the 3270-PC. "The 3270-PC is attractive to people who have occasion to interface to a mainframe through a 3270 link." He says such users will include programmers, order-processing personnel, managers and administrators. But he cautions that the 3270-PC is not for PC users who want to access a mainframe.

"This is an elegant device—a very high-function 3270 with a PC thrown on it," notes Jonathan Art, financial analyst with the Gartner Group, Stamford, Conn. But he specifies two barriers to the 3270-PC's acceptance. First, few users, other than programmers and those making multiple database inquiries, need simultaneous

While the regular PC has few interrupts, the 3270-PC has many.


ming, insurance, marketing, finance, manufacturing and other areas in which users need data from multiple mainframe computer files. The 3270-PC also can be used to communicate via electronic mail, to create and send data files through networks, to obtain data from corporate databases for local use by PC functions and to access data from public information networks.

3270-PC is meant for sophisticated users

In advertisements, IBM underscores the 3270-PC's usefulness by calling it the Smart Desk, a product "smart enough to work the way you work." Despite IBM's attempts to overcome users' inhibitions about the powerful workstation, some who evaluated the product say it will be used most comfortably by data-processing department professionals and 3270 terminal users. IBM sells the product through its National Accounts and National Marketing Divisions; it is not available through retailers.

An IBM spokeswoman says the 3270-PC will not replace the company's 3278 and 3279 terminals. There were about 2.4 million 3270 and plug-compatible terminals installed in the United States as of last year. One-third of all display terminals shipped in the United States last year were 3270-type terminals, with a value of almost \$1.25 billion, according to estimates by market researcher Dataquest Inc., San Jose, Calif. International Resource Development Inc., Norwalk, Conn., pegs 3270 shipments this year at 560,000 units.

"[The 3270-PC] will be a very strong product, but it's not a product for the general PC user," says Jeff Ehrlich, manager of systems architecture, General



Four of the seven possible 3270-PC windows show manufacturing data. All seven windows can be increased and decreased in size, hidden or placed on top of a theoretical work "pile" on the user's desk.


sessions. Second, it is difficult to sell a sophisticated mainframe-oriented product to non-computer-literate PC users.

Even if PC users want mainframe access, few host programs are as easy to use or as pertinent to PC users as are local PC programs. "What applications running at the mainframe level do you want to let office users access?" queries Tom Billadeau, president of the Office Systems Consulting Group Inc., Cambridge, Mass. "These users have not had 3270s before. There is a reason why people use PCs as opposed to mainframes—for example, easy-to-use software."

IBM's professional office system (PROFS) mainframe text-processing software is one program that may be attractive to office PC users. PROFS has especially strong electronic-mail facilities, Billadeau says.

Researcher George Colony of Forrester Research

SyQuest Removable and Fixed Disk Drives Doing more in more applications.



SyQuest Winchester drives—with removable cartridge or fixed media—are working in more applications than any other half-height Winchester.

They are giving microcomputers and add-on storage systems a competitive edge. Increasing the utility of portables. Adding another dimension to telecommunications systems. Giving database systems unlimited off-line storage. Helping local networks and multi-user systems share resources.

Increasingly, OEMs and systems integrators are specifying SyQuest half-height drives. Because they get reliable Winchester performance—with fixed disk drives or cartridge disk drives. They fit almost anyplace and are designed to work most anywhere. They use standard Winchester controllers and interfaces.


SyQuest can help your system applications do more for less. For product information, circle our reader's service number. For delivery and pricing information, call us direct.

SyQuest Technology 47923 Warm Springs Blvd. Fremont, California 94539

Telephone: 415-490-7511 Telex: 910-381-7027

See us at NCC, Las Vegas, Booth H-910.











Distributed by Hamilton /Avnet

CIRCLE NO. 60 ON INQUIRY CARD

Inc., Cambridge, Mass., surveyed 25 Fortune 1000 companies and found that each had ordered 20 to 30 3270-PCs. He predicts that in two years the ratio of 3270-PC orders to PC and XT orders will be 1 to 1. Colony estimates there are about 25,000 3270-PCs on back order for Fortune 1000 companies and 10,000 more for smaller companies. Although Colony argues that IBM has not yet shown that it wants to integrate its products, he says IBM's goal is to have a line of personal co stations, or compatibili

IBM tou

EX

diskette drive adapter printer adapter

keyboard adapter

Slot

1

2

3

5

computers, including on which any user can bility. outs the 3270-PC as a very service of the ser	transfe valuable	r files e progr	with full cammers'	with higher resolution than a could still make a printout of notes that Digital Research device drivers for IBM.
Option		d 3270-P		programmers workst
	2	4	6	software developme
3270 system adapter	x	×	x	
64K-byte/256K-byte expansion		×	x	software developers can wri
				the 3270-PC. The \$350 G
display adapter	X	X	X	Digital Danasahia lialanta it

In the 3270-PC, slots 1 through 6 are long slots; slots 7 and 8 are short. The following off-the-shelf IBM PC options can be ordered and used with the 3270-PC: an asynchronous communications adapter, a communications adapter cable, a printer adapter, a printer cable, 64K-byte/256K-byte memory expansion, a 64K-byte memory-module kit, a 10M-byte fixed disk drive, a fixed-disk adapter and a dual-sided diskette drive.

workstation for interactive software development in a mainframe network. The 3270-PC allows programmers to log onto one or more programs and move data between programs without using the mainframe jobcontrol language. IBM notes the 3270-PC can also be used for network management.

Supporting PC session software development is Digital Research Inc., Pacific Grove, Calif. Digital Research and IBM's National Accounts and National Marketing Divisions will sell Digital Research's programming languages and tools, including Level II COBOL, Pascal MT+, CBASIC compiler, PL-1, Access Manager, Display Manager, Animator, Forms II, and Assembler+ Tools. Digital Research expects IBM to sell the graphics products DR Draw, DR Graph and the GSX tool kit.

Don Heiskell, engineering manager for Digital Research's graphics group, explains that GSX is an implementation of the virtual device interface, an ongoing effort by the American National Standards Institute to standardize graphics interfaces for different hardware. GSX makes different machines' screens "look" the same to a programmer and makes different hard-copy devices look like virtual devices. For example, with GSX, a Diablo Systems Inc. ink-jet printer a computer's display screen of the screen's contents. He has a large library of GSX Using the GSX tool kit,

PC as a valuable tation for interactive ent in a network.

rite programs on the PC for GSX tool kit incorporates Digital Research's links to its CP/M and DOS languages and bindings to GSX.

Window management is strong

The 3270-PC's seven windows move rapidly, controlled by a new video board with a separate processor rather than by software. GE's Ehrlich applauds IBM for giving users rapid windowing capabilities.

The 3270-PC is designed to mimic the way people work, claims IBM. It compiles information from several sources to solve problems, prepare reports and make decisions. Windows can be moved as a person would slide papers for multiple tasks on a desktop. The windows also can be temporarily hidden when not in use, and certain tasks can be given visual priority. The control program allows users to define which portions of windows are visible. The seven windows can be enlarged, reduced and stored in memory in 10 arrangements. Applications on the 3270 or PC windows "think" they have the whole screen; a small window appears as a reduced version of a full screen.

One keystroke transfers control of the 3270-PC's single active session to and from personal computing and host-connected sessions. Two "notepad" sessions are for writing messages and memos, maintaining a calendar or transferring data in blocks of 1,920 characters (one to two paragraphs) between screen sessions. This data transfer is essentially a logical "retyping" of information from 3270 windows to the

System integrator opportunities depend on IBM

New business opportunities are emerging for those who perceive gaps in IBM Corp.'s recent strategic move to match its mainframe and microcomputer environments in a dual personality product, the 3270-PC.


"A lot of companies will buy this because it is safe to buy IBM's solution to the 3270 and PC [combination]," predicts Fred Berry, who is responsible for software support and marketing at Personal Systems Technology Inc. (Persyst), Irvine, Calif. Persyst offers a 3270 emulation family of software and hardware with 3278 or 3279 capabilities for the PC. Berry says Persyst plans to add value to the 3270-PC but declines to specify those plans.

The 3270 add-on manufacturers will feel the brunt of the 3270-PC's introduction, comments Jeff Ehrlich, manager of systems architecture at General Electric Co., Bridgeport, Conn.

Persyst's Berry says add-on board manufacturers' attraction to the 3270-PC will depend on how IBM tries to attract third-party suppliers. He says IBM is not as forthcoming with 3270-PC specifications as it was with those of the PC. IBM has not yet announced an expansion chassis and thus does not guarantee an expansion chassis will work, confirms Larry Schenck, product planner for the 3270-PC in IBM's Kingston, N.Y., Communications Products Division. Schenck says the 3270-PC model 6 has one long slot open, the model 4 has two long slots open, and the model 2 has three long slots and one short slot open. This is assuming that no graphics boards are installed.

Another key to popularizing the 3270-PC will be to satisfy users' demands for functional equivalency to the standard PC, emphasizes Berry. Users want to be able to use PC software, he says. But he questions whether independent software vendors have the marketing motivation to alter software for the 3270-PC.

Instead of moving software or functions to the 3270-PC, add-on board manufacturers are examining adding 3270 functions to the standard PC. "Why can't you convert the ordinary PC to a 3270-PC?" asks



Digital Communications' Irma communications board features an on-board processor independent of the IBM PC's 8088 CPU. IBM's 3270-PC shares its 8088 between local and host communications.

Ehrlich. He says it would be a technically complicated project to create an add-on to make the PC or XT into 3270-PCs. The new video board is especially complex, as is the 3270-PC keyboard, which combines both the PC and 3270 terminal keyboards, including separate cursor controls and enter keys for each. The keyboard also has a split cable attachment, with half going to the PC session and the other half going to the four 3270 sessions.

Ehrlich describes the 3270-PC as a "clean" product compared with addons that attempt to give 3270 functionality to off-the-shelf PCs. He says the add-on products' keyboard is "not right" and the products are "technically complicated and kludgy."

Persyst's Berry anticipates third parties will quickly try to beat the price and performance of an IBM coaxial board released a year ago. The IBM 3278/3279 emulation adapter and control program lets a PC or an XT emulate a 3278 or 3279 display unit. It lets users run most application programs for the 3278 model 2 and 3279 model 2A or S2A, switch between active PC and host processor tasks with a "hot key," transfer files, including DOS application files, between the PC and the host mainframe and print screens with a PC printer. The PC or XT is connected via coaxial cable to a 3274 controller but can also be attached directly to a 4321, 4331 or 4361

processor or a 4701 finance communications controller. Prices for the adapter card and its control program are \$905 and \$235, respectively. IBM also offers a 3270 Personal Computing Attachment Board for 3278 or 3279 terminals.

With the adapter board in mind, Berry points to an apparent case of IBM competing against itself. The board and software with a dual floppy drive PC would be priced at about \$3,500 to \$4,000. The 3270-PC with dual floppy drives sells for \$5,300.

An early add-on communications board supplier is Digital Communications Associates, Norcross, Ga., with its Irma boards for PC, XT and PC-compatible systems. Irma is linked by coaxial cable to most 3270 controllers, including the 3274 and 3276. One difference between the 3270-PC communications and the Irma board is that Irma's on-board processor is independent of the PC's 8088. The 3270-PC shares its 8088 for local and host communications tasks, which some observers believe could cause timing problems.

Persyst offers the Best of Both (BOB) board for the PC, which provides high-resolution text. It also has color graphics but does not use a standard IBM-class monitor. Persyst's Berry says the BOB board takes the program symbols of IBM and implements them to be in parity with the 3270-PC running the same symbols. BOB, available for testing, is \$495.



With blazing performance.

Great leaps in raw performance are rare in the computer world. Usually, changes occur in increments of half-a-MIP or so. Now real Firebreathers roar into the arena, quadrupling the best the competition has to offer.

With scorching speed.

These creatures don't run a little faster. Running real production code supplied by VAX™ users, our PowerNode™ 9000 benchmarks at 4.5 times faster than the VAX 11/780...at a comparable price! Even our second-in-line

PowerNode 6000 runs 1.5 times faster. But with all this power and speed, the PN6000 has a dainty footprint...60% less than the VAX 11/780.

With sizzling simplicity.

Even the hottest firebreather won't fly if it's hard to run. Ours are UNIX*-based, so ease of use and compatibility become part of the power. Plus we offer the "Compatibility Suite", application software packages which are consistent across our entire Gould PowerSeries™ product line... the widest range of UNIX-based systems in the world.

More than a myth.

We know these claims sound outrageous. Make us prove them. Give us your benchmarks and production code. We'll show you numbers that surpass all expectations. Call 305-797-5459 for a test flight on the Firebreathers. Mainframe performance disguised as a supermini. The scorching performance you expect from Gould.

Gould Inc.,

Computer Systems Division Distributed Systems Operation 6901 West Sunrise Boulevard Ft. Lauderdale, FL 33313



notepad sessions or to other 3270 sessions, explains Larry Schenck, product planner for the 3270-PC in IBM's Communications Products Division, Kingston, N.Y.

Data transfer is limited

Some users complain that the 3270-PC does not allow them to copy information from the 3270 session into the PC session. "This is because all PC applications are not aware of the screen as an input device. They usually treat input from a keyboard or other device," notes Schenck. Advanced Office Concepts' Billadeau says IBM expects to support multiple data transfers by year-end. "Data transfer is more efficient if done at the terminal rather than the mainframe level," he says.

For now, the host computer reacts to each 3270 window session as though it were a separate display. Schenck explains that windows logically replace as many as four 3270 mainframe displays and a separate PC system in the memory and control environment. Host sessions can contain as many as 3,440 characters, and the local PC session can contain as many as 2,000 characters.

Schenck suggests that IBM will introduce a programmable interface that will allow users to write a local routine monitoring the activity of a function not visible on the screen—taking place, for example, on a mainframe. The user could transfer the file information to the visible, active PC window. Going back and forth between the active window and a hidden window now requires using the keyboard.

Some users question why the 3270-PC has only one PC session. The reason, says IBM's Schenck, is that it is difficult to convert host windows to PC windows because such a conversion requires changing the program that addresses the hardware. Billadeau suggests that software suppliers may take the alternative approach of offering a 3270 window in a windowing program for the PC.

Users can customize the 3270-PC to transfer informa-

Windows can be moved the way a person would slide papers for multiple tasks across a desk.

tion from the PC window to the mainframe over a host interface as a structured data file or as a screen in 2,000-character blocks, Schenck says. An optional feature can "convert" ASCII data on the PC diskette to EBCDIC data (a format used by mainframes) on the host. Binary transfers also are possible.

3270-PC configurations are based on three models

5271 model 2

- System unit with 256K bytes of memory (expandable to 640K bytes)
 - 5271 keyboard
- Dual-sided diskette drive and adapter
- 5151 monochrome/5272 color display adapter
 - 3270-PC keyboard timer/adapter
 - 3270 system adapter
 - Reference manual and binder
 - Operations guide
 - Maintenance information
 - \$4,290

5271 model 4

- 5271 model 2 features plus:
- Second dual-sided diskette drive
- 64K-byte memory-expansion option to 320K bytes
- Printer adapter for 5152 graphics printer
 - \$5,319

5271 model 6

- 5271 model 2 features plus:
- 10M-byte fixed disk and adapter
- 64K-byte memory-expansion option to 320K bytes
- Printer adapter for 5152 graphics printer
 - \$7,180

5272 color display

- 14-inch, eight-color
- 720 by 350 pixels
- Anti-glare, smudge-resistant
- Stand with tilt/rotate mechanism
- Line cord
- \$995

5271 keyboard

- Low-profile, attached EBCDIC keyboard
 - Adjustable slope
 - Five key function areas

- Auto-key facility for frequently used keystroke entries
- 3270 host key-top graphics printed in black
- IBM PC operations printed in blue
- 1.8m. (approximately 6-foot)
 - Included in three models' prices


3270-PC control program

- On-line "helper" tutorial
- Object code
- One-time \$300 charge

3270-PC file-transfer program

- Transfers bulk data to and from host
- Host computer sessions can include VM/SP or MVS/TSO software
 - One-time \$600 charge

ACT II Color Printer Is Compatible With...



If you use a color graphics system, chances are the ACT II Ink Jet Color Printer connects to it. The ACT II interfaces with more software drivers, emulators and color terminals than any other color graphics printer.

From screen to paper or transparency* in one easy step. In just 90 seconds, the ACT II produces a brilliant 8½" x 11" image on paper or transparency. Now, you can create professional reports and overhead presentations in 125 colors with outstanding resolution.

With the ACT II, the last copy is as good as the first, no matter how many you make. And the cost per copy is comparable to your office duplicating equipment. The easy to use desk top printer offers reliable, quiet, clean operation and exciting hard copy color graphics.

To learn more about ACT II's interfacing capabilities and eye catching color printing, call us

at (617) 256-1222.


ADVANCED COLOR TECHNOLOGY

*Transparencies made specially for ACT by Polaroid

21 ALPHA ROAD, CHELMSFORD, MA 01824 (617) 256-1222

quality has a way of creating its own image

We were going to compare Vectrix hics to IBM's. Unfortunately, there 18 no comparison.





Vectrix Midas Color Card

For the demanding professional, it's not fair to compare Vectrix's Midas Color Card set with IBM's own. Our 512 colors (out of a palette of

116

4,096) vs. their 16. Our beautiful 672 x 480 pixels vs. their not-quite-precise 640

x 200. Plus the logical, easy to use Vectrix command system. There's really no comparison.


But the IBM PC XT does other things well — like provide a wealth of everything the IBM PC XT has to offer.

outstanding software. That's the reason we made sure the Midas twoboard set runs all the software that runs with IBM's color card (except in low resolution mode, which even IBM doesn't support). Options include a Siggraph core library, 4010 emulation package,

Plot-10 compatible library and the amazingly versatile Vectrix paint program. Get

Plus incomparably better graphics.

The Vectrix Midas Color Card set for the IBM PC XT or the IBM PC



wood Drive, Greensboro, NC 27408 (919) 288-0520 Telex 574417.



See Vectrix at Siggraph, Booth #1046.

IBM and IBM PC XT are trademarks of International Business Machines Corp

"Martini" image by Gray Lorig, Center for Interactive Computer Graphics, Rensselaer Polytechnic Institute
Nuclear Magnetic Resonance images by Technicare and University of North Carolina Dept. of Computer Science
"Memory Chip" image by Microelectronics Center of North Carolina Tree image by Catherine Del Tito, Wave G Tree image by Catherine Del Tito, Wave Graphics

Two configurations determine 3270-PC windowing

System integrators can configure the 3270-PC in control-unit or distributed-function terminal mode. Control-unit terminal mode allows one 3270 window to emulate a 3178, a 3278 model 2 or a 3279 model S2A with 3278 or 3279 terminals. It requires no change in the 3274 controller's microcode. Control-unit terminal mode makes the 3270-PC a 3278 or 3279 look-alike, so that the 3274 controller "thinks" it is talking to a 3278 or 3279 device. In control-unit terminal mode, the 3270-PC also can attach to 4321, 4331 or 4361 systems via a \$995 display/printer adapter.

Distributed-function terminal mode allows as many

The video board has a separate CRT controller, but users can't issue instructions to it.

as four host sessions, handled as separate logical terminals, to run over one coaxial cable. This mode allows the sessions to emulate any 3178, 3278 (except model 2A) or 3279 (except model 2C) terminal. It supports 3270 extended data-stream operation in eight colors. The mode requires that microcode in the 3274 controller change to the T 31 (or higher) or D 61 (or higher) releases. Users of this mode require a larger control unit. Although the 3274 control unit has 32 ports or cables, as many as 128 logical sessions can exist using the 3270-PC in distributed-function terminal mode.

Many users and industry watchers question how many windows are needed, especially by executives. Colony of Forrester Research says four 3270-PC sessions running simultaneously are overkill. Colin Havard, a senior systems analyst at Manufacturers Hanover Trust, New York, concurs: "The 3270-PC probably will not be used with four simultaneous 3270 sessions. I have a tough time seeing executives using PCs, period." He says that, in general, non-technical users could use the 3270-PC only if data-processing personnel set up window size and location.


Havard, who acts as an interface between the data-processing department and end users in his organization, says Manufacturers Hanover received an early delivery of 25 3270-PCs. At press time, Manufacturers Hanover was testing the units and installing the 3274 controllers. System analysts and programmers were using the 3270-PCs.

Forrester's Colony expects that IBM will soon announce a hard disk and a CPU option for the 3274

that would let 3270-PC users store applications and files locally, thus reducing the cost of communicating with the mainframe. Now, PC session applications or files can be stored locally on a diskette. But if a user wishes to store 3270 session applications or files locally the 3270 session information must first be copied into a notepad session. Large host applications are copied directly onto a diskette in the peripheral floppy disk drive, an IBM spokeswoman states.


Graphics users applaud new video board

The 3270-PC's video board has a separate 6845 CRT controller that works from an instruction set, special adapters, logic and a control program. IBM's Schenck



says logic on each board supports the control program, and the control program supports each board. The 3270-PC manages the controller, so users cannot issue instructions to the controller. Instructions for the 3270 sessions are interwoven with the control program, and the PC's instructions are in the 8K bytes of on-board video memory. Users cannot issue instructions to the control program or the video memory.

The 3270-PC has resolution as high as 720 by 350 pixels with two colors and 360 by 350 pixels with four colors. Digital Research's Heiskell, who worked with IBM to implement Digital Research's GSX graphics on the 3270-PC, says the system's high resolution compares favorably with that of Apple Computer Inc.'s Lisa microcomputer. The original PC monitor has 640-by-200-dot monochrome resolution; to get both



TOWER 1632. THE SHAPE'S THE SAME, BUT IT'S GOT AN ENTIRELY NEW DIMENSION.

The most memorable shape in the computer industry just became even more unforgettable.

You might think it would be hard to improve on the computer that took the OEM world by storm only a short year ago, but we've done just that.

First, we added two 46MB, 5¹/₄" Winchesters to bring total storage capacity to 92MB (unformatted) in a single Tower unit.


Then we added a 1/4" streaming tape for faster, more convenient backup. The tape's 45MB capacity allows you to dump the entire contents of a Winchester on one tape cartridge.

Of course, this enhanced Tower still offers the UNIX*-based Tower Operating System for maximum software compatibility and flexibility. And unsurpassed interfacing capacity. And the NCR name. Your guarantee of support. Now and in the future.

And it all still comes in that famous box. You know. The one that towers over the minicomputer.

Call us at 1-800-222-1235 to learn more about the Tower's exciting new dimension.

*UNIX is a trademark of Bell Laboratories



BUILT FOR SYSTEMS BUILDERS. TOWER 1632



CIRCLE NO. 64 ON INQUIRY CARD

high-resolution alphanumerics and color requires two monitors. Because alphanumerics and graphics are overlaid on the 3270-PC, only one monitor is needed.

Heiskell explains that an IBM PC has two boards—a monochrome board with one block of memory and a graphics adapter with another block of memory. He notes that on the 3270-PC these blocks of memory are all "laid on top of each other" on the screen under hardware control. Separate video memory exists for the PC, 3270 and graphics portions of the 3270-PC, but this memory is put into hardware in a unique design by IBM. Heiskell hopes that if IBM decides to introduce a windowing product for the PC it will place window control in hardware. Hardware control would keep the

PC users may look at the enhanced color graphics on the 3270-PC as a way to get 'IBM standard' enhanced graphics.

windowing fast and would decrease the software overhead.

Heiskell reports that IBM put several new calls into the ROM BIOS on the main board to initialize new graphics modes. Despite the changes, Digital Research used its drivers for the PC without alteration to run its programs on the 3270-PC. He notes that Digital Research's version of the Wordstar word-processing package runs as fast on the 3270-PC as on the standard PC and that Digital Research's compilers run with no degradation.

Although the initial 3270-PC does not include all points-addressable graphics, IBM recently released a \$550 PC graphics board for points-addressable graphics. A second \$800 board is for host graphics in the distributed-function terminal mode. Also available is an adapter card that can store six user-defined symbol sets of 190 symbols each. Only one slot is available for add-on boards in a hard-disk 3270-PC configuration. Schenck claims most users will not need both graphics boards in one system at the same time.

Printing is done from any host session using an attached 3274 printer. A PC printer is used for printing documents created during PC or notepad sessions. A quick copy of any window can be printed using the PC printer.

Video board may promote a graphics standard

The subtle differences between the 3270-PC's video board and the video board on the standard PC may

determine whether a graphics program for the PC will run on the 3270-PC. GE's Ehrlich notes that GE tested its own software, which he describes as similar to Lotus Development Corp.'s 1-2-3 integrated package. The GE software directly addresses the video memory space for improved performance. That the GE package successfully addressed video memory directly denotes a high level of compatibility between the 3270-PC and the standard PC.

Ehrlich says the primary advantage of the 3270-PC is that it can access 3279 color. The 3279, IBM's 3270-line graphics terminal, is popular because of its high resolution. Ehrlich contends that no one offers a competitive 3279 emulator for the basic PC. He says emulating the 3270-PC's video board would be complicated because of the sophisticated display electronics. He speculates that PC users, therefore, will look to the 3270-PC as a way to get enhanced "IBM standard" color graphics: "The graphics [video] board for the 3270-PC might establish a standard for look-alike boards for the PC." He notes that other manufacturers' enhanced graphics boards for the PC suffered because their differences from each other kept the manufacturers from building a significant base of software written by independent software suppliers.

Digital Research's Heiskell will use the 3270-PC to get high-resolution graphics without two monitors. Heiskell says Digital Research will try to use dial-up connections from the 3270-PC to a service bureau to get 3279 graphics, because Digital Research does not have a mainframe.

Beware of minor differences from PC

While the PC has few interrupts (mechanisms that allow high-priority tasks to gain control of the CPU), the 3270-PC has many, Heiskell says. Although he successfully ran a Tektronix Inc. terminal emulator through a serial port that is interrupt-driven, he advises users not to change the interrupt controller chip on the 3270-PC. Another timing concern centers on the 8088 processor, which the PC session and host communications functions "share." This could cause some timing problems when the PC session communicates asynchronously with a host. But Schenck says the PC session ran successfully when communicating asynchronously to the Dow Jones financial service database.

Some differences between the 3270-PC and PC are less obvious. For example, when Manufacturers Hanover's Havard ran the dBase II database program from Ashton-Tate, Culver City, Calif., on his 3270-PC, the cursor was not visible in a reverse-video field. This makes the package difficult to use because the right

WHO ELSE COULD FIT 520MB, 20 YEARS OF EXPERIENCE AND A \$6 BILLION COMPANY INTO A 9" DISK DRIVE?

Who else but NEC?
NEC has been pioneering advancements in electronics for almost 85 years.
And developing disk drives since their beginning, back in 1959.

Today we're a \$6 billion company. And one of the leading disk drive manufacturers in the world.

Introducing our new 9"drive. It's not only high capacity, it's super fast.

Our latest drive achievement, the NEC D2300, features 520 megabytes (unformatted) of storage capacity, a 15 millisecond average access time and data transfer rate of 1.859 megabytes per second.

Behind our new 520 MB drive is a field-tested technology.

The technology of the D2300 is evolutionary. It is based on our successful 402 MB plated media 8" drive that NEC customers have been using for the past three years.

We know what systems builders need. We build systems too.

That gives us an edge over other

That gives us an edge over other drive companies. Because it gives us a special insight into the needs of a systems builder.


The D2300 is extremely compact.

At just 8½" wide, two drives can be mounted in a single 19-inch rack for a storage capacity in excess of one gigabyte.

For the name of your nearest NEC representative, call 1-800-343-4418. (In Massachusetts, call 617-264-8635.)


You'll discover why more and more systems builders are saying "NEC and me."

9" DRIVE: 520 MB, SIZED FOR TODAY'S SMALLER SUPERMINIS.



Bored Waiting? Here's The Board You've Been Waiting For.

Mailable



A hard disk and cartridge tape controller together on one board? Magic? Not really. It's Teletek's HD/CTC. The hard disk and cartridge tape drive controller provide the support necessary to interface both rigid-disk drives and a cartridge tape deck to the S-100 bus.

- A Z-80A CPU (optionally Z-80B) providing intelligent control of the rigid-disk and cartridge tape drives.
- Support of 5¹/₄" rigid-disk drives with transfer rates of

5 megabits per second. Minor changes of the on-board components allow the support of other drive types/sizes and transfer rates up to 15 megabits per second. (Interface to disk drive is defined by software/firmware on-board.)

 Controller communications with the host processor via 2K FIFO at any speed desirable (limited only by RAM access time) for a data block transfer. Thus the controller does not constrain the host processor in any manner.

- Two 28-pin sockets allowing the use of up to 16K bytes of on-board EPROM and up to 8K bytes of on-board RAM.
- Individual software reset capability.
- Conforms to the proposed IEEE-696 S-100 standard.
- Controller can accommodate two rigid-disk drives and one cartridge tape drive. Expansion is made possible with an external card.

Teletek's HD/CTC Offers A Hard Disk Controller, Plus Cartridge Tape Controller, All On One Board.

TELETEK

4600 Pell Drive
© Teletek 1984

Sacramento, CA 95838

(916) 920-4600

Telex #4991834 Answer back-Teletek

CIRCLE NO. 66 ON INQUIRY CARD

part of the screen appears in reverse video whenever a dBASE II file is appended. Havard notes a similar problem in other programs that use reverse video to highlight certain functions, such as moving a block of


Paul Streit, senior product manager for dBase II at Ashton-Tate, explains that, while the PC cursor is defined in hardware as a blinking underline in a blank area of the screen, the 3270-PC cursor is defined as an inverse video box that matches the full box of reverse video in dBase II. Thus, dBase II's cursor disappears on the 3270-PC. Streit says simple commands in dBase II alter the cursor's video attributes and make it visible on the 3270-PC. Ashton-Tate plans to amend dBase II documentation to explain how to make the cursor visible. The company also plans to produce a version of dBase II for the 3270-PC, Streit says.

Lotus adapted its 1-2-3 integrated package slightly for the 3270-PC by doubling the amount of memory recommended to 384K bytes from 192K bytes, reports Brian Stains, manager of product management at the

Cambridge, Mass., company. The increase is necessary to hold IBM's 3270-PC control program. Required to run Lotus 1-2-3 is a graphics card. He recommends 1-2-3 be run in enlarge mode so that the window occupies the entire 3270-PC screen. Price for the 3270-PC package is the same as that of the standard PC package: \$495. Stains says Lotus has not decided whether to make a version of its new Symphony package for the 3270-PC.

More distinctions between the PC and the 3270-PC most likely will emerge as more standard PC software is tested on the device in large corporate accounts. Even so, the major challenge to corporations won't be small software fixes but the large-scale experimenting and education required to get corporate executives to use the 3270-PC successfully.

> Interest Quotient (Circle One) High 801 Medium 802 Low 803



offices and other places on the road? Why gamble on finding a telephone jack that will accept your modem. Deal yourself a winning hand with the Black Jack.

Simply unscrew the mouthpiece together with the microphone and carefully set them to one side. Attach the Black Jack on the handset, insert your RJ11C direct connect line cord from your modem and you're ready for action. You may now dial direct from your computer if your modem has Touch Tone® dialing.

If not, simply dial from the telephone itself. When your telecommunications are complete, snap off the Black Jack and replace the mouthpiece. Suggested Retail Price: \$49.95.

For enduser orders contact: 1-800-227-3800 Ext. 245.

For dealer inquiries and **OEM** information contact:

Greg Preston the microperipheral corporation

2565 - 152nd Avenue NE.

Patent pending.

"the Black Jack is a trademark of The Microperipheral Corporation. (206) 881-7544

CIRCLE NO. 67 ON INQUIRY CARD



CREATIVE EXORbu*s ARCHITECTURE





Creative system designs call for CMS architecture. We manufacture an extensive line of EXORbus compatible support modules

and accessories for use in M6800/6809 microprocessor-based systems. More goes into our products so you can build more with them.

BUILDING WITH CMS

Start building with our 9619 Advanced Microcomputer—a complete MC68B09-based system on a single card. You'll appreciate its extensive on-board memory and I/O capacity. It may be the only module you'll ever need.

We support the 9619 with a variety of EXORbus

compatible memory, input/output and data acquisition modules. These boards are fully supported with mother boards, power supplies and packaging accessories.



NEW BUILDING BLOCKS

Since the last time you heard from us we've introduced some exciting new products. The 9639 Memory Management Processor module features fast task-switching hardware and can access up to a megabyte of memory. And we have the 9633 256K-byte CMOS static RAM module to support it. Our 9671 Universal Floppy Disc Controller is intelligent enough to take a load off your best programmer, and you'll never be at a loss for words with the 9623 Speech Synthesizer.

THE CMS ADVANTAGE

System designers who specify CMS EXORbus architecture have found that system design is simpler, fabrication and testing is faster and costs are lower and more predictable. The next time you feel creative, give us a call or write for your free copy of our latest catalog. We'd like to supply your building materials.

CREATIVE MICRO SYSTEMS

3822 Cerritos Avenue Los Alamitos, California 90720 USA Telephone (213) 493-2484



*Trademark of Motorola, Inc.

In EUROPE Micro-Marketing (Electronics) Ltd. Rose Industrial Estate, Unit 11A Bourne End, Bucks, England SL8 5AS Telephone (06285) 29222 Telex 848080 MICRO G

Alternative operating systems fight trend toward standards

The p-System, Oasis and Pick continue to attract users


Mary Jo Foley, Contributing Correspondent

Although there are many computer operating systems, only a handful have earned the title of "standard." In the microcomputer operating system market, industry watchers predict that Microsoft Corp.'s MS-DOS and Digital Research Inc.'s CP/M will dominate the single-user world and that American Telephone & Telegraph (AT&T) Co.'s UNIX will dominate the multiuser world for the rest of the decade. Many other operating systems are rapidly losing their share of the market. Despite the trend, some of these microcomputer operating systems continue to prosper. Representatives for the p-System, distributed by SofTech Microsystems Inc., San Diego, Oasis from Phase One Systems Inc., Oakland, Calif., and the Pick operating system from Pick Systems, Irvine, Calif., claim that business has never been better; they're still signing on new licensees and software developers.

But the question remains: what inspires companies to pour development time and licensing and royalty fees into these "non-standard" products? Analyst Brian Boyle of Gnostic Concepts Inc., Menlo Park, Calif., compares the systems' users to followers of a religious cult. "Those who use [one of] these systems either love it or hate it," he notes. "There's no in-between." Blind devotion aside, most of the systems' advocates cite advantages such as a wealth of application software, alternative programming languages for software development and ease of transporting software to and from bigger machines.

Vertical application software draws supporters

Unlike the most popular operating systems, which have a surfeit of horizontal, general-purpose software, alternative operating systems often attract OEMs and end users because of an abundance of vertical packages, most written by users themselves. Each of the alternatives has developed a fairly precise target niche. The p-System, a single-user operating system, has a well-established reputation for educational and application-development software. Oasis was one of the first multiuser, multitasking operating systems, and is strong in the application development and general



Pick must retain its identity as a viable standard, insists the father of the operating system, Dick Pick. He rejects the option of running Pick on top of UNIX, stressing that Pick's most recent release "will allow us to run things under our system."

business areas. And Pick, another multitasking development and business-targeted operating system, is renowned for its database- and file-management capabilities.

Edmund Malboeuf, vice president of marketing for Phase One, numbers Oasis' application packages in the thousands: "We fall somewhere between the DOS-CP/M world of applications with little sophistication and UNIX, a sophisticated, high-end, flexible system with few applications."


Dennis Brown, president of Computer Distributors Inc., Bellevue, Wash., a value-added reseller of IBM Corp. equipment, argues a similar point about Pick: "There's hardly a Pick application I can't find, but there's hardly one for UNIX that I can. Pick is installed 10 to one over UNIX." In 1982, Computer Distributors implemented Pick on IBM's Series/1 minicomputer by "throwing out all the IBM code and putting in Pick," says Brown. The company also uses a generic Pick-like operating system on the IBM PC 5051.

Two years ago, business was disappointing, Brown says, but "things were going gangbusters" in 1983. He speculates that Computer Distributors will sell as many as 50,000 copies of its operating system for the IBM PC in 1984 but notes, "Even if we do, [Pick] will still lose market share." However, he stresses that it is irrele-



Oasis, one of the first true multitasking operating systems, has thousands of application packages written for it, says Edmund Malboeuf, vice president of marketing for Phase One. The wealth of available application software is a strong selling point for the operating system.

The p-System is the only "truly universal operating system," claims Lawrence Allman, director of marketing for SofTech, distributor of the p-System. Unlike its competitors, MS-DOS and PC-DOS, written to run on the Intel 8086 family of microprocessors, the p-System runs on a number of microprocessors, he notes.



vant to Computer Distributors whether Pick captures 1 percent or 50 percent of the overall operating system market: Pick sales "are making us a very successful company."

Besides offering more application depth than the standard operating systems in some areas, the p-System, Oasis and Pick also offer a choice of programming languages for developing software. Oasis is written in C, as is UNIX. But Pick is written in an extended version of BASIC, while the p-System, which originated at the University of California at San Diego, is written in Pascal.

For Pugh-Roberts Associates Inc., Cambridge, Mass., the ability to use Pascal was the deciding factor in the company's decision to choose the p-System when it ported its simulation-language software package, called Dynamo, from minicomputers to microcomputers. Pugh-Roberts decided to move the package, written in Pascal, to micros in 1980, says senior analyst Ross Hunter. "We knew we wanted Pascal," he explains, but none of the more popular operating systems supported it. "Now, we're looking at other operating systems," to supplement the p-System, he adds. The package should be available on the second, as-yet-unnamed, operating system this summer.

OEMs hesitate to abandon old favorites

Much of the energy keeping alternative operating systems alive comes from their established bases. OEMs that were among the first to port the p-System, Oasis or Pick to their hardware often did so before MS-DOS, CP/M and UNIX became commercially successful. Because they invested so much time and money in the ports, the companies continue to support the original operating systems, often in conjunction with more recent additions. These OEMs are reluctant to give up what they're familiar with, explains Gnostic's Boyle.

Texas Instruments Inc., which offers the p-System as an option on its Professional microcomputer and Business Systems minicomputers, is a case in point. In the "pre-MS-DOS" days, circa 1981, the Dallas-based company was seeking an operating system for its yet-to-be-introduced microcomputer. "Some forecast that the p-System would become the standard," says Roger Roberts, manager of software market development for the Data Systems group. "Its source and

Some companies believe the alternative operating systems are far superior to the standard ones.

object code were transportable, and we wanted to offer all the systems that were to be standards" under TI's open-system policy.


TI now offers MS-DOS, CP/M-86 and the p-System on the TI Professional, Roberts says. The suggested list price for multiple sales is \$75 for MS-DOS 2.1, \$100 for CP/M-86 and \$400 for the p-System, including development tools. Roberts admits that sales of the p-System lag behind those of the other two operating systems but insists that the company is pleased with p-System's prospects.

"The more operating systems you can supply, the more people you can appeal to," agrees Kenneth Bosomworth, president of market research company International Resource Development Inc., Norwalk, Conn. But some companies, including the operating system vendors themselves, may be getting in over their heads by trying to cover all the bases. For example, Pick licensee Automatic Data Processing Inc., El Toro, Calif., is on record as offering a Pick implementation completed in 1980 for the Hewlett-



The new Telex 9250 tape subsystem

Finally! Full-Performance GCR Made Affordable. Telex Shamrock o



It took Telex to introduce a GCR subsystem with all the performance, all the reliability of larger subsystems — and make it affordable for minicomputer and mid-range mainframe manufacturers.

The Telex 9250 GCR tape drive is the first 50 ips unit to appreciably lower the cost of GCR without sacrificing performance. Advanced LSI gate array technology and vacuum column design offer advantages like low cost, low power and low noise

(before offered only on old tension arm systems) — plus all the performance that only vacuum column technology can deliver, including . . .

- ANSI standard (0.3") interblock gap
- Faster access time (3.0 millisecond write, 3.4 millisecond read)
- Higher data reliability
- Greater media integrity
- No adjustments
- Low maintenance

Other features include autoload, autothread, 1x4 option, resident diagnostics and tri-density option to offer the most ingenious application of vacuum technology to date.

Performance and savings — it's what you've come to expect from Telex.

For more information, contact the nearest Telex OEM Sales Office listed or phone our OEM Marketing Department in Tulsa: (918) 627-1111.

TELEX° SHAMROCK 🖸

The innovation continues . . .

Telex Computer Products, Inc. Terminals/Peripherals/OEM Products 6422 East 41st/Tulsa, Oklahoma 74135 (918) 627-1111


Telex Regional Offices

- Amherst, NH (603) 673-9272
 Garden Grove, CA (714) 898-9833
- Houston, TX (713) 497-6770

CIRCLE NO. 70 ON INQUIRY CARD

International

Telex Computer Products, Inc. P.O. Box 128/Addison, TX 75001 (214) 931-8511/telex: 730612 TLXINTL ADDI



IX HORSEPOW

There are a lot of UNIX based systems on the market today claiming to be "SUPERMICROS". But do they really have what it takes to run multi-user UNIX well? The IBC ENSIGN™ does and here's why:

FAST MEMORY: No computer running at any clock speed can run faster than it's overall memory design. The ENSIGN has up to 8MB of 120nsec memory with dual bit error correction. With IBC's proprietary memory management, all of this memory runs with no wait states as fast as the 68000 CPU will go. Compare this to other systems running only small cache memories at full speed. Other multiple user systems cannot load all their programs into a small cache memory. Their systems slow down considerably under a heavy multi-user load.

INTELLIGENT SERIAL I/O CONTROLLER: Even the fastest CPU will slow down when it's trying to handle interruptions from multiple on-line users. The ENSIGN provides slave serial I/O CPU's and FIFO buffering for both input and output. The result is the ENSIGN's ability to support up to 32 users, with heavy serial I/O demand, while leaving the main 68000 CPU free to run with little serial I/O overhead.

INTELLIGENT DISK CONTROLLER AND HIGH PERFORMANCE DISK DRIVES: The ENSIGN has a slave CPU to handle all disk operations, plus 16K of disk buffering. IBC's proprietary disk DMA allows high speed data transfer to main memory without slowing down the main CPU. Further, the ENSIGN

supports SMD type 8" hard disks with much faster seek times and transfer rates than 51/4" hard disks usually found in personal desk top computers.

THE RESULTS: The IBC ENSIGN runs multi-user UNIX at performance levels not attainable by other supermicros.

Call IBC and get a copy of IBC's multi-user benchmarks-benchmarks that test 8 users running large CPU programs, with heavy disk I/O and heavy serial I/O simultaneously. You'll find that nothing can compare to the ENSIGN.



IBC/ DISTRIBUTION

1140 36th Street Suite 212

Ogden, Utah 84403

Within The USA

(801) 621-2294

If you want to run multi-user UNIX on a high performance system with up to 32 users, 8MB memory, and over 1,000MB disk storage, see the IBC ENSIGN.

Outside The USA

TBC/Integrated Business Computers

21621 Nordhoff Street Chatsworth, CA 91311 (818) 882-9007 Telex No. 215349

UNIX is a trademark of Bell Laboratories

See us at NCC, Las Vegas, Booth #D4128. Circle No. 194 for END USERS Circle no. 195 for DEALERS

Packard Co. 3000 minicomputer. But a company spokesperson confirms that the few implementations that ADP has done so far have been internal.

In the heat of trying to prove how portable their products are, operating system vendors are quick to cite the number of machines on which the systems run. However, they don't always distinguish between versions licensed by OEMs and versions the vendors ported without an OEM's cooperation. For example, SofTech Microsystems advertises the p-System as available for Apple Computer Inc.'s II and IIe systems. According to an Apple spokesperson, the company never endorsed the product and doesn't distribute or license it: "We have our own competitive product, Apple Pascal."

Portable systems attract support

Few people would argue with SofTech's claim that the p-System is portable. Calling itself the vendor of a "truly universal operating system," SofTech highlights a key drawing card for the alternative operating systems. Although MS-DOS and PC-DOS were written for Intel Corp.'s 8086 microprocessor, the p-System can run on a host of processors, emphasizes SofTech director of marketing Lawrence Allman. Porting p-System packages to different computers is easy because most software is written in machine-independent Pascal and then compiled via p-machine emulators, which enable different computers to display the same user interface.

For Sage Computer Technology, Reno, Nev., portability was the main selling point of the p-System. The company offers seven to nine operating systems with its Sage II and IV microcomputers, including CP/M-68K, IDRIS and HyperForth. For the past three years, Sage has bundled the p-System with both micros. "CP/M wasn't available [for our hardware] until a year ago, and MS-DOS still hasn't been ported to Sage," comments senior systems engineer David Cline. "P is the most portable operating system; P is also one of the only operating systems that goes across chips." He says that CP/M and MS-DOS "are poor on portability."

	Softech Microsystems p-System	Phase One Systems Oasis	Pick Systems Pick	
Available versions	Version IV	Oasis-8 (8-bit) Oasis-16 (16-bit)	Release 80 Release 84 (Feb. 84)	
Type of CPUs	micro mini	micro	micro mini mainframe	
mplementation will be done by OS vendor	yes	no	yes	
mplementation can be done by OEM	yes	yes	yes	
Fime for CPU that's already been mplemented	keyboard and screen interface: 2 wks. to 1 month	60 to 120 days	90 days	
Time for new CPU	p-machine emulator: 1 wk. to several mos.	60 to 120 days	7 to 9 mos.	
Licensing fee for CPU hat's already been mplemented	\$50K to \$300K	8-bit: \$10K 16-bit: \$20K	*\$50K + time and materials, or fixed-price quote	
icensing fee for new CPU	\$50K to \$300K	8-bit: \$10K 16-bit: \$20K	*\$50 + time and materials, or fixed-price quote	
Royalty per CPU (range)	\$4 to \$24/copy (depends on volume)	8-bit: \$50/copy 16-bit: \$100/copy	** 1 to 4 users: \$400/copy 5 to 16 users: \$600/copy 16 to 128 users: \$1,000/copy	
No. of available applica- ions packages	500 +	900 +	500 +	
Processors that have been implemented	Z80, 8080, 8085, 9900, 6502, 6809, 8086, 8087, 8088, 68000, LSI-11, PDP-11	Z80, Z8000, 8086 68000 (in progress)	8086, Z8000, 68000, NS16000 (in progress), IBM 4300, IBM Series/1, HP 3000	

Alternative operating systems inspire loyalty

Some companies claim they offer the p-System, Oasis or Pick because they believe these alternative operating systems are far superior to the standard ones. For example, Phillip Wyatt, director of product marketing at Onyx/IMI Inc., San Jose, Calif., states: "Two years ago, Oasis was the best multiuser 8-bit operating system. It still is." Onyx manufactures a wide range of multiuser microcomputers and uses a number of microprocessors: Z80s and Z8000s from Zilog Inc., 8086s and 80186s from Intel and 68000s from Motorola Inc. With its Z80- and 80186-based products, Onyx offers Oasis-8 and -16. Besides professing to be the only Oasis vendor with both licensing and source-code rights, Onyx also claims it sells more copies of Oasis than any other distributor.


"We're the only vendor really pushing it," Wyatt declares. He attributes this to a disagreement last year over licensing rights between Oasis creator Timothy Williams and distributor Phase One. Despite the trouble, Onyx's Oasis business is better than ever, Wyatt maintains. "Oasis is a nice, stable system with no bugs—and that's saying a lot."

Oasis isn't the only operating system that inspires such praise. Gnostic's Boyle makes a similar comment about Pick: "Whenever Pick comes out with something, it's superlative. By the year 2000, they could have an operating system that solves everything around—if they're still in business."

The future is murky

For now, UNIX and MS-DOS remain the biggest threats to alternative operating systems, according to analyst Boyle. "Those who do not coexist and become able to take advantage of UNIX/MS-DOS will not survive, except in very specialized niches," he says. One method he suggests for alternative operating systems to ensure their survival is to become advanced application packages running on UNIX. But Phase One and Pick Systems see piggybacking on top of UNIX as a last resort. "A lot depends on this year," admits Phase One's Malboeuf. "Unless we become a lot more visible, we may end up piggybacking on [a system such as] UNIX. It all depends on whether or not we can give ours enough exposure to gain market share."

Pick Systems is determined to preserve Pick's identity as an operating system. "We're not at war with UNIX; they have their marketplace, and we have ours. The two are complementary," claims vice president of sales and marketing Wayne Wahlenmeier. Dick Pick, the brains behind the operating system bearing his name, says that Release 84's kernel, which was slated



Among microcomputers—the only market in which the p-System, Oasis and Pick all compete—these alternative operating systems are a long way behind MS-DOS and CP/M. Although suppliers of all three claim that business was booming in 1983, only SofTech's p-System captured more than 2 percent of the market.

to be out early this year, will save Pick Systems. Release 84 allows other operating systems to run under Pick. He says: "It's relatively easy to bring up CP/M, MS-DOS, etc. under our system" and maintains that running other operating systems is "a lot tougher for UNIX, because they're locked under a base-like standard."

Gnostic's Boyle dismisses Pick's insistence on being the primary operating system as silly. He believes UNIX is a better development system and that "it's just ego reasons that are preventing Pick from running on UNIX." Attitudes like Pick's may ultimately result in suppliers of alternative operating systems "slitting their own throats," Boyle concludes.

Hardware and software vendors often choose an operating system because they believe it will survive. But this year's contender for standard status may end up as next year's least-used operating system. Thomas Hanley, president of Resource Control Corp., New York, maker of the Topper executive-recruitment package, explains his company's choice of Oasis: "In 1981, we wanted a multiuser system for Topper, and not many others looked like they'd be around for a while."

Mary Jo Foley, assistant editor for *Electronic Business* magazine, specializes in writing about software.

Interest Quotient (Circle One) High 804 Medium 805 Low 806

INTRODUCING LARGE-DISK PERFORMANCE IN DRIVES HALFTHE SIZE

MODEL 9715 FSD. With 160 Mbytes in a sealed module, you get the same capacity, speed and performance as the CDC" Mini Module Drive (MMD) in a unit one-half the size.

MODEL 9710 RSD. With 80 Mbytes in removable data packs for unlimited storage. Has the same capacity, speed and performance as a CDC Storage Module Drive (SMD) in a unit one-half the size.



THE FSD"/RSD" SERIES

Both 9710 and 9715 Drives use LSI circuitry for all read and write, fault, transmitter/receiver functions and a μP for servo control, for full performance in half the space. For more data call your local Control Data OEM Sales Representative or write: OEM Product Sales, HQW08X, Control Data Corporation, P.O. Box 0, Minneapolis, MN 55440.



GD CONTROL DATA

Information Hot Line 1-800-828-8001 in Minnesota 612-921-4400, ext. 82

CIRCLE NO. 71 ON INQUIRY CARD

"Intelligence...is the artificial objects, especia

No longer. INTERACTIVE now offers UNIX


executives, engineers, office workers, and

software tools for every computer user:

our oldest customers - those sophisti-

This quote appeared in a 1978 issue of *The Bell System Technical Journal* that was devoted to a series of papers constituting the first complete description of the UNIX™ operating system.

132



aculty of making ly tools to make tools."

-Henri Bergson (1859-1941)

central processor to intelligent terminals. You can use our intelligent terminal or the IBM® Personal Computer to perform tasks normally assigned to a UNIX central processor.

Next, we adapted our software to new systems.

We started with our IS/3 system running on DEC™ PDP™ and VAX™ computers. And we refined our major tools so that they run as an extension to DEC's VMS™ operating system.

Recently, we adapted the entire IS/3 for the IBM Personal Computer. That product is now available from IBM. We have also completed a port of IS/3 to the SCI 1000, a multi-user system sold by SCI Systems.

Now, we're adding the applications needed in corporations and other large organizations.

We are already delivering an electronic mail system and a very sophisticated networking system. Our users can exchange files, share central resources such as laser printers, or send mail anywhere in a network. We are also delivering FORTRAN compilers, C

compilers and cross-compilers, and a powerful system for preparing memoranda, manuals, and other documents. We even have an option that allows you to send or receive mail through the TWX and Telex networks.

We'll be announcing new applications soon. We are building a library of software tools that will help you build a system matched to the needs of your organization. We're also working on new ports that will let you run the system on other computers in your company.

To receive our free brochure, "How to choose a UNIX supplier," contact:
INTERACTIVE Systems Corporation 1212 Seventh Street
Santa Monica, CA 90401
(213) 450-8363.
TWX: 910-343-6255 Telex: 18-2030



INTERACTIVE
SYSTEMS CORPORATION

■UNIX is a trademark of AT&T Bell Laboratories.
■DEC, PDR VAX and VMS are trademarks of Digital Equipment Corporation.
*IBM is a registered trademark of International Business Machines Corporation.

THERE IS MORE THAN ONE GOOD REASON TO CALL HEURIKON

ake HEURIKON your source for Multibus microcomputers and sytem components.

Since 1972 Heurikon has been working hard to make life a little easier for those who "put it all together." Powerful Z-80TM and MC68000TM based MultibusTM microcomputers like MLZ-92A and HK68 have helped Heurikon customers find economical solutions for their problem applications.



MLZ-90A single board microcomputer with nine byte-wide memory sockets for use with RAM or ROM (AM9511 and floppy disk drive controller optional).


MLZ-91A single board CP/M™ system with on-card floppy disk drive controller, winchester interface, optional AM9511, streamer tape interface, two serial ports, one parallel port, 64K bytes RAM with parity, two EPROM sockets, and GPIB CONTROLLER.

MLZ-92A single board CP/M™ system with four serial ports oncard, floppy disk drive controller, winchester interface, optional AM9511, Centronics printer interface, 64K bytes of RAM with parity, and two EPROM sockets.

MLZ-93A single board CP/M™ system with 128K bytes of dual ported RAM, four EPROM sockets, floppy disk drive controller, optional AM9511 and powerful serial port features including SDLC and HDLC protocol support and modem controls.



HK68[™] powerful and versatile single board UNIX[™] or CP/M-68K[™] system with MC68000 CPU, MMU, quad channel DMA, four serial ports, 128K or 256K bytes of onboard RAM with parity (expandable to 1M byte on-board!), and two iSBX[™] connectors for I/O expansion.



MLZ-VDC intelligent 640 x 480 x 4 color graphic controller based on the NEC 7220 controller chip with on-board Z-80 CPU. DMA controller, and user definable FIFO interface to Multibus.™ Users may display up to 16 colors from a 4K palette. Up to 1024 x 1024 x 3 interlaced also available.

iSBX Expansion Models

Heurikon also stocks iSBX™ modules for I/O expansion on its HK68 and MLZ-VDC. These modules may be used on any other board




3001 Latham Dr. Madison, WI 53713 Telex 469532

CIRCLE NO. 73 ON INQUIRY CARD

complying with Intel iSBX specifications.

Presently available are the SBX-FDIO floppy disk controller module and the SBX-SIO serial port expansion module.



The SBX-FDIO can control up to four single or double sided, single or double density 5¼ inch or 8 inch floppy disk drives. A software toggle allows both 5¼ inch and 8 inch drives to be intermixed on the same cable!

The SBX-SIO is a quad serial port expansion module utilizing Zilog SCC controller chips with built in baud rate generators. The SBX-SIO is available in synchronous and asynchronous models.



Systems

Heurikon also supplies completely integrated systems with your choice of CP/M-80TM, MP/M-80TM, CP/M-68KTM, and "Berkeley enhanced" Unix operating systems.

Systems are available with four, six, and fourteen slot enclosures with 5¼ inch or 8 inch dual floppy or floppy winchester drive combinations.

Call Heurikon Direct 1 800 356 • 9602

In Wisconsin 1 608 271 • 8700

The Integrator

Applying integrated systems in industry, engineering and commerce

Making 'Wargames' computers compute required innovative programming

Special effects integrate on-screen displays with offscreen computers and software

Jeffrey Swartz, CompuPro

One of the main characters in the film "Wargames" is a supercomputer. Called WOPR (whopper) after the fictional North American Defense Command's (NORAD's) War Operation Plan Response, the computer plans missile deployment and controls the huge display screens in NORAD's war room. WOPR is the brainchild of a warped genius, a pioneer in artificial intelligence, who programmed the machine to learn from its mistakes. To help it learn decision making, he programmed in a variety of games and gave WOPR a strong desire to win.


As the film's title suggests, one of the games WOPR wants to win is global thermonuclear warfare. When the film's protagonist, a teenage computer buff named David Lightman, discovers a "back-door" password that gives him entry into WOPR, global thermonuclear warfare is the game he wants to play. Just for fun, he chooses to play for the Soviet Union and launches "missile strikes" against Las Vegas, Nev. and Seattle. WOPR begins working out a nuclear response, even though it can't distinguish between games and reality. To make matters worse, the computer has gained control of the nation's missile strike force. So when

Lightman begins his attack, WOPR prepares to launch real missiles against the Soviet Union in retaliation.

"Wargames" is an exciting film, but it was difficult to make and especially to get the computers and terminals to operate realistically. In one scene, when Lightman doctors his high school grades by gaining access to the school computer, the audience for the first time sees Lightman's computer installation. The machine looks the way an uninformed audience expects it to look—with a front panel that has lights and switches. Yet it must also convince more knowledgeable members of the audience that it could be within the financial reach of an affluent teenager. To complicate matters, the computer must be able to generate at least crude graphics to display the maps produced by WOPR when Lightman begins playing global thermonuclear warfare.

It quickly became clear to the special-effects group that no teenager could afford a computer with the required computing power. Lightman's "computer" would simply be a prop, with the actual computing piped in from an offscreen machine. One of the first personal computers, made in the mid-'70s by now-defunct computer manufacturer IMSAI, met the appearance criteria, so it became Lightman's on-screen computer.

Modified video boards scanned CRTs at the same 24-frame-persecond rate the movie cameras used to shoot. This method solved the synchronization problem that results in flickering horizontal bars that continually roll up the screens of monitors in low-budget films.





Advancing the technology of data security

Introducing Data Sentry.® Computer security so advanced, even Mata Hari couldn't hack it.

Your most confidential files may be easy prey for the advances of an artful hacker.

That's why Lockheed used its years of experience with high-technology systems to create Data Sentry.

Protection for sensitive data

Its own internal computer gives you the telecommunications features of an intelligent modem. But unlike other modems, Data Sentry is smart enough to keep your secrets from the most persistent computer intruders.

Data Sentry puts an electronic wall around both large and small computers. And because its protection is external to your CPU, it can eliminate the expense of internal security software. It blocks the inquiries of wouldbe Mata Haris with a sophisticated security sequence.

Security for every situation

First, Data Sentry requests the phone number of a caller desiring access to your computer. Then it hangs up the phone and searches its list of authorized phone numbers. If the caller's number is authorized, Data Sentry dials the caller back and requests entry of a password. If the correct password isn't supplied within three tries, Data

Sentry disconnects and will not return further calls from that phone number.

Data Sentry also lets users select other lower levels of security if desired, including callback to any number with entry of password. And an option, Remote-ON, lets you turn your computer's power on and off from a remote terminal after security has been cleared.

Versatile and confidential

Data Sentry logs all attempted contacts for audit trails and analysis of users. Its security set-up is locally controlled by a master password that is accessible only to authorized personnel. And its design includes high-reliability components, the latest LSI circuitry, plus Autodial 300/1200 baud full-duplex communications, with auto ranging for incoming data.

Data Sentry will deal with your toughest security problems.

And it'll never fall for just a pretty face.

For a list of your nearest Data Sentry distributors, call toll-free 1-800-443-0100, Ext. 471. Or write: Lockheed GETEX, Suite 945, 1100 Circle 75 Parkway, Atlanta, Georgia 30339.



Leadership in Technology

CIRCLE NO. 74 ON INQUIRY CARD


The Integrator

Offscreen machine pulls the strings

With the appearance of Lightman's computer out of the way, the special effects people next had to choose the offscreen computer, which would have to drive the CRT in Lightman's terminal, among other things. They first had to resolve a timing problem. Conventional CRT monitors scan 60 interlaced fields, displaying 30 frames per second, but movie cameras shoot 24 frames per second. This asynchronous operation results in the flickering horizontal bars that continually roll up the

The set for the war room's command headquarters had 52 functional consoles complete with keyboards, 120 monitors and 12






Echo-replacement software automatically displayed a predetermined message on the monitor, one character at a time, no matter what key the actor hit. Software also replaced the input signal with a

predetermined output signal and sent it to the monitor through the video board.

THOMAS EDISON DIDN'T HE JUST MA



INVENT THE LIGHT BULB. DE IT WORK.



The Integrator

screens of monitors in low-budget films. The "Wargames" visual effects supervisor, Michael Fink, insisted that these scrolling bars were unacceptable for a film built around computer displays.

To solve the synchronization problem, the crew used modified video boards to scan the CRTs at 24 frames per second, synchronizing them with the camera. Most specialized boards conform to the IEEE-696 standard, and their fast timing speeds make them unable to interface with the cameras. This drawback limited the offscreen computer to machines that use an S-100 bus, which handles much lower speeds. To further complicate matters, the offscreen computer needed a large on-board memory to accommodate real-time graphics. And, even more important, it had to be extremely reliable to avoid wasting expensive shooting time.


The job of choosing the computer fell to Steve Grumette of Artificial Intelligence Research Group, Los Angeles, who was responsible for programming. Grumette settled on using two CompuPro System 816s equipped with a 1M-byte M-drive/H solid-state disk. "The CompuPro is the most reliable S-100 computer available," he claims. "With production time running about \$50,000 per day, we simply could not afford to chance the computer going down while we were filming."

With the hardware defined, the next problem was making the IMSAI appear to be interactive with WOPR. It was easy enough to wire Lightman's terminal to the CompuPro System 816 and make it look like the IMSAI was actually doing the computing. A parallel-to-serial converter board in the terminal transmitted keyboard commands to the CompuPro through an RS232 interface. The CompuPro, in turn, sent composite video signals back to the terminal's CRT through coaxial cable.

The trick was making the offscreen computer respond to Lightman's keyboard commands so the IMSAI appeared to communicate interactively with WOPR. Although Grumette could have used a simple interactive program, most actors aren't proficient typists. Every keyboard error would mean reshooting the scene. At \$50,000 a day, reshooting scenes can get very expensive.

Software makes it look real

Grumette solved the problem by creating an echoreplacement routine that automatically displays a predetermined message—one character at a time—on the monitor in response to keystrokes. The program displays the next character in the message string each time any key is hit. So Lightman needed only to hit the right number of keys to put an error-free command message on his monitor. When the monitor displayed the last character in the echo-replacement string, the offscreen computer automatically sent an answer



Dividing the set's 120 monitors into 20 groups of six, each controlled by a single S-100 bus video board, enabled 20 different

images to show simultaneously. The crew positioned the monitors so that each one in a scene displayed a different image.

An Amazing Capacity To Enhance Your System Performance.



Amlyn's 3.2 Megabyte 51/4" Floppy Drive. Now In Half-Height.

Think of the competitive advantage you'll have...

With your new system allowing users to put from five to fifteen times as much data on a 5½" floppy diskette. 3.2 megabytes worth, to be exact. It'll be a whole new ball game—using Amlyn's new high-capacity, half-height drives.

Because 3.2 megabytes is just the beginning. Your system will also have *total flexibility:* To write and read in high-density mode. *And* to read virtually any previously-written diskette densities. Whether they're 96tpi or good old 48tpi.

Then there's reliability. And interchangeability. And integrateability (using industry-standard 500kHz interface). Plus several other important abilities Amlyn has proven in years of real-world experience.

It's all very good news—but a lot more than we can squeeze into this ad. So, if you build systems you really owe it to yourself to write for all the specifics. *Before* the competition does.

Or faster yet, give us a call at (408) 946-8616. We guarantee, you'll be amazed. Amlyn Corporation, 2450 Autumnvale Dr., San Jose, CA 95131, Phone: (408) 946-8616, TLX: 172582. In Europe, call: (32) (2) 513 87 94.

3.2 Mbyte

Advancing flexible disk drive technology

That's Amazing. That's Amlyn.

The Integrator

message from WOPR to Lightman's terminal.

Putting graphics displays on Lightman's monitor for the war-game maps remained a problem until Grumette noticed that the S-100 bus video board had a complete ASCII character-generating font in ROM and that none of the 32 control characters ever appeared on the monitor. With those 32 characters and two other unused special characters, he had 34 alphanumeric characters that could be replaced with special graphics characters.

'With production time running about \$50,000 per day, we simply could not afford to chance the computer going down while we were filming.'

Grumette wrote code for the graphics characters that produced a set of line segments, each displaced by a few degrees. After debugging the code, he had it burned into a new programmable read-only memory (PROM), along with the remaining active alphanumeric characters. The new PROM, which replaced the original, gave the alphanumeric video board what might be called "pseudographics" capability.

Using Grumette's software and the modified video board, visual effects coordinator Linda Blain Fleischer created the war-game graphics displayed on Lightman's monitor. After placing the monitor's cursor at the desired point on a 24-line, 80-character-cell display, she called up the line segments one at a time by using one of the arrow keys. Each keystroke made the next segment appear, in effect spinning the line through 360 degrees. Another arrow key could reverse the direction of the spin by calling up the previously displayed segment.

When the correctly angled segment appeared, Fleischer saved the segment's character code by striking the return key. She then moved the cursor to another character cell on the screen and repeated the process until she had drawn the entire map display. After she created a file to hold the screen's memory contents, Fleischer made several copies, adding appropriate missile tracks and attack submarine symbols to each. Once in memory, each map file could easily be called up for display on Lightman's terminal to show how WOPR's game playing progressed.

War room required large-scale simulation

Making NORAD's war room computers and screens come to life was more complicated. The set boasted 52

Conventional CRT monitors scan 60 interlaced fields, displaying 30 frames per second, but movie cameras shoot 24 frames per second.


functional consoles complete with keyboards, 120 monitors and 12 large, overhead display screens. To facilitate programming, the special-effects crew divided the monitors into 20 groups of six. A single S-100 bus video board in both CompuPro System 816s controlled each group of monitors, so that 20 images could be displayed simultaneously. The crew positioned the monitors so that all those appearing in a scene displayed different images.

The film's director requested that certain screens display specific images for predetermined time periods. To accomplish this, Grumette created these displays and created a file containing lists of the displays, where they were to appear and for how long. The computer then retrieved specific image files from memory, as instructed by the display file, and put them on the appropriate monitors for the specified times.

The script also called for several console operators to communicate simultaneously with WOPR through their console keyboards. However, the director decided that no more than four keyboards needed to be active at once. To simplify programming, Grumette divided the 60 keyboards into four groups of 15. But he still had to create a way to run four keyboards simultaneously from a single-user computer.

The answer lay in a polling program that used the CompuPro 6-MHz clock rate to monitor the keyboards sequentially. Although Grumette programmed the computer to lock out specific keyboards, he added insurance against extraneous monitor displays by converting the "Caps Lock" key on all the keyboards to an on/off switch and by activating only the four keyboards that had to be in use. He again used an echo-replacement program to generate the correct command messages in response to any keystrokes executed by the non-typist actors.

The large overhead screens required intensive design and programming. Images developed on a Hewlett-Packard Co. HP9845C desktop computer with a monochrome vector CRT were then filmed through color filter wheels with movie cameras. According to visual effects supervisor Fink, the film crew printed 128,000 feet of film to provide images for the 12 overhead screens. To complete the task, three pro-




The TeleVideo® 970. Nothing tops it for performance and design.

The TeleVideo® 970. The world's most advanced ANSI video display terminal.

It's equipped with the ANSI X3.64 standard so nothing can top its communications capability. And clear ergonomic superiority means nothing can top the 970 for user comfort and enhanced productivity.

Unsurpassed Ergonomics

The 14-inch, non-glare screen tilts at a touch and displays



double wide characters and an excellent selection of visual and graphic attributes. For an almost endless array of displays and forms.

The Power of ANSI

The 970 is compatible with the DEC VT-100/52, but offers more of the kind of power you'd expect to find at the top. Power that emanates from ANSIthe universal language of data management equipment.

Power that is more effectively directed by 16/32 programmable, non-volatile function keys, logical attributes, a 256 character downloadable soft font, and an optional Tektronix

4010/4014 graphics board.

This is the one terminal TeleVideo — and every other manufacturer - can't top. Get a demonstration from one of our regional

ANN ANN ANN



The promise that has made TeleVideo the number one independent terminal company in the world.

OW RISK HIGH TECH

'ideo Terminals

California/Santa Ana (714) 476-0244 Illinois/Chicago California/Sunnyvale Georgia/Atlanta

14" TILT-SCREEN

(408) 745-7760 Massachusetts/Boston (617) 890-3282 (404) 447-1231 New York/New York

(312) 397-5400 (516) 496-4777

Texas/Dallas Central Europe Northern Europe

(31) 2503-35444

(214) 258-6776 Southern Europe (33) 1-686-4412

(31) 2503-35444 (44) 9-905-6464 DEC is a registered trademark of Digital Equipment Corporation.

The lean, mean plotting machine from Houston Instrument


Houston Instrument's brand new servo driven DMP-51 is the fastest drum plotter we've designed to date. This superb plotter offers a pen speed of up to 22 inches/second; programmable accelerations, and a pen-on-paper resolution of 1/1000 of an inch! That means you'll turn out quality 17" x 22" and 22" x 34" drawings a lot faster, increasing your firm's productivity and profitability.


Now, for more good news. The DMP-51, priced at \$4,495*, is as fast as other plotters costing three times more. At that price, you can afford to put a DMP-51 at individual drafting work stations.

This is the professional plotter that meets the needs—and the budgets—of all companies, large or small.

The DMP-51 is intelligent, too. The DMP-51 can execute complex graphics operations from the simplest commands. A mechanical/architectural version, the DMP-52, with its 18" x 24" and 24" x 36" paper size, is available for the same price from Houston Instrument.

So, watch our new plotter in action . . . it won't take much time to realize it's the best buy for your money. For the name, address and phone number of your nearest dealer or distributor, write Houston Instrument, 8500 Cameron Rd., Austin, Texas, 78753. You can also call 1-800-531-5205 or 1-512-835-0900 (Texas residents). In Europe, contact Houston Instrument Belgium NV, Rochesterlaan 6, 8240 Gistel, Belgium. Tel: 059-27-74-45. Tlx: 846-81399.





houston
instrument



The Integrator

grammers and three camera operators worked 10-hour shifts, 24 hours a day, for five months. A dozen process projectors projected prints of the graphics displays onto the big screens. In addition, selected monitors interspersed with the war room's interactive alphanumeric terminals played back some of the high-resolution graphic images, which had been tape-recorded at 24 frames per second.

Synchronizing the hardware

The special-effects crew had to synchronize the video displays and the cameras with the process projectors used for the big-screen displays. Because the projectors were much less stable than the two CompuPro computers or the cameras, one projector became the master clock to which everything else would be synchronized. The projectors themselves were already synchronized to each other through a high-gain servo loop.

In the process projector, a set screw in a shaft passing a Hall-effect transducer generated the synchronous pulses. Because of friction and varying mechanical loading, the pulse train produced by the projector had too much jitter to serve as a master synchronous pulse. But the crystal oscillator in a synchronous generator corrected the projector's pulse train, which could then act as a master to lock the computers, tape decks and cameras to the process projectors.

"WarGames" box office success unquestionably comes from an exciting story line that pits a teenage computer buff against the military. But part of the credit must go to Michael Fink, Linda Blaine Fleischer and Steve Grumette who integrated the on-screen props and offscreen computers with novel software to produce the special computer that gave the story credibility.

Jeffrey Swartz is vice president, corporate communications, of CompuPro, Hayward, Calif.

Interest Quotient (Circle One) High 807 Medium 808 Low 809

NOTHING IS MORE RELIABLE.

Nothing is always more reliable than something. That's a truth good engineers know instinctively. The less pieces you design into a machine, the less there is to go wrong.

Which is why we spent 4 years developing dot matrix printers that have all the features you want without all the parts you don't need.

And an astounding 85% of the parts our printers do have are identical from model to model, which helps OEMs substantially reduce spares costs and inventory and service

training. Which in turn lowers the time and cost of service to end users. And our unique configuration flexibility means you don't have to pay for something when you want Nothing.


Open up one of our five Nothing series printers. One look will tell you there's really Nothing to it.

And Nothing can save you more in downtime and service bills.

INFOSCRIBE®


2720 South Croddy Way, Santa Ana, CA 92704 USA (714) 641-8595 Telex: 692422. Inside California, call (800) 223-8595. Outside of California, call (800) 222-8595.

NOTHING IS BETTER.



Micro-to-mainframe:

Before you settle for a simplistic solution, ask a few serious questions.



So before you toy around with "easy" solutions, ask some serious questions.

Will this product support full IBM Terminal Emulation?

Make sure the system can emulate remote batch and interactive IBM terminal systems.

Does the company offer a variety of products?


You should have your choice of stand-alone front-end processors, IBM PC or XT boards, or an OEM board. All ready to run on the most popular operating systems.

Can I get fast answers to my questions?

Insist on toll-free access to qualified service personnel before and after the sale.

What if I need a quick analysis of a problem?

Ask if the manufacturer has a Communications Test Center for product testing over public phone lines. And find out if the system has internal diagnostics.



Suppose something goes wrong with the unit?

The company should offer a 3O day money-back guarantee and a 12 month warranty that includes a free replacement unit.

What about future product development?

Make sure the products you're going to need soon will be available soon.

Who am I dealing with anyway?

How long have they been in business? The longer, the better.

How much is all this going to cost?

Here's a point of reference: Our own DataTalker product line will give you all the capabilities and services just described for as little as \$695.

Complete, If you'd like to know more, contact our Marketing Support Group at 1-800-321-7785.

Winterhalter, Incorporated

3853 Research Park Drive P.O. Box 218O, Ann Arbor, MI 48106 313/662-2002 800-321-7785.

> TWX 81O-223-2423 TELEX 234-216



DataTalker"

Providing Data Communications Solutions

By Winterhalter, Incorporated


Winterhalter, Incorporated has been providing data communications solutions to major manufacturers of microcomputers and word processors since 1978. Our DataTalker front-end processors and PC boards are used by companies around the world, from start-up manufacturers to the Fortune 1000.

CIRCLE NO. 80 ON INQUIRY CARD

Now available for the IBM PCir

HIGH PERFORMANCE

FULLY INSTRUMENTED DASHBOARD



It's easy to drive a Datasouth high performance printer. Just look at the dashboard. Everything you need to know or do is right there, ready to go.

JUST TURN THE KEY

With a few simple keystrokes, you can program up to 50 different features in just seconds. Settings are retained in a non-volatile memory that keeps them safe on powerdown. No other printer is more willing, in more ways, to perform the commands of its computer or its user.

WATCH THE ROAD

Every Datasouth printer has a 4-digit LED readout that displays all the features and settings that other printers leave to your imagination. So you can make changes and check settings with little more than the push of a key and the glance of an eye. With a Datasouth, it's easy to see what's going on, any time you want.

ENJOY BETTER HANDLING

Front panel controls eliminate the need for dipswitches, jumpers and other primitive devices. You manipulate all your parameters quickly, right on the front of the printer. So you can make the most of a most capable printer. You can program forms control, make fine adjustments down to 1/48" increments, select handshaking protocols and activate a variety of capabilities. Then you can watch your

Datasouth perform with the kind of high-speed precision that leaves some pretty hot competitors in the dust.

RIGHT FOR ANY DISCERNING DRIVER

Just about any computer can drive a Datasouth printer and put its foot to the floor. A Datasouth will communicate at up to 9600 baud through standard serial and parallel interfaces, with a 2K buffer.




TAKE YOUR CHOICE

Datasouth reliability comes in two high performance models. The DS180 is a legendary workhorse that delivers crisp data quality printing at 180 CPS. The new multimode DS220 cruises at 220 CPS for high speed data printing and at 40 CPS for letter quality word processing. Both models print precision dot-addressable graphics.

If you have a high performance printing need, Datasouth has a high performance printer to fill it.

DRIVE ONE TO WORK TODAY

Both the DS180 and the DS220 are on display at more dealer showrooms every day, including one near you. So go take a hard look at the kind of hard copy you get from high performance Datasouth printers.



datasouth


HIGH PERFORMANCE MATRIX PRINTERS

Find Datasouth Printers At Participating **ComputerLand*** Stores And Other Fine Dealers. AVAILABLE NATIONWIDE THROUGH OUR NETWORK OF SALES AND SERVICE DISTRIBUTORS CALL TOLL FREE:

1-800-222-4528
CIRCLE NO. 81 ON INQUIRY CARD

Datasouth Computer Corporation Box 240947 · Charlotte, NC 28224 704/523-8500 · Telex 6843018 DASOU UW

Only one company can show you so man And it isn't IBM.



Monochrome text. Color graphics. Even a new super display adapter that provides the Best of Both, on one board.

Connect your PC to peripherals like a modem or printer, with the added efficiency of print spooling.

IBM today sets the standard in personal computers.

But what happens when you want to expand your PC's capability to something beyond standard?

That's when you have to look beyond IBM. To the one company that offers the widest range of products to make your PC work more powerfully, more efficiently. Persyst.

Display adapters. Persyst introduces a significant technical advance.

Now Persyst redefines the basic utility of display adapters for IBM personal computers.

Our BoB™ super display adapter provides the sharpest text resolution ever as well as brilliant color graph-

ics—the Best of Both—on one board. Plus a unique option that lets you design and download custom programmable character sets.

Meanwhile, for great basic performance, we also offer PC/Monochrome™ and PC/Color Graphics™ display adapters engineered to deliver the same quality as IBM's own standard adapters.

Only Persyst offers you so much choice.

Memory and multifunction boards. Persyst has the most flexible ways to expand your PC.


Here again, Persyst offers a unique array of products to expand your PC beyond the IBM standard.

Want the most capable one-slot multifunction packages available?

Choose either Time Spectrum™ with up to 512K, or Time Spectrum™ SB384 with up to 384K RAM. Other functions include a bidirectional parallel port and async serial ports to link your PC with printers, modems and instrumentation. Calendar clock. Game port. Plus, Wait-Less Printing™ print spooling and Insta-Drive™ RAM disk software.

Want to expand function without adding memory?


Our Timeport™ gives you a calendar clock, bidirectional parallel port and two async serial ports, as well as capability for ROM and static



148


MINI-MICRO SYSTEMS/June 1984

rays to expand the power of your IBM PC.



Memory expansion to let your PC utilize the most sophisticated software.

Productivity features like a calendar clock to date and time stamp your files automatically.



RAM. Uniport™ offers a calendar clock and bidirectional parallel port. And our Async Card™ provides two async serial ports.

You can even add synchronous communications to your PC with our Multiple Protocol Communications™ (MPC) controller.

Quality and documentation. Persyst support is built into every product.

All Persyst expansion products include one important extra benefit—Persyst quality.

Each board is fully burned in. Completely system tested. And backed by a limited one-year warranty!

What's more, award-winning Persyst documentation makes using any Persyst product simple.

Expand all the way from an IBM desktop PC to an IBM intelligent workstation. You can only do it with Persyst.

Persyst is the only resource that offers display adapters. Multi-

function and memory boards. And micro to mainframe communications.

The most complete selection of innovative, technically advanced expansion products to meet your needs today. And tomorrow.


For complete information, we invite you to call Nancy Woodard, Product Marketing Manager.

Persyst Products, Personal Systems Technology, 17862 Fitch, Irvine, CA 92714. Telephone: (714) 660-1010.

Telex: 467864.



IBM is a registered trademark of International Business Machines Corporation. Rainbow and DEC are registered trademarks of Digital Equipment Corporation. Tils a registered trademark of Texas Instruments Corporation. Limited warranty details available with each product



MINI-MICRO SYSTEMS/June 1984

CIRCLE NO. 82 ON INQUIRY CARD

Only from Topaz...

Line 2° Power Conditioners with PowerLogic° Control

The logical choice in computer-grade power

They're in a class by themselves.

Highly efficient and completely reliable, these microcomputer-based Line 2 Power Conditioners eliminate computer problems caused by power-line noise and voltage disturbances.

With exclusive Powerlogic control, our Power Conditioners are able to perform with exceptional speed and accuracy. An internal microcomputer monitors incoming power and instantaneously corrects overvoltages and undervoltages.


Harmful power-line noise is also eliminated. A built-in Ultra-Isolator® Noise Suppressor provides common-mode noise attenuation in excess of 2 million-to-one (126 dB).


Available in micro, mini, and mainframe models, Line 2 Power Conditioners feature computer-compatible design, durability and top performance.


Find out more about our new Line 2 Power Conditioners. Call us today at (619) 279-0831, or contact your local Square D distributor.




FEATURE HIGHLIGHTS









STATE OF THE MARKET REPORT: In this special section, *Mini-Micro Systems* takes a look at nine facets of the minicomputer/microcomputer market.

Distribution channels: As computer products become more homogeneous and hard to distinguish, many companies are concentrating on *how* to sell as much as *what* to sell. A comprehensive look at the various forms of value-added resellers, wholesalers and retailers begins on **p. 153.**

Personal computers: The proliferation of personal computers is pushing sales in almost every area of the computer industry. With IBM and Apple setting the pace, revenues for office-based personal computers jumped 61 percent between 1982 and 1983 while home computer unit shipments doubled. A leading market research company takes a detailed look at the booming market beginning on **p. 167.**

Software: Spurred by products such as 1-2-3 and MBA, the integrated software market is attracting more and more newcomers. Unit shipments totaled 630,000 in 1983 and are expected to top 8.5 million in 1987. For a review of current offerings, as well as what to expect in the future, see **p. 177.**

Software: Thanks to AT&T, IBM and 20 other manufacturers, shipments of UNIX-based system are expected to double from 1983 to 1984. And UNIX-based application packages have grown from 300 in 1982 to 450 in 1983 with 700 expected in 1984. For an update on the fast-paced UNIX market, see **p. 191.**

Disk drives: With more than 40 suppliers jockeying for market share in the small Winchester disk drive arena, the OEM has plenty of products to choose from. To see why shipments are expected to triple over the next three years, see **p. 203.**

Multiuser systems: The market for less-than-\$30,000 multiuser systems is growing at over 30 percent per year, and operating systems and application packages are keeping pace. A snapshot of this increasingly lucrative market begins on **p. 214.**


Terminals: Low-cost alphanumeric terminals are losing market share to inexpensive intelligent terminals. A look at what dumb-terminal manufacturers are doing to counteract market share erosion begins on **p. 219.**

Business graphics: The total computer graphics market is expected to mushroom to \$22.3 billion by 1987, with business graphics accounting for roughly \$10 billion. For a look at the hardware side of this explosion, check **p. 225.**

Computer supplies: Direct-mail specialists are emerging as dominant computer-supply vendors. An overview of the changing distribution patterns for computer supplies begins on **p. 231.**

DISK SUBSYSTEMS: Over the past two years, subsystem manufacturers have begun to add value beyond integration and packaging with enhancements such as backup devices and disk caching, giving OEMs higher-performance systems and more uptime. Our survey begins on **p. 237**, with a product table on **p. 243** and a directory of manufacturers on **p. 265**.

NCC PREVIEW: What products to look for, what key seminars and instructional conferences are planned, all beginning on **p. 268.**



60MB COPOCITY

olume

C-Compatible

High Performance

terchange ability

The leader in 1/2" tape drives also offers you a full line of 1/4" cartridge tape drives. Our 1/4" product line includes the high performance member of the family: the 540 Streaming Cartridge

If you thought small size in 1/4" cartridge backup devices meant low performance, discover the 540.

Call or write us today for a free product brochure. We have the tape drive that meets your backup needs.

10225 Willow Creek Road, P.O. Box 85170 San Diego, California 92138 Telephone (619) 578-9100, TWX: 910-335-1251

European subsidiaries in: United Kingdom (phone: 0276-682912), West Germany (phone: 089-807001/02), France (phone: 1-668-87-87) See us at NCC, Booth #C-4118

*OEM quantity

CIRCLE NO. 84 ON INQUIRY CARD

MICROS TRIGGER RAPID GROWTH

Three classes of marketing channels vie for the lucrative but highly competitive small computer market

Gene R. TalskyProfessional Marketing Management Inc.

Purchases of small computers by businesses are increasing at annual rates of more than 30 percent. Competition for the business market has led computer manufacturers and resellers to develop more complex distribution networks. These marketing channels have been evolving since the 1950s, when computer manufacturers sold systems through their own sales forces directly to large companies, institutions and government agencies. Three classes of alternative reseller channels have evolved:

- Value-added hardware, software and services companies, including system houses and integrators, OEMs and data-processing service companies;
- Wholesalers that sell manufacturers' systems to resellers and, in some cases, directly to end users;
- Retailers that sell directly to end users and to some value-added resellers (VARs).

Value-added channels support systems

The large direct-selling manufacturers of the 1950s faced two problems: their inability to deliver hardware fast enough (two-year delivery schedules were common) and the lack of a sufficient number of system designers and programmers to implement the systems customers needed. These problems created opportunities for independent companies.

Service bureaus provided computer services to companies that were awaiting delivery of systems but had business processing requirements that couldn't wait and to companies that couldn't afford to rent systems. Giants such as IBM Corp. and Xerox Corp. established separate service operations, and Computer Sciences Corp. and

other large system houses also began competing with service bureaus. Some large companies, including Boeing Aerospace Co. and Martin-Marietta Corp., converted their large computer installations into service companies. In the 1960s, timesharing computer systems made possible remote processing in batch mode (remote job entry) and interactive on-line services, thus creating opportunities for service companies.

Service bureaus, including timesharing services, have continued to expand their product lines in the struggle for survival amid increasing competition and the erosion of traditional markets due to the availability of low-cost computers. They package and sell their software for in-house use and provide public and private data communications networks, such as GTE Telenet Communications Corp.'s Telenet and Tymshare Inc.'s Tymnet. Some have established on-line information database services, such as SDC's Orbit and Lockheed's Dialog. Most have become turnkey systems suppliers, selling hardware with their own and with third-party software, while others have become software publishers.

Some services companies have been acquired by large companies such as National CSS by Dun & Bradstreet, resulting in a new generation of comprehensive information services. ADP and McDonnell Douglas Automation Co. (McAuto) have extended and diversified their services and products through numerous acquisitions, as exemplified by McAuto's pending acquisition of Tymshare.

System houses also appeared in the 1950s, providing on-site contract personnel and creating operating systems, languages and development tools for manufacturers as well as application software for end users. Informatic General's early success was largely based on sales of its

DISTRIBUTION CHANNELS


Mark IV product. Planning Research Corp., Logicon Inc. and others specialize in government markets. Monchik-Weber Corp. and Insurance Systems of America are larger examples of the many system houses that serve specialized markets, providing software products, custom development and on-site contract personnel to banking, insurance, brokerage and other industries. Management Science America Inc. provides packaged application software for mainframe operations and, through its acquisition of Peachtree Software Inc., is addressing microcomputer markets. System houses continue to grow and diversify as products become available, opening new markets.

The appearance of minicomputers in the late 1960s triggered an explosion in the number of regional system houses, some of which—by bundling their software with discounted hardware—became OEMs. Their numbers continue to grow, keeping pace with escalating microcomputer sales. Originally, many of these companies were started by system integrators who had developed systems for their employers and then implemented these systems on contract to other

companies. The technical and narrow vertical-market orientation of these system houses, coupled with limited financial resources, usually restricted them to regional operations. Now, with a market potential of more than 3 million small businesses, technically oriented entrepreneurs are starting system houses to provide general business systems for a variety of industries. These system houses license software from manufacturers and publishers, integrating and customizing products to meet customers' needs.


Wholesalers target resellers

Computer distributors started out by selling terminals to large mainframe users and later added printers and other peripherals. They now handle complete computer systems and software. As distributors started stocking and marketing computer systems to retailers and other resellers, they discovered that it was difficult, if not impossible, to operate profitably on the 10 percent to 15 percent margins available to them in a two-tier distribution structure. Profit margins on low-priced microcomputers do not cover the cost of maintaining large inventories; sup-



porting dealers with technical, marketing, financing and other support programs; and carrying dealers' receivables. Dealers, in turn, need 30 percent to 35 percent minimum discounts, regardless of their volume commitments. Those distributors that have survived have usually obtained outside capital; others have been forced into bankruptcy.

Software distributors, such as Softsel Computer Products Inc., work on manufacturers' discounts of as much as 55 percent. Softsel had \$80 million in revenues in 1983 and handled 3,500 products through 6,000 dealers. The company's dealers earned volume discounts as high as 50 percent. Softsel's success is based on its ability to stock and quickly deliver popular software. Although software distributors must inventory many lines of products, their investment, which grows as their business grows, is not as great as that of hardware distributors. In addition, software manufacturers are not as likely to develop their own competitive sales forces for selling to dealers because of the low cost of their products and the low volumes most dealers purchase at any one time.



Industrial electronics distributors entered the computer field later with sufficient financial resources, seasoned management, experienced marketing organizations and established industrial customer bases. Some acquired computer distributors to gain product lines, technical expertise and new customer bases. Others formed divisions or separate companies to address computer products and markets. They face the same challenges as do computer specialty distributors, but their experience and assets afford them a better chance of success.

There are several classes of distributors, including national and regional operations. Some plan to open or have opened company-owned dealerships, which might compete with the distributors' independent dealers. Others sell directly to end users—high-volume accounts and specialized markets such as OEMs, science, engineering and education. However, their sales forces eventually come into competition with dealers.

Historically, distributors have expanded manufacturers' marketing scope and offered them early revenue through volume purchases. But, with computer systems, distributors frequently experienced delivery and reliability problems, technological obsolescence, manufacturers' financial instability, low-volume dealer purchases, delayed collections and dealer bankruptcies. Such risks have forced them to minimize inventory levels, in turn reducing their value to cashstarved manufacturers. The rapid growth of computer chains also threatens distributors. In addition to opening their own dealerships, the chains are acquiring the independent dealers and small chains that constitute the distributors' markets. Franchisors are also pursuing the conversion of independents to franchises, further shrinking distributor markets.

As retail prices continue to fall due to competitive pressure, hardware manufacturers are finding it more difficult to offer the 40 percent to 50

IBM, Apple and Tandy lead the small business system market. IBM is rapidly expanding its share, Apple is holding its own, and Tandy is losing market share despite increasing sales and profits. DEC appears to be gaining ground, while market share for DG, Texas Instruments, Wang, HP and others is eroding. Although market share may be shrinking, sales volumes may be increasing due to expanding markets. The widely predicted 1984 fallout will primarily affect the companies that fall in the "other" column.

Retail chain stores operate in a manner similar to franchises except that management and purchasing are centralized.

DISTRIBUTION CHANNELS

As retail prices continue to fall due to competitive pressure, hardware manufacturers are finding it more difficult to offer the 40 percent to 50 percent discounts required to support two-tiered distribution.

percent discounts required to support two-tier distribution. And, if VisiCorp's price reduction for Visi^{On} to \$95 is indicative of the effect of growing competition for each market segment, software manufacturers may be facing the same dilemma. Although the marketing needs of start-up hardware and software manufacturers and of peripheral and communications equipment manufacturers assure near-term survival of distributors, their long-range survival will depend on their ability to manage inventories and receivables, the value they add to manufacturers' marketing efforts and the level of support they can offer dealers.

Manufacturers' representatives play a major role in the distribution of peripherals, components and accessories, selling to distributors, dealers, OEMs and large-volume end users. The representatives obtain orders from buyers and place them with the manufacturers, for which they earn a small commission. Their underlying value is their customer base. Although they do not provide support or service, they do maintain face-to-face contact with customers on behalf of manufacturers. Although Apple Computer Inc. initially sold its products successfully through manufacturers' representatives—primarily because there were at the time few, if any, computer distributors—representatives have not been effective in selling computers or software. The economies of multiple-tier distribution also work against them. While manufacturers' representatives continue to fill a need, they are even more threatened by the same economic and competitive realities facing distributors.

Franchisors typically operate both as distributors to their franchisees and as chain stores supporting company-owned retail outlets. ComputerLand, with revenues of \$963 million from 620 franchised stores in 25 countries, is by far the largest computer franchisor. Its sales of large territorial franchises has led to the development of regional chains with multiple locations established by single franchisees, such as ComputerLand Connecticut with more than nine locations. Computer Retail News rated six of ComputerLand's franchised territories among the 25 top-grossing retailers.

In addition to new retailers, franchisors also contract with established independent dealers, offering them access to product lines previously denied them, such as IBM PCs, and better discounts on hardware and software than they could negotiate based on their low-volume operation. Affiliation with a franchisor also gives dealers a stronger market image in their communities because of the franchisor's financial stability and the publicity franchisors generate. In most cases, franchisees also handle products not of-

fered by the franchisor. Specialty franchisor chains, such as the Valmont group of 115 company-owned and -franchised locations, are now springing up. Valmont is concentrating on farm and rural markets, capitalizing on its established distribution network for irrigation equipment in 38 states.


Computer retailers sell directly

Computer retail chains are similar to franchises except that management and purchasing are centralized and the stores are more standardized in appearance and operation than are franchisees. The three types of retail chains competing for national markets are:

- Manufacturer-owned chains, the largest of which is Tandy Corp.'s Radio Shack stores with several thousand locations. IBM, Control Data Corp., Digital Equipment Corp. and other manufacturers are also opening storefront locations.
- Mass-merchandising chains of department and discount stores, such as Macy's, which are opening computer sales departments in their stores or standalone operations, such as Sears Roebuck and Co., which has Business Systems Centers in more than 50 locations.
- Independent chains, which are appearing regionally and nationally. Genra, one of the large national chains, established itself in more than 40 locations almost overnight by acquiring most of Xerox's retail stores. Some regional chains have evolved from a single successful store that the owners have then replicated in nearby communities.

Retail chains are now undergoing consolidation. Regional chains are buying independent stores, expanding outside their original territories and buying each other. In turn, they are being acquired by national chains that are also buying individual stores. Computer buyers consider continuity of service and support important factors in their purchasing decisions. Chain stores offer the assurance that they will most likely be around for the long-term future.

Office machine and equipment dealers have long tried to enter computer markets with little success, despite having excellent customer bases of small and large businesses. Dealers typically have strong ties and high credibility with department managers, purchasing agents and owners. However, they lack technical expertise and understanding of clients' accounting and management requirements. Initially, dealers sold word processors as high-end typewriters. Hiring technical computer personnel didn't help most office equipment dealers successfully enter computer markets. Many manufacturers, such as Infotecs Inc., have tried to sell through such dealers. Value-added OEMs, system houses and



ost companies experience the same thing when they start tying remote terminals to their minicomputer.

Much higher phone bills.

But now there's an inexpensive solution to that costly problem: The new Codex 6002 Intelligent Network Processor.

This low-cost multiplexer will save you money even if you're using as few as two terminals. The 6002 boosts operating efficiency, reduces the number of needed lines and protects data from errors due to line disturbances. And it can handle any mix of up to 16 asychronous "terminals", including graphics terminals, word processors and personal computers from virtually any manufacturer.

Plus, only with the 6002 can you add asychronous equipment without worrying if your multiplexer is compatible or not. So not only will it save you money now, but also later as your network grows and grows.

The Codex 6002 Intelligent Network Processor. It's just one of our many products that enable minicomputer users to develop and efficiently manage a growing network.

To learn more about the 6002, call 1-800-821-7700, ext. 892. Or write: Codex Corporation, Dept. 707-92, 20 Cabot Boulevard, Mansfield, MA 02048.



At NCC, see us at the Motorola Information Systems Group booth.

DISTRIBUTION CHANNELS

The rapid expansion of computer markets has stimulated unprecedented growth in the number of hardware and software manufacturers and marketing channels. Consolidation through merger and acquisition is increasing, as is the number of new entrants in each category.

EVERYONE WANTS TO SELL COMPUTERS										
The sellers	No. of companies	No. of systems	Notes, sources							
Computer system manufacturers • Mainframes • Minicomputers • Microcomputers • Others	600 21 79 311 372	2,064 174 280 666 944	Data Sources, Jan. 1984 (some companies manufacture more than one type of system							
Software manufacturers and publishers operating/development/DBMS/utilities business applications	3,500	4,531 14,363	Data Sources, Jan. 1984							
Wholesale distributors	150–200		estimated major national and regional distributors							
Specialty computer dealers • manufacturer-owned locations • retail-chain locations • franchised locations • independent computer dealers multiple-location dealer sites single-location dealer sites	633 383 797 599 740		Future Computing Inc., Jan. 23, 1984 (excludes Tandy/Radio Shack stores)							
Mass merchandisers • department and discount-store sites	25,000-30,000		Future Computing Inc., July 1983							
Office-equipment dealers	6,000-10,000		Office-equipment and supplies dealers							
Value-added system houses/OEMs	3,000-6,000									
Mail-order operations	150-200									

retailers have also established working relationships and joint ventures with these dealers with limited success. However, they remain one of the best sources of qualified leads for computer system sales. The National Office Machines Dealers Association estimates that 40 percent of its members sold computer products in 1983, and it projects that percentage to increase to 50 percent to 60 percent in 1984.

Independent retail stores have proven successful for a few entrepreneurs. For others, profits have proved elusive, and many stores have gone out of business. Product lines are key to a store's volume. IBM and Apple product lines assure a continuing stream of sales of systems, add-ons and upgrades. Other product lines are easier to obtain but don't sell nearly as well. Manufacturers' and distributors' discounts are based on a store's volume and must be 30 percent to 35 percent to assure sufficient profit margins to support operations and to maintain enough inventory to deliver products at the time of sale or shortly thereafter.

Independent retail stores must provide customers with sufficient education, training and support and must maintain and support a customer base while attracting new prospects through referral. Salespeople frequently lack the knowledge and experience to help prospects understand how an inventory system they see

demonstrated meets their business requirements. Frequently, they cannot help customers convert manual accounting records or customize software. Competition from other independents, retail chains, franchises, distributors and discount houses increases independents' challenge and decreases their profit margins.

Location, product lines and service are the main ingredients of a successful independent computer retail store. With all the pressures these stores face, many are selling out to chains and converting to franchisees. Others are joining associations that provide access to better product lines, larger discounts through group volume purchases and cost reductions through group insurance and other programs. In spite of these options, the independent single-location retailer is an endangered species.

Discounters include stores such as 47th Street Photo, New York, and the several hundred regional and national mail-order houses. Discounters are the bane of most manufacturers and resellers. Even closely policed products can appear in discounters' ads as a result of bargain purchases from distributors or other dealers with excess inventory or cash-flow difficulties.

When purchasing from discounters, buyers must know exactly what they want and make sure their order is complete and correct. They should make no assumptions regarding model

COLORPLOT" I

Color Hard Copy with Line Printer Performance



TRILOG's patented multicolor technology provides full color as well as conventional printing on plain fanfold paper at 100 dots per inch resolution.

COLORPLOT"II provides CAD/CAM and/or business graphics hard copy in full color — quickly, reliably and accurately. With TRILOG'S TIP series of dot matrix line printers, there's no need to sacrifice anything. Available now are impact printers with all the quality, versatility and reliability that any mini/micro computer system needs.

For more information call or write today:

TRILOG, INC. 17391 MURPHY AVE., IRVINE, CA 92714 (714) 863-3033 TWX (910) 595-2798

With COLORPLOT™II the extras are free:

- Full color hard copy output
- CAD/CAM graphics
- Business graphics
- Bar code generation
- Forms generation
- Data processing print @ 300 LPM
- Compressed print @ 220 LPM
- Letter quality print @ 75 LPM

And TRILOG puts it all into one printer with proven reliability from the pioneers of NON-STOP-PRINTING™.

COLORPLOT™ II is sold and supported through our worldwide distribution network.

TRILOG



e've long recognized that success in today's ever-changing marketplace requires a willingness to try something new. To bring the technology of marketing up to the technology of the 80's.

At C.Itoh Electronics, that means more than offering the latest product advancements. It means using the innovative marketing and capital resources necessary to bring those products to the world.

That's why, from the very beginning, C.Itoh Electronics has consistently maintained a strategy of total involvement in the high technology electronics industry. This includes marketing a wide variety of industrial electronic products, while at the same time, engaging in research

and development, cross licensing and venture capital investing.

In addition to developing and marketing its own unique products, C. Itoh Electronics buys products from many international manufacturers and sells them through U.S. sales offices, sales representatives, distributors and OEM's. More than 10 Japanese manufacturers who market their products in the U.S. are currently represented.

C. Itoh Electronics also procures products from more than 30 U.S. based manufacturers and markets them worldwide, mainly to Japan, where these products are then distributed through C.Itoh's affiliate companies. C.Itoh Electronics is always searching for new product

ideas to develop and bring to market.

No other company is better at bringing high technology to market. Perhaps, because in addition to exploring new ways of doing business, few other companies can draw on the experience and global resources of C.Itoh & Co., Ltd., our parent company. This multi-national organization has more than 125 years of business experience and thousands of employees linked through a worldwide network of 181 offices in 81 nations. These include 41 offices in Japan and 403 affiliated companies around the world—with annual sales exceeding \$50 billion.

It's no wonder that when it comes to bringing high technology to market, C. Itoh Electronics has the best ideas.

LITOH ELECTRONICS

A World of Quality

CIRCLE NO. 87 ON INQUIRY CARD

See us at NCC, Booth #C-3574

MINI-MICRO SYSTEMS/June 1984

DISTRIBUTION CHANNELS

numbers, peripherals, cables or software. Discounters offer virtually no product support. By publicizing discounted prices of even the most current products, they disrupt manufacturers' relations with dealers and have a negative impact on dealer margins by offering lower prices to the public. However, to manufacturers that have excess inventory or are introducing a model and want to sell large quantities of current inventory fast, discounters can be very helpful.

New marketing channels emerge

In-house stores, established by some large companies and institutions, offer employees a limited variety of computer systems for personal use. The stores usually pass on to the employees the discounts the company has negotiated with vendors. Companies usually set up a small showroom in an office and assign staff members to assist employees. The computers offered are typically those the company has approved for in-house departmental use. Staff members can assist in the selection of appropriate hardware and software for personal use and in-house business applications and provide training for inhouse users. The federal government contracted an independent dealer to set up such a retail operation for individual departmental purchases. That operation sold several million dollars worth of computer systems in its first year.

Some companies stop short of setting up stores; instead, they arrange for their employees to purchase hardware and software from their vendors at the corporate discounts. Apple has established an aggressive marketing program for educational institutions, offering them better discounts than it offers its highest-volume deal-

ers for school, faculty and student purchases. Apple provided Drexel University students and faculty with nearly 3,000 Macintosh computers at \$1,000 each—less than one-third the retail price. These arrangements sometimes backfire because resellers have started advertising to buy systems purchased by students. This allows students to make a profit and dealers to obtain systems at a greater-than-normal discount.

Telemarketing, as implemented by Interactive Telemarketing (ITM), is one of the newest distribution channels. ITM evaluates microcomputer software and products, provides its evaluations and sells products from its catalog through an on-line service. The company addresses corporate markets as well as individuals. For example, it has "preferred vendor" status with Pepsico Inc. By combining realistic and meaningful evaluations, a broad line of quality products and responsive support, telemarketing could have a major impact on sales of peripherals, software, accessories and supplies.

Cross-licensing clearinghouse operations, which have the potential of becoming one of the most important marketing channels, are best exemplified by The Office Manager (TOM), Seattle. Originally a consulting and software company, TOM began licensing its general business and vertical application packages to other system houses for resale. Now, it no longer sells directly to end users but has an international network of more than 300 licensees, providing them with support programs usually offered by only large manufacturers.

TOM offers licensees its Speed proprietary development language for Wang Laboratories Inc.'s 2200 and VS systems, plus general busi-

Discountschedule complexities are compounded by the number and different types of marketing channels competing for the same business while buying from and selling to each other.

THE ECONOMICS OF DISTRIBUTION										
% DISCOUNT TO:→	► Hardware Mfr.	Private- label OEM	Publisher	Distributor	Retail chain	Franchisor	Retail dealer	Value-added systems house/OEM	Discount store/mail order	Volume end user
Hardware manufacturer		50-60		35-50	35–50	35–50	10-40	5–35	35–75	5–35
Software manufacturer	50-85	50-85	50-85	40-60	40-60	40-60	35–50	35-50	40-85	5-50
Private-label OEM				35-50	35-50	35-50	10-40	5–35	35-75	5-35
Publisher	50-85	50-85	50-85	40-60	40-60	40-60	35-50	35–50	40-85	5-50
Distributor					25-50	25-50	15-40	5-35	15-40	5-35
Retail chain								5–15	50-?	5-35
Franchisor							15-40	5-25	50-?	5-25
Retail dealer								5–25	50-?	5-25
Value-added system house/OEM										5–25
Discount house/mail order										10-75

DISTRIBUTION CHANNELS

System houses appeared in the 1950s providing on-site contract personnel and creating operating systems, languages and development tools for manufacturers. as well as application software for end users.

ness software and several vertical packages, including a restaurant system, a construction accounting and management system, a property-management package and an office-automation/word-processing package. It trains licensees in all business and technical aspects, participates in computer industry and vertical market trade shows, sponsors cooperative advertising in addition to its own national advertising campaign and provides all the support and services needed to assure the success of licensees.

TOM became a cross-licensing clearinghouse by selling software written by its licensees and other authors through its licensee networks, thus creating a two-way stream of revenue for its licensees. The first revenue stream is generated when a licensee sells TOM software, which is bundled with customization and support, to end users. The second source of revenue is created when a licensee distributes its proprietary package through the TOM network. To qualify, developers must conform to TOM's stringent development and documentation standards, which include implementing the developer's program in Speed and obtaining enough installation references to verify that the system works and meets user needs. This two-way path for products to and from qualified licensees distinguishes clearinghouses from software publishers and other marketing channels.

TOM has expanded the marketing horizons of its licensees by developing TOMBASIC software, which enables products developed under Speed to be ported without conversion or modification to UNIX and C-based minicomputers and microcomputers. The software runs on systems from Fortune Systems Corp., Altos Computer Systems, Prime Computer Inc., Perkin-Elmer Corp., Hewlett-Packard Co., Apple and a growing list of other manufacturers. With this capability, manufacturers can acquire the proven application software they have been missing, and licensees can sell to a larger market because of expanded hardware environments.

The clearinghouse approach not only provides a large distribution network for software but also places the software in the hands of well-qualified resellers experienced in dealing with the corporate market and who understand accounting and business. Through TOM's training, these resellers can learn the aspects of the vertical markets they will be addressing and the software they will be customizing, installing and supporting to meet customer needs.

Other established software vendors are moving toward the clearinghouse approach, but none have TOM's combination of products, support and cross-licensing distribution capabilities. Dealers trying to meet the needs of small- and

medium-sized businesses could profit from establishing joint ventures with licensees in such networks or by becoming licensees themselves.


Short-term marketing trends

Even with phenomenal computer market growth projections, the rapidly growing, complex, intertwined and overlapping networks—all competing for the same markets—would justify forecasts of fallout this year. The 2,000 largest U.S. companies purchased more than \$1.4 billion worth of microcomputers in 1983; smaller companies bought \$6.7 billion worth of hardware and software. Future Computing Inc., a market research concern, predicts that the 2,000 largest companies will buy \$3.8 billion worth of microcomputer hardware and software in 1985. However, the small business market potential is much greater. Studies by Focus Research Systems, based on interviews with more than 35,000 business owners and managers, indicate that only 16 percent of the more than 3 million companies with fewer than 500 employees and less than \$25 million in revenues had installed computers in mid-1983, and that 900,000 more companies will buy more than 1 million additional computers by mid-1985. Even with a projected 15 percent decline in prices, Focus forecasts, small businesses will spend \$8.8 billion on computer systems in 1984.


Marketing channels continue to evolve and grow to meet the needs of these runaway markets. However, they face the same challenges confronting manufacturers—how to deal profitably in a highly competitive environment.

Gene R. Talsky is president of Professional Marketing Management Inc. (PROMARK), Old Lyme, Conn. PROMARK provides strategic planning, business development and marketing planning services for hardware, software and service companies. Talsky has served in management positions with IBM Corp., Computer Sciences Corp. and Informatics General and has started four successful data-processing companies. He is listed in Who's Who of Finance and Industry and Who's Who of Corporate Acquisitions.

Interest Quotient (Circle One) High 810 Medium 811 Low 812



SPRING



BOARDS

Get ready to make a quantum leap past your competition. Because with our new 68000 VMEbus boards and UNIX™-based development system, that's exactly what you'll be able to do. What's more, these new board-level solutions are just the first of many that will be available from Mostek. So now, there's no reason not to be launching into the future with the Mostek MK68000.

First, consider the VMEbus itself, a very compact board structure with truly high-performance timing parameters. Plus inherent expansion to 32-bit address

and data.

Second is the selection of VMEbus boards available from Mostek: VME-MMCPU: Memory-managed CPU with on-board 128K bytes DRAM and full multiprocessor capability. VME-SASI: A SASI™ controller with DMA. VME-FLP: A double-sided, double-density floppy disk controller with DMA and sector buffer for 8″ and/or 5¼″ drives. VME-SIO: Four-channel (RS-422/RS-232). VME-DRAM: ¼ MB DRAM with byte parity, plus full 32-bit VME interface. VME-SBC: A single-board computer with an SIO port, BYTEWYDE™ memory and a firmware monitor. VME-SYSCON: System controller with battery-backed, real-time clock, SIO port and parallel printer port.

Now look at a powerful way we have already put some of these VMEbus boards together: The Matrix 68K[™], a multi-user microcomputer with a UniPlus + [™] UNIX operating system. It's flexible. Expandable. And well-suited for program

development, text preparation and general-purpose processing.

The point is, if you want a powerful and versatile VMEbus solution, we have all the tools you need to hit the ground running. To find out more, contact Mostek, 1215 W. Crosby Road, MS2205, Carrollton, Texas 75006, (214) 466-6000. In Europe, (32) 02/762.18.80. In Japan, 03/496-4221. In the Far East (Hong Kong), 296.886.

UNIX is a trademark of Bell Laboratories. SASI is a trademark of Shugart Associates, Inc. UniPlus + is a trademark of UniSoft Systems.

UniPlus + is derived from UNIX Systems III under license from AT&T. BYTEWYDE and Matrix 68K are trademarks of Mostek Corp.



The new pacesetter in professional printers.

The economical dual-speed Radix-15 multi-function printer.

With a fast and furious work pace, a highly flexible printer is crucial. That printer is the new Radix-15. Watch it take your work and run with it.

It's dual speed! At 200 cps Radix fires out a superbly refined dot matrix printout. At 50 cps it prints professional near-letter quality. So now you can go from spreadsheets to memos at the flip of a switch or at your computer's command.

It's multi-functional! In either mode Radix-15 quickly adapts to your needs. There's serial and parallel interface. Memory storage with a 16K buffer. Responsive throughput to help you use time more efficiently. Bi-directional performance. Friction and tractor feed. An automatic sheet feeder for letterheads and a short form tear-off for preprinted forms. Plus, the freedom to underline, set vertical and horizontal tabs and print a huge variety of type faces.

It's economical! And not only does Radix give you 2 printers in 1, it also gives you a price performance as outstanding as its working performance.

The professional Radix-15. Using the everchanging beat of business to your advantage. And that's what being a pacesetter is all about!



IT'S STILL FAST TIMES FOR A HOT INDUSTRY

IBM and Apple have thrown down the gauntlet with de facto standards, powerful hardware and extensive software libraries

IBM and Apple Dr. Egil Juliussen, Future Computing Inc.

The personal computer industry is less than 10 years old but is already larger than the minicomputer industry and should surpass the mainframe industry by the late 1980s. With such a steep growth pattern, it is understandable that a large number of companies continue to enter the personal computer business, which includes office personal computers and home computers.

There is no exact definition of a personal computer, but Future Computing Inc. defines it as a processing unit with an entry-level price of less than \$10,000. Personal computer hardware and software products usually incorporate de facto industry standards, even though some start out as proprietary systems. Personal computers are sold via independent third-party distribution channels.

Product segments simplify market

From simple beginnings as hobby computer kits, personal computers have grown to encompass a complex spectrum of products (Fig. 1). Home computers, which comprise the least expensive product segment, are disk- or cartridge-




Fig. 1. Personal computer product classes range from cartridge-based home computers selling for approximately \$100 each to multiuser systems selling for more than \$10,000 each.

PERSONAL COMPUTERS

based. Most floppy disk-based home computers also have a cartridge, and most cartridge-based home computers can be expanded by adding a floppy disk. Hence, the two categories overlap. Atari's 600 XL is an example of a cartridge-based home computer. IBM Corp.'s PCjr has both a cartridge and a floppy disk model. Growth in the home computer market is shifting toward the high end, and portable home computers should appear soon.

Battery-powered products are the newest category of personal computers. Hand-held or pocket computers, which evolved from programmable calculators, were the first battery-powered personal computers. They have a single-line display, limited peripheral expansion and are priced at a few hundred dollars or less. Radio Shack's TRS-80 pocket computer is an example of this type of product.

Book-sized personal computers, such as Radio Shack's TRS-80 model 100, have multiple lines of display, more sophisticated peripheral expansion and sell for approximately \$1,000 each. Briefcase-sized computers, such as Gavilan Computer Corp.'s microcomputer, also have multiple display lines—usually eight—a removable mass-storage device, a microfloppy disk or a bubble-memory cartridge.

Floppy disk-based personal computers come in desktop and portable versions. Some portable products have external battery packs that allow a few hours of battery-powered operation. However, portable personal computers are still very


different from battery-powered products in specifications, capabilities, software base and market dynamics. As the technology evolves, the line between portable and briefcase personal computers will blur. The IBM PC is a desktop floppy disk-based personal computer, and Compaq Computer Corp.'s Compaq is a portable floppy disk-based personal computer.

Personal computers that use Winchester disks usually come in desktop versions, as does the IBM PC XT. Winchester disk-based personal computers have seen steep price declines in the last year. The first portable models of these systems, such as the Kaypro 10, appeared last year.

Multiuser personal computers come in two configurations: shared-processor systems and local-area networks (LANs). Shared-processor systems are based on Winchester disk-based personal computers. They are similar to multiuser minicomputers, but they rely on a personal computer software base. Shared-processor systems and minicomputers overlap, and the distinction will continue to blur if the UNIX operating system becomes a major factor in the industry.

In LANs of personal computers, a user has all the advantages of the personal computer with the information- and cost-sharing benefits of multiuser systems. Future Computing believes that LANs will grow in importance, stunting the growth of shared-processor systems. The main reason for this trend is that LANs are an after-

Fig. 2. Four manufacturers dominated U.S. personal computer revenues in 1983. On a worldwide basis, companies such as NEC, Fujitsu and Sharp would make the list. NEC, for example, is the fifth-largest personal computer manufacturer.



Start with an LSI-11

1.0 MB minimum... up to 4.0 MB!

Dataram's W23 starts with the LSI-11/23 (soon the LSI-11/73)

I/O mapping accommodates 18-bit peripherals (e.g. RX02) and 22-bit peripherals, while supporting 4.0 MB of memory

27 dual-slot backplane

RM02-compatible 80 MB or 160 MB Fujitsu Winchester

DATARAM

W23's RM02-compatible controller can support external CDC 9762 SMD drive for removable media capability or backup, in addition to controlling the integral Winchester

\$16,940 system price*

Supports RSX-11M, RSX-11M-PLUS, RSTS, and UNIX

> Cipher Microstreamer with controller available for less than \$5300

...and end up with a powerful minicomputer!-

Dataram's W23 minicomputer system gives you more than an LSI-11. By packaging an LSI-11/23 (or LSI-11/73) in a compact 10½" chassis with 160 MB Winchester capacity, 27 dual slots, and a hefty 50 A power supply. And then going a step further with I/O mapping that allows up to 4.0 MB of memory while supporting both 18-bit and 22-bit controllers. For more information, forward this coupon to us or,

☐ Send information. ☐ Contact me immediately.

State

even better, call us today at (609) 799-0071.

Name

Company

Address

Zip

Phone

Dataram Corporation, Princeton Road, Cranbury, NJ 08512

\$16,940 system price is single-quantity domestic price for W23 with LSI 11/23, 1.0 MB, 80 MB Winchester, and I/O mapping.

DEC, LSI-11, RSTS, and RSX are trademarks of Digital Equipment Corporation. UNIX is a trademark of Bell Laboratories.



Dataram Corporation ☐ Princeton Road ☐ Cranbury, New Jersey 08512 ☐ (609) 799-0071 ☐ TWX: 510-685-2542

CIRCLE NO. 91 ON INQUIRY CARD

PICTURE PERFECT PRODUCTIVITY



Administration



Order Entry



Marketing and Sales



Engineering



Finance



Q.A. and Statistics

MIS Monitors from Mitsubishi

Mitsubishi monitors take excellent care of business at every level from clerical to top management. Our extensive product line includes both color and monochrome models, with high and medium resolution. In any size you need, with exceptional strength in 12", 14" and 16" models. Customs, too.

With all this selection, it's easy for you to performance-match our monitor to your MIS requirements. For superb business graphics, we'll deliver super-high contrast monitors with an extended range of true, vibrant colors and a very dense black. For number-crunching tasks, select a high-efficiency monitor with special anti-reflective coating, reducing operator fatigue even after extended periods of viewing. Choose economical monochrome units to staff up an entire order entry department. And use our precision, high fidelity monitors for demanding CAD/CAM applications.

Just pick the features, then let us show you how Mitsubishi monitors can give your system a better image at the best possible price.

For complete technical specifications or MIS applications information, contact Mitsubishi today.

Write or call: Mitsubishi Electronics America, Inc., Industrial Electronics Division, 991 Knox St., Torrance, CA 90502. Telephone: (213) 515-3993. In the East, call (617) 938-1220; in the Central area, call (312) 298-9223.



VISIT OUR NEW MONITER DISPLAY AT NCC, BOOTH #D3210.

CIRCLE NO. 92 ON INQUIRY CARD

PERSONAL COMPUTERS




Fig. 3. U.S. revenues for office personal computers and home computers, excluding software revenues, will have 30 percent and 24 percent compound annual growth rates. respectively. between 1983 and 1989.

market solution to information sharing for users of personal computers.

IBM dominates the market

IBM had the largest personal computer revenues—\$1.5 billion—in 1983 (Fig. 2). The company's personal computer revenues tripled from 1982 to 1983. Future Computing estimates that 8 percent of IBM's 1983 revenues came from software and that only about 12 percent to 15 percent of its personal computer revenues came from international sales—a percentage expected to increase this year. Future Computing also predicts that IBM's personal computer revenues will double in 1984, while unit shipments will more than triple from about 500,000 PC and XT units shipped in 1983.

Apple Computer Inc. was the second-largest personal computer manufacturer last year with sales of \$1.085 billion—a 70 percent increase over 1982. Apple's software revenues were about 7 percent of sales, and international sales accounted for approximately 22 percent of revenues. Future Computing projects a revenue increase of 55 percent to 60 percent for Apple in 1984.

Radio Shack had the third-largest personal computer revenues—nearly \$1 billion—in 1983. However, its revenues are at the end-user spending level, while IBM's and Apple's revenues are at the factory level. The difference is in the margin that goes to the various distribution channels. The result is that Tandy's manufactur-

er-level market share is overstated. Its software revenues accounted for nearly 9 percent of its personal computer revenue in 1983; international revenues were about 15 percent.


The success of Commodore Business Machines Inc. in the home computer and international markets brought it revenues of nearly \$1 billion in 1983, up from \$350 million in 1982. Commodore had the strongest international presence with more than half of its sales going to non-U.S. customers.

Hewlett-Packard Co.'s many personal computers contributed more than \$500 million to its revenues. Personal computers include the HP75/HP80 family and the HP100 family, which includes the recently announced HP150. HP also had very strong international sales that accounted for nearly 50 percent of its total revenues.

Texas Instruments Inc. had more than \$300 million in revenues from the 99/4A home computer and the TI Professional business computer. Although its home computer sales were very unprofitable, the TI Professional's contribution of nearly \$100 million was a very strong showing for a first-year product.

The remaining nine companies out of the top 15 had revenues in the \$80 million to \$200 million range. However, the list will probably change considerably in 1984. For example, Victor Technologies Inc. has filed for protection under Chapter 11 of the federal bankruptcy law, and TI will not have any home computer revenues this year because it has discontinued production of the 99/4A.

Fig. 4. The U.S. software market for office personal computers and home computers will have 34 percent and 39 percent compound annual growth rates, respectively, between 1983 and 1989.



If worldwide manufacturers were considered, several Japanese personal computer companies, such as NEC Corp., Fujitsu Ltd. and Sharp Electronics Corp., as well as a few European companies, would have made the list of the top 15. For example, NEC was the fifth-largest personal computer company in the world in 1983.

Hardware market explodes

The hardware market for personal computers grew substantially in 1983 (Fig. 3). The hardware market for office personal computers increased from \$3.7 billion in 1982 to \$6 billion in 1983—a growth rate of 61 percent. By 1989, the U.S. office personal computer hardware market is expected to grow to nearly \$29 billion at the end-user spending level, with a compound annual growth rate of 30 percent between 1983 and 1989. Despite this strong showing, the aftermarket stemming from the installed base will probably grow faster than the market itself. In 1984, the after-market will account for 20 percent of the market, increasing to 30 percent in 1989.

The home computer hardware market grew from \$1 billion in 1982 to \$1.7 billion in 1983. In the same time, the number of units shipped more than doubled, going from 2.3 million units in 1982 to 5 million in 1983. Future Computing expects the growth rate of home computer hardware to slow in 1984, especially in units sold. About 6.5 million home computers will be sold in the United States this year at 30 percent growth over 1983. Most of that growth will occur at the high end. Given smaller price decreases at

the low end, Future Computing projects an increase in the average system price. Thus, the home computer hardware market will grow 64 percent to \$2.7 billion in 1984. The after-market is even more important in home computers. In 1984, 22 percent of the market will be from after-market sales, and the after-market share will increase to nearly 36 percent by 1989.

The home computer hardware market will grow more slowly than the office personal computer hardware market. By 1989, the home computer hardware market will be nearly \$6.3 billion, with an estimated compound annual growth rate of 24 percent between 1983 and 1989.

Tools highlight software market

A large variety of software is available for personal computers, including business, productivity, education, scientific/engineering, entertainment and system software. Productivity software, the most important application segment, includes spreadsheet, word-processing and database-management packages. Graphics and data communications are growing in importance, and there is a market trend toward combining productivity applications into single products, as in Lotus Development Corp.'s 1-2-3 integrated package.

The office personal computer software market doubled from 1982 to 1983, from \$0.7 billion to \$1.4 billion (Fig. 4). Future Computing projects growth of 57 percent this year to \$2.2 billion and a nearly sixfold increase in 1983 to 1989, to \$8.1

In the world of emulating terminals... VISUAL is a world apart.



VISUAL EMULATION CAPABILITY

VISUAL 50/55 are low cost smart terminals. The VISUAL 50 emulates DEC VT52°, Lear Siegler ADM3A°, Hazeltine Esprit™ and ADDS Viewpoint® VISUAL 55 emulates the same plus Hazeltine 1500/1510 and VISUAL 200/210.

VISUAL 102 is 100% compatible with the DEC VT100/VT102° and also emulates the VT52. A Graphics Option Card provides Tektronix® 4010/4014 compatible graphics.

VISUAL 300/330 are versatile terminals that can be easily customized. The VISUAL 300 emulates the DEC VT100 and VT52. VISUAL 330 emulates the DEC VT52, ADM3A, Hazeltine 1500 and Data General D200.

VISUAL 500/550 are low cost, high resolution graphic terminals with powerful alphanumeric capabilities. The VISUAL 500 emulates the VT52, ADM3A, Hazeltine 1500, D200 and Tektronix* 4010/4014. The VISUAL 550 emulates the VT100, VT52 and Tektronix 4010/4014.

VISUAL terminals feature extended ergonomics including tilt and swivel non-glare 12" and 14" screens, detached keyboard, large character size, menu-style setup, sculptured key caps and more.

VISUAL has earned for itself an exclusive place . . . a solitary niche . . . in the arena of emulating terminals. Four great terminal series offer a combination of advanced features found on no other terminals anywhere in the world. Each series delivers higher performance at lower cost for its particular market segment. And nobody else gives such a wide choice of emulations as VISUAL . . . the pioneer in the field.

of emulations as VISUAL . . . the pioneer in the field.

So check the chart before you choose your next terminal. See for yourself why VISUAL stands alone as the first choice for emulating terminals.

Service available in principal cities through Sorbus Service, Division of Management Assistance, Inc.



See for yourself®

Visual Technology Incorporated 540 Main Street, Tewksbury, MA 01876 Telephone (617) 851-5000. Telex 951-539

*Registered trademark of Visual Technology Incorporated


The freedom some birds have to migrate is remarkably similar to the freedom you have with software for the System 8000.



Moving your application program with Zilog's System 8000 is as easy as the migration of Canadian geese.

> Zilog's solutions free you from the constraints of traditional systems.

Outdated proprietary languages and operating systems limit your movement from vendor to vendor, much like the restricted flight



Zilog's high performance, multiuser, UNIX*-based System 8000 supermicros give you a proven way to quickly port your minicomputer software onto affordable micros. For instance, we offer compatible migration tools for Basic Four BB III, DEC® DIBOL® and DG ICOS™ COBOL and Proxi.™ And with the UNIX operating system, you can take advantage of one of the fastest-growing business opportunities in the industry.

Get a level of service, support and company stability not found from other microcomputer vendors.

Find out what it's like to free yourself from expensive mini-computers, and get a level of service, support and company stability not found from other microcomputer vendors. Ask about our RSVP Referred Software Vendor Program, too, where you can find the applications software and tools you need as well as list your software. Zilog is also on the

GSA schedule for Federal govern-

ment applications.

For the whole story, call Zilog Systems Division at (800) 841-2255. Or write: Zilog Systems Division, Corporate Publications, 1315 Dell Avenue, MS C2-6, Campbell, CA 95008.

*UNIX is a trademark of Bell Laboratories. Zilog is licensed by AT&T. DEC and DIBOL are registered trademarks of Digital Equipment Corporation. ICOS and Proxi are trademarks



PERSONAL COMPUTERS

billion. The compound annual growth rate for the six-year span will be 34 percent. Software will increase as a percentage of the total office personal computer market. In 1983, software constituted 19 percent of the \$7.4 billion office personal computer market. By 1989, it will constitute 22 percent of the \$37 billion U.S. office personal computer market.

The home computer software market grew from \$0.3 billion in 1982 to \$0.8 billion in 1983, a 167 percent rate. The 1984 growth rate will slow considerably but will still show an impressive 88 percent increase to \$1.5 billion. Home computer software will continue to grow faster than hardware and, by 1989, will be a \$5.8 billion business. Compound annual growth rate is projected at 39 percent between 1983 and 1989. Software constituted only 32 percent of the total home computer market in 1983, but that percentage should increase to 48 percent in 1984. By 1989, the software market will be almost as large as the hardware market.

Home computer software is growing as a portion of the personal computer software market. In 1983, home computer software constituted 36 percent of the personal computer market, and office software had the remaining 64 percent. In 1984, home computer software will have 40 percent of the market and office personal computer software will have 60 percent, and by 1989 home computer software will increase its share to 42 percent.

Standards haze begins to clear

The drive for standards is one of the strongest forces in the personal computer industry. De facto standards are not frozen and will continue to evolve with advancing technology. There will also be multiple standards—usually a primary and a secondary standard.

One standard, based on the CP/M-80 operating system and the Z80 microprocessor, is still alive but slowly declining in importance for office personal computers. However, the CP/M operating system, available on a ROM chip, is a good candidate for a home computer standard. The Apple II/IIe is another standard, despite Apple's effort to keep it proprietary. The Apple IIe is a hardware- and software-system standard, not just an operating-system standard. The IIe is well-positioned to become a home computer standard. The most important standard is the IBM PC, which is a hardware- and software-system standard.

The UNIX operating system, especially in combination with the 68000 microprocessor, is receiving attention as the next possible personal computer standard. UNIX will undoubtedly be very important in the minicomputer industry

and at the high end of the microcomputer market. But the characteristics of today's UNIX do not fit the personal computer market. Although UNIX has strengths as a shared-processor, multiuser system, LANs will dominate multiuser personal computer systems. Furthermore, UNIX is only an operating-system standard, but the personal computer industry needs hardware-and software-system standards that can take advantage of integrated, window-oriented, user-friendly application software. Can UNIX evolve to fill personal computer requirements? It is possible, but the probability is low.

For Winchester- and floppy disk-based personal computers, the primary standard is the IBM PC and XT architecture, which will continue to evolve and will be considerably more powerful by the end of 1984. There is room for another standard in this area, and the Apple 32 family, consisting of the Macintosh and Lisa, is a well-positioned contestant. However, Apple first must be willing to have a second source before it can become a standard.

The home computer industry has no standards. Contestants include the IBM PCjr, Apple IIe and CP/M.


The proliferation of personal computer products is having an impact on many other segments of the electronics and computer industry. Entertainment home computers are rapidly replacing or merging with video game machines and stunting the growth of dedicated videotex terminals. Videotex is expected to become an application of home computers.

Battery-powered personal computers are slowly penetrating dedicated and programmable terminal applications. Pocket, or hand-held, computers will replace hand-held terminals, or data-collection devices, and programmable calculators. Dumb terminals will lose market share to battery-powered and floppy disk-based personal computers. These personal computers have affected dedicated word-processing systems and have made inroads into the low-end minicomputer and small business computer markets. In the next few years, personal computer LANs will start eroding the popularity of multiuser minicomputers and small business computers.

The success of the personal computer industry relative to computer industry segments is due to a variety of factors, including the availability of application software, investment in manufacturing and technology and the efficiency of distribution channels.

Interest Quotient (Circle One) High 813 Medium 814 Low 815

Dr. Egil Juliussen is chairman of Future Computing Inc., Richardson, Texas, which specializes market research and business seminars for the office personand home computer industry. Juliussen is co-author of Future Computing's newsletter, FutureViews, and market research reports. Previously, he was product planner for microprocessors, minicomputers and personal computers at Texas Instruments Inc.



Right now some of your competitors are changing their strategy.

If you are an OEM or Systems
Integrator, some of your competitors
have already erased past memories.
They've found a new advantage and are
changing their strategy. A way to get
more performance and capacity for
their money.

The Tulin half-height 5.25" Winchester disk drive.

Raw capacity is one reason. We offer you a choice of 40, 26.7 and 13.34 megabyte designs. For more capacity now. And the option of adding more later.

Another reason is superior technology. Dynamic features like a space-saving motor that fits completely inside the spindle. And a read/write preamp that's built right inside the head/disc assembly — for better S/N ratio and protection from RF interference.

And while our drives deliver a lot of power, they don't use much.

Eastern Regional Sales Office 1 Speen Street Suite 240 Framingham, MA 01701 (617) 879-6667 Only 16 watts.

This superior technology will do a lot more for you than raise your customers' eyebrows. It'll also boost reliability as well. Our rotary actuator has only one moving part. Which means less to go wrong. And for the read/write heads we designed a dedicated landing zone. Which provides additional data security.

To order your evaluation unit, write or call us now: Tulin Corporation, 2393 Qume Drive, San Jose, CA 95131, (408) 942-9025, Telex 499-4365.

Because a lot of companies are finding room for us in their plans. A good reason we should be a part of yours.



Western Regional Sales Office 2393 Qume Drive San Jose, CA 95131 (408) 942-9025

See us at NCC, Booth D-3838 SOFTWARE

INTEGRATED SOFTWARE MOVES UP FAST

Packages
such as 1-2-3
and MBA have
advanced the
state of the
art, but true
integration
lies in
exploratory
environments
such as
Smalltalk and
with Al-based
homogeneous
environments

Todd L. Corenson, Enlon Associates

Most software packages handle one type of application, which requires a user to divide a multiapplication job into different tasks, each of which is performed by a different package. The user must conform to the limitations of the packages, which restricts creativity and lowers efficiency. Integrated software, on the other hand, combines frequently used applications, enabling users to perform jobs more naturally.

The current generation of integrated software, although a significant improvement over individual application packages, has neither completely removed the distinction between functions nor has it become flexible enough to adapt easily to individual needs. However, software developers are experimenting with new approaches that will overcome these drawbacks. As integrated software continues to improve, users are becoming more aware of its benefits. As a result, the integrated-software market is growing rapidly, with unit shipments expected to grow from 630,000 in 1983 to more than 8.5 million in 1987.

What is integrated software?

Integrated software consists of applications or functions that possess user-interface and data integration (Fig. 1). User-interface integration means that a user can view and manipulate applications in a similar manner. Data integration means that the user can employ the same information in more than one application by transferring or sharing data.

User-interface commonalities, such as a standard menu format and screen layout, let the user concentrate on a task rather than on interface mechanics. This decreases learning time for new applications because the user has only to learn the functions that are specific to an application.

An example of user-interface integration is Apple Computer Inc.'s Lisa microcomputer, which uses menus in a consistent manner, always presenting them across the top of the screen. Viewing and selecting from a menu requires the same user actions, regardless of the application. Furthermore, the contents of the menus for different applications are as similar as possible.

An interface that allows a user to view or work

USER-INTERFACE INTEGRATION

Attributes

Common commands and data entry

Uniform screen layout

Concurrent application processing

Multiple-application display

Application interaction

Composite documents

Homogeneous environment

Possible application commonalities

(can include one or more of above attributes)
Help facilities, menu facilities, programming facilities,
property sheets, input and output device handling, forms
management, formatting, report generation, graphics,
type styles, database management, documenting, user
profiling, archiving, window management

DATA INTEGRATION

Translation of file formats

Common file formats

Cut and paste

Linking

Fig. 1. Integrated software includes user-interface and data integration between applications, or functions. A variety of attributes can exist within these two categories.

SOFTWARE

on several applications at once prevents lengthy start-up and exit sequences that are normally required when a user switches between applications. The most common method of multiple-application display is windowing. Some systems present multiple applications simultaneously but allow only one active application at a time. Others, such as Concurrent CP/M 3.1 from Digital Research Inc., provide true multitasking through multiple active windows.

Data integration occurs in a variety of ways. The least sophisticated—translation of file formats and common file formats—requires a user to write data to an external file, run a translation utility if necessary and read the data into the destination application. The cut-and-paste technique is more convenient. With this technique, the user selects the data to be transferred, issues a cut (or copy) command and then executes a paste command at the desired location in the destination application.

Data transfer can be unlinked or linked. Unlinked data transfer requires that the source and the destination be explicitly specified for each

Fig. 2. Of the six segments, or product types, of integrated software, application families and uniform paradigms are currently most prevalent, but environment managers are expected to dominate the market by 1987.

INTEGRATED-SOFTWARE PRODUCT SEGMENTS Seament Characteristics **Examples** a group of integrated applications Perfect series by Perfect Application family usually provided by one vendor Software. pfs series by Software Publishing Corp. 1-2-3 by Lotus Uniform paradigm a package that can perform various functions using a single Development Corp., model or paradigm MBA by Context Management Systems DesQ by Quarterdeck Cluster manager a program that integrates existing unmodified applications Office Systems system software that provides Vision by VisiCorp, Environment integration capabilities to manager MS-Windows by Microsoft Corp. modified or possibly unmodified Apple Computer Inc.'s applications Lisa and Macintosh Exploratory integration of operating system, Smalltalk-80 by Xerox applications, programming environment Computer Services language and data Homogeneous an environment in which objects will require artificialenvironment are not constrained to have a fixed intelligence concepts set of properties or operations that for implementation: products are expected at can be performed on them and in which meaning is inferred from the end of the decade context and perceived user intention

transfer. With linked data transfer, the source and destination are connected so that changes in the source are reflected automatically in the destination. The changes in the destination can be immediate (dynamic linking) or can occur later (latent linking), such as when the destination is next accessed or when the user requests an update. Packages such as Lotus Development Corp.'s Symphony provide dynamic linking.

Four product types dominate

Integrated software can be divided into six segments (Fig. 2), of which exploratory environments are available only on a limited basis and homogeneous environments are still experimental.

Application families, the first form of integrated software, typically provide a low level of integration because they were developed as vendors began to extend product lines. Because each package in a family is independent, application families do not allow multiple applications to be displayed concurrently. Achieving user-interface commonality requires programmers to adhere to the interface standards developed for a family. Users typically perform data transfer via external files. Application families are popular for use on portable computers such as Kaypro Corp.'s microcomputer, which comes bundled with the Perfect series by Perfect Software.

Uniform paradigms came on the scene with the introduction of Context MBA from Context Management Systems, followed by 1-2-3 from Lotus. The primary problem with this type of software is that the model chosen as the paradigm may not be appropriate for all applications. For example, a spreadsheet model is not the best way to represent a complex database. However, uniform paradigms are relatively compact and efficient because they have large amounts of shared code and data. Paradigms are prevalent on machines ranging from portables to Winchester-based microcomputers.

Cluster managers meet the needs of users who have built a library of software packages but still want integration. Cluster managers provide data integration and multiple-application display but do not offer a uniform interface across packages. Another problem results from applications that bypass the operating system to reference the hardware directly. Such applications may not operate under a cluster manager or may be only partially operational. Cluster managers will be popular on diskette-based systems because of the large installed base of application software on these systems.

Environment managers offer a high degree of integration because all applications use a common set of facilities for user interaction and data

Smalltalk-80 highlights object-oriented software


Xerox Corp.'s Smalltalk-80 consists of a virtual image and a virtual machine. The virtual image is a collection of objects that defines the language compiler, the user interface, the basic data structures and the utilities. The virtual machine implements the architecture of the object world.

An object is an entity that consists of private memory and methods. The contents of the private memory determine the state of an object. Methods specify the operations that can be performed on an object. A method is similar to a procedure in conventional languages.

Objects send messages to other objects (analogous to procedure calls in standard languages) in the course of executing their methods (see Figure). A message consists of the name of a receiver (EvalWPs in the figure), the selection of a method to invoke (calc-Duration) and parameter objects (Tim, Dick, Adele). The recipient of a message returns an answer object when it completes execution of the requested method. Some messages are not sent to other objects but are executed directly by the virtual machine.

Object-oriented software is suitable for a wide range applications. The figure shows a project-scheduling application in which the goal is to select the most appropriate personal computer wordprocessing program for a company department. To start, a project, SelectWP, is instantiated from class Project (A). The project consists of a number of tasks (B) such as those to list the available packages, determine the selection criteria and evaluate the word processors (EvalWPs). Each of the tasks can be represented by an instance of class Task. SelectWP points to the array Sel-WPTasks, which contains the individual

Private memory for Task EvalWPs consists of five variables, which are pointers to other objects (C). The variables are description (a description of the task), duration (the time required to complete the task given the allocation of certain resources, or persons), dependencies (other tasks that must be com-



pleted before this one can begin), resources (a list of people to be assigned to the task) and dates (begin and end dates for the task). The task also implements three categories of methods: initialization, change components and computations.

In the figure, SelectWP is sending a message to EvalWPs to calculate the duration of the task, assuming that three people are to be assigned to the task. SelectWP might, for example, use the result of the calculation to help determine if these are the most appropriate people for this task.

179

SOFTWARE

Environment managers offer a high degree of integration because all applications use a common set of facilities for user interaction and data transfer.

transfer. Application developers use the environment facilities to keep programs compact and to avoid unnecessary development work. An environment manager is best implemented as an extension to an operating system. Microsoft Corp. took this approach with MS-Windows, an extension of MS-DOS. Apple has done likewise with the Macintosh and Lisa microcomputers. The company has installed the Macintosh's environment manager in ROM, leaving more RAM for applications.

Some environment managers, such as MS-Windows, include the capabilities of a cluster manager, which allows the environment to use current software packages. Users that have grown accustomed to a particular package may be able to use that package in conjunction with this type of environment manager.

Environment managers are generally more powerful and convenient to use than application families, uniform paradigms and cluster managers. Thus, they are expected to become the dominant type of integrated software on systems that include the necessary hardware. The typical environment manager requires a hard disk and 512K bytes of RAM.

Exploratory environments

Exploratory environments such as Xerox Computer Services' Smalltalk have been available for many years, but their use so far has been restricted mainly to the computer science community. This is starting to change as the benefits of exploratory environments become more widely known and the machines with requisite capabilities fall in price. The emergence of less-than-\$10,000 full 32-bit microcomputers with high-resolution, bit-mapped displays, as well as the availability of very-large-scale-integration hardware, will spur acceptance of the exploratory environment.

Smalltalk-80, which is based on the concept of interacting objects, is an exploratory environment expected to become more popular in future years. Object-oriented software is very flexible, allowing all facets of the environment to be modified or extended to develop new applications (see "Smalltalk-80 highlights object-oriented software," Page 179).

Environment managers such as VisiCorp's Visi^{On} require a separate tool kit distinct from the end-user environment. With object-oriented software, the developer works within the standard end-user environment. The result is that application-development time is reduced, ad hoc development and minor modifications to applications are easier, and applications are improved because the developer has a better appreciation for the end-user environment.

Object-oriented software facilitates system enhancement because of its modularity. The programmer can modify the internal algorithms and variables of an object without disrupting the rest of the system. Object-oriented software also facilitates application customization because the capabilities of existing objects can be used to construct new objects.

Another benefit of object-oriented software is that it has a high degree of data sharing. All objects can reside in one address space and be




Fig. 3. A composite document consists of a combination of objects. One way to display a composite document is with overlapping windows. If a user changes the data in one window, any linked windows will be dynamically updated whether or not the windows are in the same document. For example, changing "25" to "30" in the middle document would update the two pie charts as well as the "25" in the top document.

Raging C.

Concise structure and fast execution make C the ideal language for applications and system-level programming.

And compared with other MS[™] DOS C compilers, Microsoft® C consistently produces the fastest

executable code.

It supports the full C language and includes an extensive library of subroutines that implement most UNIX compatible functions.

Small, medium, compact, and large memory models give you flexibility in selecting the addressing requirements of your software. Programs can be designed to make

MICROSOFT effective use of The High Performance Software the available memory of your computer, up to

one megabyte.

Microsoft C Compiler provides you with a complete development system including the compiler, run time library, linker and library manager, and full support of MS-DOS 2.0 directory structure (pathnames) and I/O redirection.

How do programmers feel about Microsoft C?

"In the top category for its quick compile and execution time, small incremental code, best documentation, and consistent reliability."**

-Ralph Phraner, BYTE Magazine

"Best for software development."

—Bill Hunt, PC Tech Journal

"Produces good, tight-running programs."

-Peter Norton, Softalk

Call 800-426-9400 to order the raging C. \$500*

In Washington State, call 206-828-8088. Ask for operator B6, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft C in action.



*Price exclusive of handling and Washington State sales tax.

Microsoft is a registered trademark and MS is a trademark of Microsoft Corporation

UNIX is a trademark of Bell Laboratories.

**Reprinted with permission, BYTE Magazine, August '83.

CIRCLE NO. 96 ON INQUIRY CARD

More professional software is duplicated on FORMASTER than any other

Sorcim

Digital Research Sierra On-Line

Context Management

VisiCorp

Lotus

system.

Protects your programs

FORMASTER's unique CopyLockTM protection software prevents unauthorized reproduction. It's the most effective solution to the piracy problem.

Easy, reliable operation

Anyone can operate FORMASTER duplicators. Just load and press one button. It's that simple — and reliable.

For good reasons.

All the best known software publishers have chosen FORMASTER systems for diskette duplication and piracy protection because they're fast, flexible, and easy to use. Plus, they are proven reliable and cost effective.

Copies over 300 per hour

FORMASTER systems duplicate up to 326 fully verified copies per hour. That's ten times faster than a microcomputer. And with a FORMASTER jam-proof automatic loader, you can cut handling time by up to 90%.

Duplicates all known formats

FORMASTER systems copy all existing 8", 51/4" and 3½" diskette formats, including complex GCR. As new formats are required, FORMASTER responds immediately.



The first choice

FORMASTER has the complete solution for software production: handling, duplicating and labeling. So, for more about the diskette duplicators that have become the first choice of all the best known software publishers, contact the sales department at FORMASTER Corporation, 1983 Concourse Drive, San Jose, CA 95131. Telephone (408) 942-1771.

In Europe: FORMASTER U.K. Corporation, Milton House, 172-184 Bath Road, Slough, Berks. SL1-3XE, England. Telephone (0753)820981.

The Leader in Software Production Technology

SOFTWARE

accessed from all other objects. When a user performs a cut-and-paste operation between applications, data may seem to move from one place to another, but it may be necessary only to move a pointer.

Homogeneous environments

The ultimate in integrated software would be a system that merges application packages without sacrificing capability or flexibility. One goal of such a homogeneous environment is to provide for the use of composite documents—documents that may contain more than one kind of structure (Fig. 3). For example, a composite document could include a portion of a spreadsheet in one location and different varieties of text in other locations without window boundaries between them. Each kind of structure has data and properties associated with it and responds to certain operations. Text, for example, has a character string as its data and properties such as font style and size. Text responds to editing commands like "insert" and "search."

Object-oriented software is a natural way to implement composite documents. Two commercial products that use composite documents are Xerox Corp.'s Star workstation and Gavilan Computer Corp.'s portable microcomputer running the company's proprietary operating system.

The problem with current implementations of composite documents is that the component objects have a rigid set of properties. Objects cannot behave intelligently based on context. As artificial-intelligence research advances, homogeneous-environment software will become available. Homogeneous environments will then be able to understand natural language, perceive user intentions and perform intuitively.

Integrated-software packages for personal computers were introduced in 1982, and approxi-

mately 50,000 units were sold worldwide that year. One year later, sales leaped to 630,000 units. Lotus' 1-2-3 accounted for close to 200,000 units shipped. Application families such as those from Perfect Software, Software Publishing Corp. and Chang Laboratories Inc., as well as integrated solutions from Japanese hardware vendors such as Epson also showed rapid sales growth. By 1987, shipments of integrated-software packages are expected to reach 8.5 million units (Fig. 4).

Approximately 30 percent of integrated software sold in 1983 was bundled with hardware. By 1987, that figure should rise to nearly 70 percent, much of which will be "extended" operating systems. Major players following this trend will probably include Microsoft, Apple and IBM Corp. Microsoft's MS-Windows runs with MS-DOS, and future implementations of MS-DOS will probably include MS-Windows.

Future versions of Apple's Macintosh and Lisa families will also follow the trend toward extended operating systems. Macintosh applications can run only under the Macintosh environment, but Lisa users have the choice of using the Macintosh or Lisa environments or UNIX. Models of IBM's soon-to-be-announced high-end personal computer, which is based on the Intel 286 processor, are also expected to be sold with an environment-manager/operating-system combination.

Since an increasing percentage of integrated software will be bundled, revenues will not rise as fast as unit shipments. Integrated-software developers collected approximately \$120 million in 1983, almost half of which—\$53 million—went to Lotus. By 1987, integrated software is expected to account for almost \$700 million in sales, representing a 55 percent compounded annual growth rate.

In 1983, sales of application families and uni-

Unit shipments of integrated-software packages went from 50,000 in 1982 to 630,000 in 1983 and are expected to top 8.5 million in 1987.




Fig. 4. Worldwide integrated-software unit shipments are expected to grow at a compounded annual rate of more than 90 percent between 1983 and 1987. Propelled by prod-

ucts from Microsoft, Apple, IBM and Lotus, environment-manager packages are expected to capture 70 percent of the market by 1987.

SOFTWARE

Objectoriented software facilitates enhancement because of its modularity. form paradigms dominated the market. The bundling of the Perfect Software series on Kaypro systems represented a large share of applicationfamily sales while Lotus sold more than 80 percent of the uniform paradigms. Apple's Lisa represented the bulk of environment-manager shipments. By 1987, market shares for the integrated-software product segments will have shifted dramatically. Propelled by sales from Microsoft, Apple, IBM and Lotus, environment managers are expected to capture 70 percent of integrated-software shipments. Exploratory environments, although expected to represent only 1 percent of the market in 1987, are expected to show significant sales growth by the end of the decade.

The next few years should see the announcement of integrated-software packages for highend personal computers running UNIX and commercial exploratory environments, particularly Smalltalk-based products. Homogeneous environments, which should be available by the end of the decade, will probably be a result of fifth-generation computer research. As such, the first introductions may come from Japanese vendors trying to leapfrog American manufacturers.

In the U.S. market, exploratory environments are expected to gain a significant foothold initially among OEMs and system integrators. These distribution channels will be strongly attracted to environments such as Smalltalk because the object-oriented nature of systems like Smalltalk permits rapid customization. An accounting system, for example, could be easily modified for a business or geographical region. Using a set of core applications, a value-added reseller could customize a system for a user.

Todd L. Corenson is a principal at Enlon Associates, a Cupertino, Calif., marketing research and software development company. Mr. Corenson was previously with Tymshare Inc., where he served as a manager of operating systems development.

Interest Quotient (Circle One) High 816 Medium 817 Low 818

Solid-State Disc Replacement

Dramatic increases in throughput. Outstanding reliability.

- Capacities to 80 megabytes
- 10 megabytes in 7-inch chassis
- Interfaces to most minicomputers
- · Battery back-up

When used as a disc replacement, the high speed, non-rotating MegaRam provides the software compatibility of a disc with the performance of main memory. Ideal for swapping, scratch files, overlay storage, process control, telecommunications, graphics, data acquisition, array processing, etc.

Let us show you how the MegaRam can enhance the performance of your computer while providing outstanding reliability.



Imperial Technology, Inc.

831 S. Douglas Street • El Segundo, California 90245 • Telephone: (213) 536-0018

CIRCLE NO. 98 ON INQUIRY CARD



CIRCLE NO. 99 ON INQUIRY CARD

MOVING UP TO UNIX?

Don't Scrap Your Fortran Programs And Files,



FORTRIXT THEM!

At last you're stepping up to UNIX! You probably can't wait to get your hands on the power, productivity, portability and standardization that a system operating in C-language will give you. But what about the programs and files you've built over the years in FORTRAN? They represent a significant investment in time and effort. So why scrap them? Save them with FORTRIXTM—C, the program that converts FORTRAN code to C-code at approximately 600 lines per minute!

And not only will FORTRIXTM—C salvage your FORTRAN material, it will also help you to learn coding in C-language as you compare your own familiar FORTRAN programs with the corresponding C-language programs automatically generated by FORTRIXTM—C.

FORTRIX™—C is supplied complete, and runs asis. Special programs needed to account for your particular UNIX environment will be included in your package, even if they're not available in the standard C libraries.

FORTRIXTM—C can make the transition from FORTRAN to C as painless as a simple boot-up. While saving you a boot-full of money! Find out more now. Call us at [212] 687-6255 or fill out the coupon and mail to Rapitech Systems Inc., 565 Fifth Avenue, New York, NY 10017

Rapid Solutions from Rapitech™ Systems Inc.

Dear Rapitech;

Yesl I'd like my FORTRAN programs and files to move up to UNIX with me. Send full details about FORTRIXTM—C to:

NAME

COMPANY _

_ TITLE__

ADDRESS __


_____ STATE_____ ZIP_

TELEPHONE _

Available for any UNIX and XENIX system including IBM CS9000.

CIRCLE NO. 100 ON INQUIRY CARD

HIGH PERFORMANCE IS JUST ONE OF THE MANY BENEFITS OF THE ULTRA INTERACTIVE DATA BASE SYSTEM.





In both scientific and commercial DEC™VAX™ environments, the ULTRA INTERACTIVE DATA BASE SYSTEM™ achieves consistently high levels of performance for your production applications. But along with high performance, the system was designed to provide a wide spectrum of other benefits to the VAX user. Here are six:

Insulation From Change
The ULTRA INTERACTIVE DATA

BASE SYSTEM's In-Line Directory
and Logical User View (LUV) provide data
structure independence that insulates applications from the effects of change. As a result,
your application investment is thoroughly
protected.

Reduced Time, Cost & Effort
Because LUV provides a relational
approach to interactive information
processing, development time, maintenance
and training are all greatly reduced. And with
the ULTRA INTERACTIVE DATA BASE
SYSTEM's high level, four verb Data Manipulation Language, there is significantly less
coding, less testing and faster system
implementation.

4th Generation Query & Reporting
The Intelligent Query and Reporting
facilities enable users to satisfy their
ad-hoc requests with an easy to use query
facility which provides features such as online sorting, full Boolean extraction and
arithmetic operations to model "what-if" situations. As a result, both programmers and
end-users are more productive.

Through the use of sophisticated task level recovery and failsafe processing techniques, both physical and logical data integrity is ensured automatically.

"Always-Up"
The DBMS features an Always-Up
facility which allows for some or all of
the physical data to be duplicated in real-time.
This "shadow recording" provides non-stop
processing capabilities and is especially useful where downtime must be limited to
seconds or minutes.

For VAX users implementing or now operating multiple data bases concurrently, the ULTRA INTERACTIVE DATA BASE SYSTEM provides a common approach to building both business and scientific applications.

To Find Out More

These are just six of the many benefits your DEC VAX environment can realize by implementing the ULTRA INTERACTIVE DATA BASE SYSTEM. For a complete brochure filled with more benefits, or for a demonstration, contact the:

Cincom Marketing Services Department, 2300 Montana Avenue, Cincinnati, Ohio 45211.

800-543-3010

(In Ohio: 513-661-6000) (In Canada: 416-279-4220)

Cincom Systems

Excellence in Software Technology.

CIRCLE NO. 101 ON INQUIRY CARD

Archive's to building



approach 4"streamers.

Mass production.

Our goal was to create a design so simple and a production line so unerringly accurate that we could

turn out 1/4" streamers by the thousands with cookie-cutter consistency.

At Archive, that goal was met. In the last three years, we've shipped more than 50,000 streamers—nearly three times as many drives as the rest of the industry combined.

Others are still learning how to build streamers in quantity. But we per-


fected our production process years ago.

Today we're shipping over 5,000 streamers each month. And everything is in place to boost our capacity to 15,000 streamers per month.

Of course we haven't sacrificed quality for quantity. Our 98% reliability rate

is among the industry's best.

But still, we're improving our products. For example, our recent advancements in LSI technology have reduced the number of parts in our newest streamers by 40%. So there's even less of a chance that something will go wrong.



You'll like our approach to mass production. It means if anyone is going to be able to turn out a perfect batch of streamers, it's Archive. For more information, write Archive Corporation, 3540 Cadillac Avenue, Costa Mesa, CA 92626. Or call (714) 641-0279.

Archive offers 8," 5¼" full-height and 5¼" half-height streaming tape drives.

ARCHIVE

3½-inch computing is ready when you are.

Media, drives, software. Everything you need is here now.

Dysan 31/4" Flex Diskettes". Personal computing is getting more personal. Smaller, lighter, more portable.

How small will it get? Frankly, we don't know. But we're confident that 31/4" is the next step on the way down.

Because everything you need to get the most out of 31/4"

computing is here now. In spades.

The story starts with our 31/4" one megabyte Flex Diskettes. They're built on the same tried and true technology as the larger Dysan diskettes you use today. But with some very interesting innovations.

Like a durable metal hub that provides long-term read/write stability and accuracy.

A flexible combination of media and jacket, free from rigid metal shutters and fragile plastic parts.

And plastic carrying pouches that protect one to five diskettes. In your pocket. Or in the mail.

It all adds up to reliability. Dysan 31/4" Flex Diskettes are guaranteed to be 100%

bit error-free. And durability. They're backed by a fiveyear limited warranty.

3¼" Floppy Drives. Simply put, 3¼" floppy drives are 5¼" drives refined. And cut down to size.

They're generally ¼ the size and ½ the weight of 5¼"

Yet 31/4" drives plug right into today's personal computers. All that's required is less space.

Best-selling software in 31/4". There's just one last thing necessary to turn 31/4" diskettes and drives into 31/4" computing.

Software.

And Dysan Series Software ™ has already solved that problem by licensing and converting scores of best-selling programs to 31/4". Programs from DRI, Microsoft, Sorcim, Peachtree, Pearlsoft, ADS, ADI America and more.

> It's where personal computing is going. We'd be remiss if we didn't point out that 31/4" computing isn't just Dysan's

good idea.

31/4" diskettes are being manufactured by several suppliers. So you're always assured of an abundant supply of quality media.

And 31/4" floppy drives are being built by a number of leading manufacturers. Including Tabor, Seikosha, MPI

and, soon, Seagate.

That's the 31/4" story. Quality diskettes, reliable drives and a great selection of software.


It's where personal computing is going. And it's ready when you are.

Call Toll-Free (800) 551-9000 for complete information about 31/4" computing.

> Dysan Corporation 5201 Patrick Henry Drive Santa Clara, CA 95050 (408) 988-3472

Dysan is a registered trademark, Flex Diskette and Dysan Series Software are trademarks of Dysan Corporation. Copyright 1984, Dysan Corporation.





UNIX ESTABLISHES A GROWTH PATTERN

Thanks to AT&T, IBM and 20 other manufacturers, the UNIX market should double this year James R. Groff, Plexus Computers Inc.


This year may well go down in the record books as the year UNIX finally shifted from a quiet, sandlot ballgame into the major leagues. The two biggest players, American Telephone and Telegraph Co. and IBM Corp., have entered the market with their first UNIX offerings, while nearly 20 other manufacturers are shipping UNIX-based systems in volume. UNIX-based software is becoming more widely available, with the AT&T and IBM announcements stimulating even more development. And the search for a UNIX standard seems to be near an end.

Industry analysts differ widely in their estimates of the size of the "UNIX market" (see figure, below). The most conservative forecasts call for shipments of nearly 100,000 UNIX-based systems in 1984, and nearly all agree that 1984 shipments will be roughly double 1983's.

Part of the difficulty in sizing the UNIX market is in knowing just what to count. UNIX now runs on systems ranging from IBM PCs to VAX-11/780s and mainframes. Within this range, to-day's UNIX systems tend to group themselves into five segments, based on the number of users they support (see table, Page 192).

UNIX-based personal computers form the low end of the market. In addition to IBM's Personal Computer Interactive Executive (PC-IX), there are third-party versions of UNIX available for the IBM PC, Apple Computer Inc.'s Lisa, Radio Shack's TRS-80 model 16 and others. Despite these inroads, though, UNIX still plays a minor role in the personal computer market, which is dominated by MS-DOS-based systems. However, UNIX does play a major role in the crowded "four-user" market segment. These entry-level multiuser systems feature a single-boardcomputer design with a 16-bit microprocessor, 51/4-inch peripherals and a UNIX port from such vendors as Microsoft Corp. or Unisoft Systems Corp. Systems from Fortune Systems Corp., Altos Computer Systems and Onyx Systems Inc. appear in this segment.

Heavier multiuser work loads demand the more complex systems that comprise the "eight-user" market segment. These systems offload character I/O onto hardware with direct-memory access capability and use higher-performance



Industry analysts differ in their forecasts of the size of the UNIX market, but all agree on rapid growth for the next several years. SOFTWARE

Market segment	Typical no. of users	Architecture	Peripherals	Main memory (K bytes)	List price (\$000)	Dominant operating system
"1-user"	1	personal computer	51/4-in. disk, floppy backup	256-512	5–8	MS-DOS
"4-user"	2–6	single-board computer	51/4-in. disk, floppy backup	512-1,024	8–15	UNIX
"8-user"	6–10	separate I/O processor with DMA	51/4-or 8-in. disk, cartridge tape backup	512-1,536	15–25	UNIX
"16-user"	12–20	multiple processors, buses	8-in. disk, cartridge or 9-track backup	1,024-4,096	40–80	UNIX
"32-user"	24-100	minicomputer	14-in, disk, 9-track backup	2.048+	100+	vendor-specific

UNIX aims at five market segments, based on the typical number of users per

typical number of users per system. It is the dominant operating system in all segments except the extreme low and high ends.

8-inch Winchester disk drives. At approximately \$20,000 per system, these systems are popular with OEMs and value-added resellers. A few vendors, pursuing minicomputer-level performance in a UNIX-based microcomputer, have moved to more complex, multiprocessor architectures. These systems constitute the "16-user" segment and compete with the PDP-11/70 and VAX-11/730. Prominent vendors in this category include Plexus Computers Inc., Convergent Technologies Inc. and several start-up companies with fault-tolerant multiprocessor systems.

The high end of the UNIX market is the province of the superminicomputers. The VAX-11/780, Eclipse MV series, AT&T's 3B20 and systems from Pyramid Technology Corp., Gould Inc. and Perkin-Elmer Corp. constitute this segment. In contrast to microprocessor-based systems, these machines use custom processors to achieve high performance. UNIX plays an important but secondary role in this market segment, which is dominated by vendor-specific operating systems such as VMS and AOS.

UNIX users undergo change

The five-segment UNIX market of mid-1984 is a snapshot of a market that continues to experience rapid change both in the systems being offered and in the customers who buy them. Until about 1982, the majority of UNIX users were UNIX veterans—programmers in universities, research concerns and software-development companies. By mid-1982, minicomputer OEMs had begun to discover the per-dollar performance and vendor independence that UNIX-based microcomputers offer. Government agencies also seized on UNIX as a way to minimize the compatibility problems that plagued their multivendor installations. UNIXbased microcomputers combined with UNIXbased application software became turnkey systems for commercial data processing. The ultimate users of these systems are no longer programmers but clerks, secretaries and computer operators.

The trend toward application-specific use of UNIX systems is continuing, and the general-

purpose UNIX-systems market is fragmenting into specialty markets. The four-user segment is fast becoming a commodity market, with emphasis on price and availability. Higher-performance microcomputer-based systems are targeted at commercial data processors with a focus on multiuser performance and OEM resellers. Other vendors, such as Masscomp, have tuned their systems for real-time performance and targeted the engineering/scientific market. Still others have added graphics support to UNIX to create a UNIX-based computer-aided-design/ computer-aided-manufacturing workstation market. As the trend toward specialization continues, successful UNIX system vendors will likely be those that target their machines to specialty markets.

UNIX trends imply standardization

One of the brightest developments in the UNIX market is the growing availability of UNIX-based application software. UNIX software packages listed in the /usr/group catalog, for example, have grown from 300 in the 1982 edition to 450 in 1983 and should exceed 700 in 1984.

The move toward standardization on AT&T's UNIX versions is perhaps the most important stabilizing force in UNIX software. At the critical system-call interface—the interface between application packages and the UNIX kernel-AT&T has now made a commitment to stability and upwardly-compatible evolution. The move from System III to System V to System 5.2 has been relatively painless compared with earlier upgrades. There are still pockets of enthusiasm for the University of California at Berkeley's UNIX versions and various UNIX look-alikes, but the System V bandwagon is very strong. This strength gives application developers a fixed, stable foundation on which to build their software.

Three important sources of UNIX-based application software have emerged. First, several minicomputer and mainframe applications have been converted to run under UNIX with the aid of cross compilers and conversion tools. Second,

You're challenging the limits of 51/4" drives.

And so are we.



Introducing the 51/4" high-density Maxell.

Tomorrow, our technology could help turn your theory into reality.

Where will new drive capabilities come from? Your vision. And our ability to envision the disks they demand.

When a new high-density 5½" flexible drive went on the drawing board at YE Data, we went to work on a disk that matched its unprecedented 2,000,000 byte capacity. Compressing our oxide layer to a mere one micron, we achieved a 15,000 BPI recording density at 600 oersted resolution. And made a remarkable theory a reality.

What's next? You tell us. In the meantime, we'll be making 8," 51/4" and micro floppy disks that lead the industry in error-free performance and durability. Disks made to specifications so exacting, the only standard is our own. The Gold Standard.

Maxell_®

Maxell Corporation of America, 60 Oxford Drive, Moonachie, N.J. 07074 201-440-8020



Key in on Your Hot Prospects

with Mini-Micro Systems 13th Annual Mini-Micro Computer Market Report

Site Count

This year Mini-Micro Systems readers will spend \$50 billion on minicomputers, microcomputers, peripherals, software and supplies. The 13th annual Mini-Micro Computer Market Report outlines 8,511 sites (buying centers) representative of the explosive value-added market. Data is available in the following formats:

MAGNETIC TAPE OF COMPLETE DATABASE

F or those marketers who wish to receive all the information and be able to generate their own analysis, the complete database is available on magnetic tape. Data includes:


- 1983 Expenditures for minicomputers, microcomputers, peripherals, and software.
- 1984 Estimated Expenditures for minicomputers, microcomputers, peripherals, and software.
- Geographical Regions
- Type of Organization
- Minicomputers/Microcc.nputers purchased in 1983 and those installed in prior years: Vendor name and model number Units acquired Major applications
- Minicomputers/Microcomputers planned 1984 burchases:

Vendor name and model number Units planned to be acquired Major applications Sites planning to change major vendor Fail-safe computer operations Electronic office functions

- Boston (617) 536-7780
- Chicago (312) 635-8800
- Dallas (214) 980-0318
- Denver (303) 388-4511
- Los Angeles (213) 826-5818
- Mid-Atlantic (215) 293-1212
- in New York (212) 724-1790Orange County (714) 851-9422
- Northern California
- & Northwest (408) 243-8838
- Southeast (404) 955-6500

Cahners Publishing: Publishers of 33 specialized magazines bil Building & Construction, Electronics & Computers, Foodservice, Manufacturing, Healthcare

Mini-Micro Systems



PRESELECTED LISTS AND MAILING LABELS

All selections are available as a listing or as cheshire or pressure sensitive labels. Cross tabulations of categories are also available.

■ Total sites surveyed......8,511

■ Sites by planned 1984 expenditure levels \$50,000-99,999. 4,829 \$100,000-249,999. 3,582 \$250,000-499,999. 2,218 \$500,000 or more 1,403 ■ Sites planning to install integrated electronic office functions in 1984. 1,642 ■ HOT PROSPECTS... Sites planning to change major vendors in 1984. 1,085 ■ Value-added OEMs and third parties. 3,110

■ Value-added user sites......4.813

13th ANNUAL MINI-MICRO COMPUTER MARKET REPORT

All data is available in a 200-plus page bound report for \$495. In addition to an executive summary, the report's tables include:

- 1983 Unit expenditures
- Type of Organization
- Geographical Regions
- Current Computer Vendors
- 1984 plans for: switching vendors unit expenditures fail-safe computer operations electronic office functions

For more information on prices, list selections, and the MINI-MICRO SYSTEMS Market Report, fill out and send the coupon below.

Mini-Micro Systems

Please send copies of the 13th A the address below. (Please make checks p		
Please send more information on		
The complete Mini-Micro Compu	ter Market Database	Preselected lists and mailing labels
The 13th Annual Mini-Micro Co	mputer Market Database	
Name	Attick Laure	A Gallerian Comment
Title		
Company	Ki je ka dijevece	
Address		
City	State	Zip
Telephone ()		
MINIMICRO SYSTEMS COMPLITER MARK	CET REPORT 221 Columbu	s Avenue Boston MA 02116

World's largest local distributor with 48 locations stocking the finest lines of electronic components and omputer products

ALABAMA (205) 837-7210

ARIZONA (602) 231-5100

(602) 231-5100
CALIFORNIA
L.A. (213) 558-2345
S.F.V. (818) 700-2600
O.C. (714) 754-6111
In. L.A. (213) 558-2121
In. S.F.V. (213) 558-2121
In. O.C. (714) 641-4100
ento (916) 925-2216
Ingo (619) 571-7510
Incisco (408) 743-3355 vnet, L.A.
vnet, S.F.V.
vnet, O.C.
amilton, L.A.
amilton, S.F.V.
amilton, O.C.
acramento
an Diego
an Francisco

COLORADO (303) 779-9998

CONNECTICUT (203) 797-2800 anbury

FLORIDA sburg (813) 576-3930 (305) 971-2900 (305) 628-3888 (305) 725-2700 Petersburg liami Irlando lelbourne

GEORGIA (404) 447-7507 tlanta ILLINOIS hampaign

(800) 625-8654 (312) 860-7700 INDIANA lis (317) 844-9333

dianapoli

KANSAS ansas City (913) 888-8900 (800) 532-6720

KENTUCKY (800) 428-6012 (800) 543-4783 exington

MARYLAND e (301) 995-3500 MASSACHUSETTS oston (617) 273-7500

MICHIGAN letroit (313) 522-4700 irand Rapids (616) 243-8805

MINNESOTA polis (612) 932-0600 MISSOURI (314) 344-1200

NEBRASKA incoln/Omaha (800) 255-6702 **NEW JERSEY**

(201) 575-3390 (609) 424-0100 herry Hill NEW MEXICO uerque (505) 765-1500

NEW YORK ong Island (516) 434-7421 (315) 437-2641 (716) 475-9130

lyracuse lochester NORTH CAROLINA

OHIO (216) 831-3500 (614) 882-7004 (513) 433-0610 Cleveland

Dayton OREGON (503) 635-8831 ortland

columbus

PENNSYLVANIA
Philadelphia (215) 831-1300
Pittsburgh (800) 321-6890

SOUTH CAROLINA umbia (800) 334-1597 Columbia

TEXAS (214) 659-4111 (713) 780-1771 (512) 837-8911 Houston Austin **UTAH**Salt Lake City (801) 972-2800

WASHINGTON (206) 453-5844

WEST VIRGINIA leston (800) 543-4783 ington (800) 543-4783 Charleston Huntington

WISCONSIN Milwaukee (414) 784-4510 INTERNATIONAL EXPORT Milwaukee (213) 558-2441 (516) 997-6868 66-4329 New York Telex

CANADA ADA (416) 677-7432 (514) 335-1000 (613) 226-1700 (403) 230-3586 (604) 224-0619 (604) 272-4242 Montreal Ottawa Calgary

JAPAN (03) 662-9911

SPARES AND SUPPLIES 1-800-325-5699 (U.S.) 1-800-821-7389 (California) 1-800-821-3798 (Canada)

JOIN US IN SUPPORT OF THE 1984 U.S. OLYMPIC TEAM.

O FIRST CLA AND RELAX



DIABLO from HAMILTON/AVNET

No matter how many printers you have to buy and maintain, you should still be able to relax

FIRST CLASS PRINTERS. At no extra cost from Diablo, rated the world's top printer company for two years in a row.* The selection that won Diablo that rating includes its popular 630 daisywheels. Now 630 printers are government-certified, TEMPEST qualified. And there's a special 630 just for IBM personal computers!

GUARANTEE, TOLL FREE AND MORE. First class service from Hamilton/Avnet starts with demos at our facility. Then evaluations online with your system. After that, you get an additional 90-day trial period after purchase, covered by a money-back guarantee! We also offer leasing and printer modification services. And a toll free number (see listing here) for instant delivery of spares and supplies. It's also the number to call for extended warranties and service

Hamilton Avnet

SUPPLIER OF ELECTRONIC OMPONENTS AND COMPUTER PRODUCTS TO THE U.S. OLYMPIC COMMITTEE.

From January 1 through July 31, 1984, \$.50 of each \$500 of Diablo orders shipped will be donated to the U.S. Olympic Committee. Help us support our 1984 Olympic Team.

CIRCLE NO. 105 ON INQUIRY CARD

contracts which let you take advantage of nationwide Xerox Service Centers. Call our Computer Product Specialists or send in the coupon. Then relax, you're going first class!

FREE FIRST CLASS SPORTS BAG AND LUGGAGE TAG!

Yours for sending this coupon to: Electro Ad Agency, Box 2647, Culver City, CA 90230

NAME TITLE COMPANY DIVISION STREET

MAILSTOP CITY STATE PHONE

Closest Hamilton/Aynet location Please check items of interest to you.

Product Literature Free Demonstration Online Evaluation Quantity Discounts

For luggage tag, be sure to enclose business card.

A commitment to stock and serve your local market!

Free offer expires September 28, 1984. One free gift per customer.

DATAMATION survey, 1983 and 1983.

Guaranteed Portability for your real-time systems.

C EXECUTIVE


A real-time, multi-tasking, ROMable monitor for C and Pascal programs.

Now you can have a portable base for embedded systems that lets you grow from 8- to 16- to 32-bit systems. JMI's C EXECUTIVE permits multiple C and/or Pascal programs to run in a minimum hardware configuration when disk sub-systems are not appropriate. Only main memory is required.

C EXECUTIVE is especially suited for high volume, low cost board level products for instrumentation, control, data acquisition, and other real-time applications.

Features

- Real-time, fully-preemptive task scheduler.
- ROMable—supports combination RAM and ROM systems.



- High Level Language Support
 —written in C, provides built-in interface to user applications code. Also supports Pascal and BASIC.
- Highly Portable—supports LSI-11, Motorola MC6809 and MC68000, Intel 8080/8085 and 8086/8088, Zilog Z80, and the National Semiconductor NS08032, NS16032 and NS32032.
- JMI Portable C Library a complete ROMable and sharable library is included.

Also Available Separately...JMI Portable C Library

Features

- Designed for ROM environments.
- Written in C. Provides complete source code.
- Provides a UNIX-style library, and many additional functions, with approximately 100 routines.

Order Now

The JMI C EXECUTIVE single unit binary price is \$575, and includes documentation, media, and shipping. Source code for all I/O drivers is included. Quantity discounts are available.

The JMI Portable C Library price is \$5,000 for source and unlimited binary copies.

To order, or for more information, write or call JMI Software Consultants, Inc., 215-657-5660.

UNIX is a trademark of Bell Laboratories. MC6809 and MC68000 are trademarks of Motorola, Inc.

Distributors: Australia, Fawnray Pty. Ltd., P.O.B. 224, Hurtsville, NSW 2220 (612) 570-6100; Japan, Advanced Data Controls Corp., Chiyoda-ku, Tokyo (03) 263-0383; United Kingdom, Real-Time Systems, Newcastle upon Tyne, 0632-733131.



JMI SOFTWARE CONSULTANTS, INC. 1422 EASTON ROAD • ROSLYN, PA 19001 • 215-657-5660

STATE OF THE MARKET REPORT:

SOFTWARE

there is a great rush of new UNIX software development under way in small software companies, particularly for business data-processing and office-automation applications. Third, a few personal computer software packages have been converted for multiuser operation under UNIX, and this trend should accelerate.

UNIX-based database-management packages offer an excellent example of these trends. Two of the available packages—Oracle Corp.'s Oracle and Relational Technology Inc.'s INGRES—are converted versions of IBM mainframe and VAX supermini packages, respectively. Other excellent packages that have been developed specifically for UNIX-based supermicros include Informix from Relational Database Systems Inc. and Unify from Unify Corp. One of the newest entries is a multiuser version of the popular dBase II package for personal computers. Announced in February, it will be available both for PC-based local-area networks and for multiuser systems.

Venture-capital support of UNIX-oriented companies has been critically important. More than \$100 million has been invested, and much more will be invested this year and next. Volume

purchases by government agencies and the Bell operating companies have been another stimulating force, attracting more competitors and investment.

The major new factor in the market is the debut of AT&T's 3B computer family, accompanied by IBM's slow but steady entry into the market on the Series/1, the CS9000 and the IBM PC. The AT&T and IBM presence introduces new levels of competition but also vastly broadens the market. Fortune 1,000 data-processing departments that have been slow to accept UNIX-based systems could become large-volume purchasers.

The development of true 32-bit microprocessors, such as the Motorola 68020 and the National 32032, should also boost the popularity of UNIX. UNIX's proven portability means that it can be quickly moved to the new processors. Further, UNIX's built-in multiuser and multitasking features are a natural fit for the sophisticated systems and workstations that will be built from these microprocessors.

Interest Quotient (Circle One) High 819 Medium 820 Low 821 James R. Groff is director of marketing for Plexus Computers Inc., Santa Clara, Calif., and coauthor of Understanding UNIX-A Conceptual Guide. (QUE Corp., 1983). His previous employment includes seven years with Hewlett-Packard Co. He holds a bachelor of science degree in mathematics from the Massachusetts Institute of Technology and a master's in business administration from Harvard University.

IN UNIX™ NETWORKING TODAY, UNISOFT SETS THE STANDARD.

With UniSoft's B-NET networking software, true resource sharing networks are up and running. Microcomputers running UniPlus+ System V can talk with any others or to VAXes running 4.2 BSD UNIX. All it takes is UniPlus+ and Ethernet™ hardware.

The state of the art in networking hardware and software led UniSoft to adopt a networking scheme developed at Berkeley for VAX/UNIX systems. This IP/TCP protocol scheme is compatible with ARPA standards which have been in wide use on the ARPAnet. B-NET is a high-performance implementation of the ARPA IP/TCP protocols.

Unlike other networking schemes, B-NET is complete. Applications programs, systems calls, and protocols: nothing is left out. B-NET provides process to process communications, remote file transfer, virtual terminal facilities and much more.

UniSoft has optimized the basic UNIX 0S for the 68000 family of microprocessors and named it UniPlus+. Now B-NET is a standard option of the UniPlus+ System V ports. This network software allows any system running UniPlus+ to communicate with other systems running the ARPA IP/TCP protocols.

Incidentally, UniPlus+ has been ported to over 60 different computer systems. If you're building or selling a 68000-based UNIX system and want to expand your network, call UniSoft Systems, the UNIX networking experts.



739 Allston Way, Berkeley, CA 94710 • (415) 644-1230 TWX II 910 336-2145 • UUCP ucbvax!unisoft!unisoft

Berkeley's Port Authority

Out Authority

UNIX is a

UNIX is a trademark of the Bell Laboratories. Ethernet is a trademark of Xerox Corporation. VAX is a trademark of Digital Equipment Corporation.

CIRCLE NO. 107 ON INQUIRY CARD

UNIX SYSTEM V. FROM AT&T. FROM

Marketability. Serviceability. Portability. UNIX SystemV has the ability to open a lot of new business doors. That's why it has emerged as an industry standard.

And that's why good business decisions are based on UNIX System V.

For hardware vendors. For OEMs and VARs. For software houses.

UNIX System V from AT&T provides a wealth of new business opportunities. Because UNIX System V is the operating system capable of realizing the full potential of the expanding multi-user and multi-tasking business computer market.

The profits of standardization

For software houses, the portability of UNIX System V software means that it can be run on hardware from many different vendors. So you can sell the same applications packages for a wide variety of computers. From micros to mainframes. Without expensive rewriting.

And UNIX System V allows your

And UNIX System V allows your customers to update their hardware.
Without making all their software obsolete.

Hardware vendors can profit from UNIX System V's built-in nonobsolescence, too. Because your customers won't need to invest in new software every time they buy a new computer, they'll be more receptive to the new hardware technology you offer for sale. It's not hard to sell programmers on

It's not hard to sell programmers on UNIX System V. A large pool of programmers is already familiar with its advanced programming capabilities, high-level "C" language, and modular design. You'll enjoy increased programmer productivity. And a high return on investment.

Small wonder that so many companies are jumping on the bandwagon—with hardware and software products based on UNIX System V from AT&T.

Service that goes on and on

AT&T is backing up its commitment to UNIX System V with a program of

NOW ON, CONSIDER IT STANDARD.

raining, support and documentation that s second to none.

Including a problem-reporting system.

Newsletters. A hotline. And periodic

Best of all, the source of this service is AT&T, whose own Bell Laboratories developed the UNIX Operating System over ten years ago.

That gives you (and your customers) access to the scientists and technicians who created the UNIX System V in the first place.

"Is it based on UNIX System V?"

You're going to be hearing a lot about AT&T's UNIX System V. Especially from companies in the market for business

computers. Or software to run on those computers.

They're going to be asking a lot of questions. And the first one will be, "Is it based on UNIX System V?"

From now on, the future belongs to those who have the right answer.

To get all the answers about UNIX System V, just fill out the coupon.

We'll send you our brochure, "Why Good Business Decisions are Based on UNIX System V," as well as full product and service information.



UNIX System V. From AT&T. From now on, consider it standard. ©1984 AT&T Technologies, Inc.

Name		
Title	10.57.0	
Company		
Address		
City	State	Zip
Phone		
□ OEM/VAR	egory (check one): Software H General Bu	louse

LONG LIVE THE SUPERMINIFLOPPY

3.33MB ON ONE 51/4" DISKETTE.

Drivetec's 3.33MB SuperMinifloppy™ creates new tracks others are sure to follow. You see, high capacity is

just one benefit of this drive's field-proven (we've shipped



thousands) technology advances.

For instance, our track-following servo instantly responds to servo information on each sector of each track. So you get a built-in guarantee of diskette interchange even if you write in Death Valley and read in Dubuque.

And 2.78MB of formatted capacity means your customers can load very large programs or files with very few diskettes...one, for example.

Our high-compliance Gumball Heads™ are manufactured in-house and virtually eliminate head and media wear. That reduces your service burden and increases customer satisfaction.

The SuperMinifloppy also reads 48tpi or 96tpi diskettes, and uses a standard floppy interface and 500 Kbit/second transfer rate. So

integrating the new standard in flexible disk drive technology will seem like old hat.

RELIABLY TRANSPORTABLE. If

your system or sub-system is portable, or easily transportable, the SuperMinifloppy is perfect.

Our servo and head positioning system requires no adjustment, just like old fashioned floppies, only better. Because we guarantee ontrack performance. It's easy with features like our Absolute-Vertical clamping mechanism which provides accurate, repeatable diskette registration.

The 3.33MB SuperMinifloppy is much more cost-effective than multiple floppies or low-end Winchesters, as well. And since flexible drive technology is designed for head-to-media contact, you get



Drivetec's 3.33MB Half-Height SuperMinifloppy Delivers Guaranteed Diskette Interchangeability And Transportability--Field Proven In Thousands Of Systems.

out Winchester head-aches from head slap during transport.

Of course, our half-height 5¼" format provides still more benefits including low power consumption

and less weight for a more compact, portable system.



RUGGED BACKUP.

One discussion is sure to get your back-up... back-up. Conventional floppies require multiple diskettes to provide adequate capacity. Tape is old fashioned and much more costly.

Winchester cartridges are yet to prove their reliability, and are also

quite expensive.

The SuperMinifloppy however, delivers high capacity, random access and guaranteed interchange and reliability. At the same time, typical media cost is less than \$10.00 so off-line storage costs are minimized.

It is also perhaps the most manufactureable of your viable back-up selections. We designed the SuperMinifloppy to be assembled with only one size screw. There is no interior cabling to the PCB. In fact, only one adjustment is required in the manufacturing process.

That means your supply of the SuperMinifloppy is assured. And it's backed up by a team that includes


the original patent holders on flexible drive head and media technology.

So put life into your system today.

Call us at (408) 946-2222. Or write Drivetec, Marketing Dept., 2140 Bering Drive, San Jose, CA 95131.

DRIVETEC

Creating New Tracks In Drive Technology





One look at a Canon floppy disk drive — and hearing its silence while seeking — tells you it's made by masters in the art of designing and manufacturing ultraprecise miniature mechanisms

A second look would reveal some unique features: Pushbutton clamping...disk is clamped — and ejected 10 to 20 mm — by pushing the same button, which is locked while the heads are loaded. Steel belt head positioning, for outstanding accuracy. Soft landing mechanism in the head loading system, and thin R/W heads (tested beyond 10 million taps), to minimize head and media wear.

Canon drives were designed originally for 96 TPI; the 48 TPI versions therefore have that added reliability.

Single Drives: MDD 221: 96 TPI, double sided/density, 1 Mbyte.* MDD 211: 48 TPI, double sided/density, .5 Mbyte.*

Dual Drives: MDD 423: 96 TPI, double sided/density, 2 Mbyte. MDD 413: 48 TPI, double sided/density, 1 Mbyte.

Let Lee Heller tell you more. Call him at (516) 488-6700, Ext. 4958. Or write to him at Canon U.S.A., Inc., Disk Drive Division, One Canon Plaza, Lake Success, NY 11042.

Canon drives. More flexible up front.

Our drives are available with the bezels shown — or with no bezel at all, so that you can determine your own packaging design.



33.5 mm bezel



Standard half-height bezel



See us at NCC Show, Booth D4410

Dual drive: Standard 2/3 height (57.5 mm) bezel



Dual drive: Standard full height bezel



DISK DRIVES

WINCHESTER MARKET EXPANDS UNABATED

Catalyzed by insatiable user demand for higher storage capacities and smaller form factors, small-Winchester disk drive shipments should triple over the next three years

John Klonick, Maxtor Corp.


The rapid expansion of the small Winchester disk drive market shows no signs of slowing. Worldwide shipments of 51/4-inch and smaller drives, including half-height and sub-4-inch units, are expected to climb from 1.2 million in 1983 to over 5.6 million in 1987 (Fig. 1). Spurred by an ever-growing demand for drives with higher capacities and smaller form factors, new companies continue to enter the market. While more than 40 suppliers jockey for market share, buyers are enjoying the benefits of lower prices, improved quality and a widening variety of rotating mass-storage solutions (Fig. 2).

Small drives compete with larger units

Small disk drives have made significant progress in squeezing more bits into less space. In the early days, products offering 6M to 12M bytes were sufficient for most needs, but rapid developments in the computer market have led to applications that require more storage capacity in a small desktop system. To meet these demands, Winchester manufacturers have used advanced recording technologies to create products

Fig. 1. Worldwide shipments of 51/4-inch and smaller Winchester disk drives are expected to grow rapidly in the next three years in response to growing demand for small mass-storage units. Although less-than-30M-byte drives will continue to have the highest unit shipments, substantial growth is expected in the 30M- to 100M-byte range due to increasing demand for more powerful, higher-capacity, higher-performance desktop computer systems.

with greater capacities and higher performance. By the end of 1984, drives in the 5½-inch form factor will offer capacities similar to those of 8-inch Winchesters, while sub-4-inch drives will




DISK DRIVES

handle the demand for lower-capacity storage previously filled by 51/4-inch drives.

Several design elements will contribute to increased capacity in small Winchester drives. They include making more disk surface area available for storage, increasing linear recording

Fig. 2. In 1984, the majority of small Winchesters shipped will be full-height, 51/4-inch drives, but by 1987 market share for the various form factors will change considerably.



density, increasing the number of tracks per inch (tpi) and using data-encoding schemes that increase the bits per inch (bpi), such as 2,7 runlength-limited (RLL) encoding.

The physical limits of the 5½-inch form factor and the need to place the drive motor below the disk spindle previously limited most drives to four platters. In 1982, Maxtor Corp. introduced a drive with an integral spindle motor built inside the hub of the disk stack, allowing the entire height of the drive to be used for media—as many as eight platters in Maxtor's case. Several other companies have subsequently used this approach. For example, Fujitsu Ltd. demonstrated a full-height spindle motor design in late 1983, and Tulin Corp. has shown a four-platter, half-height drive using an integrated spindle motor.

Increasing the linear bit density of a disk drive provides greater capacity, but there are two constraints: the interface transfer rate and the magnetic characteristics of the heads and disks. For example, the ST-506 interface standard defines a 5M-bps data-transfer rate, which limits linear bit densities to approximately 10,417 bytes per track, or 10,000 bpi for a 51/4-inch disk drive. Conventional ferrite heads and particulate media allow linear densities in this range, but their physical characteristics prevent them from





Fig. 3. Small Winchester disk drive shipments (left) are spurred by personal computer shipments (right).

212 113

8" Winchester Drives

- **SMD INTERFACE**
- SCSI INTERFACE




Yes! Our 212 MB, 8 inch Winchester drives are available in either SMD or SCSI interfaces immediately.

Just send us your purchase order and we will ship your drives today. By the way, if 212 MB is just too large for your needs, we can ship 166 MB or 83 MB just as fast.

Call today:



6431 Independence Avenue, Woodland Hills, CA 91367 (818) 884-7300 Outside California 1-800-MEGAVLT



DISK DRIVES

going much higher. Using composite or thin-film heads with thin-film metallic media extends the achievable bit density to more than 25,000 bpi.

The main factor influencing increases in track density is head-positioning technology. Because of cost considerations, early small Winchester drives used stepper motors, which permitted densities to approach 400 tpi. (The exception is Miniscribe Corp.'s unique rack-and-pinion stepper, which allows 588 tpi.) A number of drives shipped in 1983 use a variation of the steppermotor design, such as a feedback loop, to improve positioning accuracy. For example, Quantum Corp., Syquest Technology and Microscience International Corp. manufacture drives with this approach that offer up to 650-tpi densities. Another approach is to use a voice-coil head positioner with a track-following, closedloop servo-positioning system, allowing track densities approaching 1,000 tpi. In 1983, a variety of companies shipped drives employing this technology, including Atasi Corp., Control Data Corp., Maxtor, Quantum, Micropolis Corp. and Vertex Peripherals.

By implementing a data-encoding scheme that compresses information, manufacturers can

squeeze additional data capacity into the same physical area. One technique employs 2,7 RLL encoding, which provides a 50 percent capacity increase. The first 5¼-inch drives using this technology will appear in quantity shipments this summer.

The performance of small disk drives continues to improve. For example, track-following, closed-loop servo designs and voice-coil actuators enable average access times to reach 30 msec. More sophisticated disk drive controllers will provide even better performance in the near future. Some proposed designs offer solid-state cache memory, firmware to keep frequently used data centrally located on the disk and "look-ahead" buffering.

Interface standards encourage growth

One of the reasons for the success of the 5½-inch Winchester product is the adoption of the ST-506 device-level interface. This de facto standard permits users to integrate drives into their systems without the risk of being saddled with a unique interface. The ST-506 remains the interface standard for the low end of the market, but technological developments in the small

Shipments of 51/4-inch and smaller Winchester disk drives are expected to climb from 1.2 million in 1983 to more than 5.6 million by 1987.

1984 FAR EAST ELECTRONICS/COMPUTER TOUR

Date: October 1st to 15th, 1984

Visit: Japan, Taiwan, Hong Kong and Korea

Program Highlights:

- ☆ Visit 8 Trade Shows:
 - Japan Electronics Show; Audio Show; Software Show
 - Taiwan Electronics Show
 - Hong Kong Electronics Show; Hong Kong Toy Fair
 - Korea Electronics Show; Korea International Trade Fair
- ☆ Business Seminars
- ☆ Factory Visits☆ Business Meetings with Foreign Companies
- ☆ Program for Accompanying Family Members

For a free brochure, please call toll free: 800 845-4485 (Outside of Calif.) 800 321-7271 (In Calif.)

Or write to: Commerce Tours International, Inc., 870 Market St., Suite 740, San Francisco, CA 94102

WORK FAST. BUT WORK SMART.

You've got to work fast to get ahead in the systems and subsystems business. But you'll just spin your wheels if you don't also work smart.

That's why disk drive vendor selection is so important. And VERTEX is the smart choice.

We work fast. In our first full year of production we will deliver over 30,000 30MB, 50MB and 70MB V100 51/4" Winchesters. That's because the V100 was designed intelligently with a low parts count, simple assembly procedure and "off the shelf" components. This design approach provides greater manufactureability, but it also means higher reliability and margins.

Our new V2100 100MB 5¼" Winchester is an extension of this design philosophy. The V2100 family is based upon our V100 family. By increasing bit density and implementing the ST412HP interface (with 10Mbit/second transfer rate) we've maintained our four-platter, eight-head configuration. So you get lower cost and higher reliability.

And since few changes were made to upgrade the V100 family to the V2100, we'll be able to get up the high volume production ramp faster.

Speaking of fast . . . the V2100 also has a 25msec average access time (including settling) and a microprocessor interface that starts head arm movement at the first seek pulse.


Every VERTEX drive is backed by the best Winchester engineering and manufacturing team in the business. So get

your system and sub-system plans going now. Call us at (408) 942-0606. Or write VERTEX, 2150 Bering Drive, San Jose, CA 95131.


It's the smart decision.



You Can Plan On Us...



DISK DRIVES



drive market during the past year have created demands for a higher-performance device-level interface.

Two high-performance interfaces are vying for acceptance in the high-end Winchester market: the enhanced small disk interface (ESDI) and Seagate Technology's proposed ST-412HP. The leading contender appears to be the ESDI, with more than 40 companies favoring its use. It provides several enhancements to the ST-506 standard, including:

- a fourth head-select line so that disk drives with more than eight heads can be used,
 - data-transfer rates from 5M to 25M bps,
- improved data integrity by locating the data separator chip on the drive,
- specific status/configuration lines that enable the controller to identify the features of the connected device.

Sample ESDI-based drives were delivered in late 1983, and this year should see the shipment of production quantities. Final market acceptance of a new high-performance interface standard will be an additional spur to market growth.

Fig. 4. The average unit price of a small Winchester disk drive will drop between 1983 and 1985 but will rise in 1985 to 1987 due to increasing capacities. From 1983 to 1987, worldwide revenues should steadily increase.

Market grows, prices fall


The needs of the expanding desktop systems market are contributing to the growth of the small Winchester market (Fig. 3). Because of their large shipment volumes, several drive manufacturers, including Seagate, Tandon Corp., Miniscribe and Computer Memories Inc., have been able to gain substantial cost benefits, which they have partially passed on as price reductions. As demand for desktop systems grows, disk drive manufacturers are able to lower prices still further, resulting in a highly competitive market. Competitive pressures from the sheer number of participants provide a strong downward push to the pricing structure. Technological improvements also play a part, allowing some manufacturers to offer higher-capacity, higherperformance products at only small price increases. As a result, although the average cost per drive will begin to increase again after 1984, the per-megabyte prices for 51/4-inch Winchester disk drives have been decreasing at around 20 percent per year.

The jostling for market share will continue, with the next arena in the 20M- to 60M-byte-perbox range. Cost per megabyte will continue to decline as manufacturers turn to a variety of cost-saving methods including offshore parts sourcing and manufacturing; increased automation; increased use of large-scale-integration (LSI) electronics; and backward integration into motors, media and/or recording heads. Although the average cost of a small Winchester disk drive will decrease between 1983 and 1985, costs will rise between 1985 and 1987 due to higher capacities. Worldwide revenues should steadily increase (Fig. 4).

Track-following, closed-loop servo designs and voice-coil actuators enable average access times to reach 30 msec.

John Klonick, product manager for Maxtor Corp., San Jose, Calif., is responsible for directing product planning and development. Klonick previously directed market research and consulting activities as manager of the Computer Memory Industry Service at Dataquest Inc.

Interest Quotient (Circle One) High 822 Medium 823 Low 824





THE COGITO HALF-HEIGHTS.



See us at NCC Booth #3242







VALUE-ADDERS WILL PLAY KEY ROLE

Operating systems, application packages and high-performance hardware propel the market, causing manufacturers to restructure distribution channels

Brian D. WiltshireApplied Digital Data Systems Inc.

In 1979, the worldwide market for multiuser computer systems in the \$30,000 to \$50,000 range was worth \$6.7 billion. In 1983, this figure topped \$11 billion. The most dramatic growth in the multiuser system market, however, will be in the less-than-\$30,000 bracket. This market niche is expected to increase at a 32 percent compound annual growth rate in revenues and a 38 percent compound annual growth rate in units shipped between 1984 and 1988, compared to a 19 percent compound annual growth rate in revenues for the overall market for \$15,000 to \$50,000 systems. Applied Digital Data Systems (ADDS) Inc. defines a small multiuser system as one that sells for less than \$50,000 and that can grow to support at least 32 users.

There are approximately 15 million businesses in the United States with annual revenues of less than \$5 million. Medium-sized businesses and decentralized units of large businesses and government also

ized units of large businesses and government also

40

30
10
10
1979

1981

1983


1985

1987

SOURCE: APPLIED DIGITAL DATA SYSTEMS INC.

provide huge market potential for manufacturers of small multiuser systems. Even faster growth rates are predicted for overseas markets, which mirror domestic markets. But manufacturers have been slow to capitalize on the multiuser system market because of a lack of sufficient profit margins. Several elements affect the success of this market, including hardware availability, efficiency of multiuser operating systems and application packages and adequate distribution channels.

Fig. 1. Sales to value-added remarketers (VARs) in 1983 accounted for approximately 60 percent of sales of multiuser systems in the \$15,000 to \$30,000 range. By 1988, VARs are expected to account for over 70 percent of sales, while revenue from direct sales channels will drop from 40 percent to 30 percent of the market during the same period.



Worldwide revenues for multiuser systems in the \$15,000 to \$50,000 range are expected to increase more than fivefold between 1979 and 1988.


The most significant hardware improvements include high-performance, 10-MHz 16-bit CPUs, high-performance 5½-inch Winchester drives with capacities of 30M bytes or more and 32-msec. average access times, faster and higher-capacity RAM chips, built-in uninterruptible power supplies and ½- and ½-inch streaming-tape cartridge drives. The recent availability of high-capacity backup devices has virtually removed the need for diskettes, which are inadequate for large database applications, either as primary storage or as backup devices.

Next in line in ensuring growth potential for multiuser systems are the availability of true multiuser operating systems for microcomputers. The big step forward was the transfer of operating systems such as UNIX and Pick to microprocessor environments.

A consideration in configuring a multiuser environment is the trade-off between local-area networks (LANs) and timesharing configurations. A timesharing configuration provides a single system with multiple ports and generally offers higher performance and lower cost per station. Sharing databases is more difficult in LAN systems because it requires complex software to organize and police a distributed database-management environment. Mainframe and minicomputer manufacturers have struggled with this problem for more than a decade with few results.

Many systems termed "multiuser" are constrained by software based on the systems' floppy drive origins. If three or four users access one file, the system often responds too slowly for a true

Fig. 2. The number of VARs will have to jump from 3,000 in 1983 to over 14,000 in 1988 to meet the expected demand for small multiuser systems.




multiuser environment. This slowdown complicates record protection and file locking, which are critical functions in a multiuser environment. To assure data integrity, records must be protected from simultaneous user access. If one user is executing a write access while another user is writing, data at the record level as well as at the file level must be protected.

A relatively new and powerful phenomenon is software that can effectively link personal computers to multiuser central systems. For example, the ADDS-enhanced Pick operating system allows an MS-DOS-based workstation—running, say, Lotus Development Corp.'s 1-2-3 integrated software—to link to the Pick database-management system environment for retrieval and update. The software makes this link transparent to end users.

With hardware and operating systems in place, the next ingredient necessary to spur market growth is availability of application-generation products. Until recently, application packages were too rigid for multiuser environments. Because application generators produce clean code and self-documentation, they facilitate the building and modification of application packages as well as the reduction of development costs.

An increasingly important application area is the database-management system. Operating systems now integrate a variety of database-management system functions, such as relational systems with variable-length records, modification tools that allow simple additions of forgotten or overlooked fields or records and user-selectable retrieval and reporting.



To meet the demand for multiuser systems, the current worldwide population of 3,000 value-added remarketers will have to increase to over 14,000 by 1988.

Low-cost multiuser systems will increase their market share between 1982 and 1988 with a 31 percent compound annual growth rate in revenues. MULTIUSER SYSTEMS

The key distribution channel is the value-added remarketer.

The final ingredient for success in the multiuser system market is adequate distribution channels to the end user. The key channel is the value-added remarketer (VAR). The VAR provides a combination of hardware, operating-system, applicationsoftware and vertical-market expertise to serve end users with what has recently been termed "warmware."

The VAR, however, often encounters a profit problem based on selling and support costs. The amount a user will pay for a multiuser system is often not enough to allow for a long sales cycle, numerous installation and service calls and prolonged customization. All of these factors can erode profit margins. VARs therefore must have a high degree of vertical-sales focus and the right tools, such as application software that can be easily customized to meet end-user requirements.

Sales through VARS are expected to increase at a 35 percent compound annual growth rate, while sales through direct sales forces will increase at a 25 percent compound annual growth rate. The most significant challenge facing manufacturers of small multiuser systems is creating enough remarketers or direct sales entities to handle the projected growth. The current base of more than 3,000

remarketers worldwide is handling about 60 percent of the multiuser system market, but this figure is expected to top 70 percent by 1988 (Fig. 1). To meet the demand, the number of VARs would have to increase to over 14,000 by 1988 (Fig. 2). Moreover, their average productivity would have to increase from about 15 systems sold per year to more than 25 systems. An alternative for manufacturers of small multiuser systems is to reorganize and retrain direct sales forces.

Brian D. Wiltshire is vice president and general manager of the Systems Division at Applied Digital Data Systems Inc., Hauppauge, N.Y. The Systems Division develops, manufactures and markets the Mentor line of multiuser business systems. Wiltshire has held marketing and general management positions in the mainframe, computer service, minicomputer and microcomputer industries over the last 22 years.

> Interest Quotient (Circle One) High 825 Medium 826 Low 827

Did Your PDP-11 Die

When you tried to run WORD PROCESSING?

Now There is a WP System **Designed Specifically for the DEC User**

With the WP Saturn Word Processing/List Processing Software, you have low overhead, quick response and power.

COME TO SATURN FOR THE ANSWERS

- · Faster and more powerful than the stand
- Faster and friendlier than other computer based systems

 Extensive help commands
- Saturn runs on RT-11/TSX, RSX, RSTS, IAS, VMS
- Satum's ASCII Format interfaces to standard DEC files

 Assembler Language provides maximum
- Speed and efficiency
 User Friendly Prompting helps you master word processing with minimal training
 Extensive List Processing: Forms, prompted data entry, and sort/select; plus flexible merging of lists and documents

WP SATURN FEATURES

- FILE FUNCTIONS: Automatic backup (Ises ASCII source files File directories location, type, date File Merge Password security Print formatted file Review formatted file Store formatted file
- SCREEN EDITOR: Advance-Forward & Backward Automatic Carriage Return • Column Operations • Copy, Cut, Delete • Cursor Controlled • Display of Operator Actions • Formatted Text Displayed • Vertical and Horizontal Scroll • Load from another document • Paste • Prompts • Replace Global or Selective • Search
- TEXT FORMATTING: Automatic Hyphenation, Formula, User defined dictionary • Automatic Index & Table of Contents • Automatic Outline
 Formats, Outline, Decimal • Centering • Date Insertion • Multilevel
 Superscripts & Subscripts • Page Numbering • Paragraph Indent •
 Redefine Format Values • Reformat Without Retyping • Tabs, Left,
 Right, Any character • Variable Spacing • Word Wrapping • Footnotes
- LIST PROCESSING: Form Generation Prompted Data Entry Multi-Key Sort/Select/Exclude • Record Search • Sequential, Binary • Unrestricted Field Insertion • Field replacement, Global, Selective

For additional information call toll free 1-800-328-6145

ם ופעם ויו

6875 Washington Avenue South, Suite 218, Edina, MN 55435 (612) 944-2452

Where's the Magic?

The XT-DRIVER System restores the power and vitality to your IBM XT or compatible hard disk system with all this:

- **■** Extensive Security
- Menu Builder
- Enhanced DOS Support
- **■** Log Tracking
- **■** Encryption
- File Hiding
- **■** Message Center
- Programmable Calculator
- PC Net Operational
- **■** Works with APPARAT and TECMAR

XI-DRIVE

PUTS THE MAGIC BACK

CHAS-MOORE, INC.

Automation for the way you live

3104 Jackie Court Bakersfield, CA 93309 805/834-8808

CIRCLE NO. 114 ON INQUIRY CARD

MINI-MICRO SYSTEMS/June 1984



VISION 2200 THE PERFORMANCE LEADER

Enter the high-performance world of VISION. Engineered for VT220 functionality and features unmatched by anyone in the industry.

- Extensive Multi-Page Format. Take advantage of four pages of memory with variable lengths from 1 to 97 lines (227 lines optional), and the ability to mix 80 and 132-column pages.
- Intelligent Function System. Program up to 64 functions backed by a non-volatile memory. Store forms or menus with the help of a 5-line Message Window. Redefine function keys with a single keystroke or command. Ideal for multi-application and multi-host environments.
- Dual Set Up Table. Integrates fully with the Function System. Redefine terminal. Switch between hosts. Log on. And simultaneously change function key attributes to match your new application. All with a single keystroke.

To order a VISION 2200, or to add VT220 capability to your VISION 2000 + CRT's Contact Lanpar today.

© 1984 Lanpar Technologies Inc. VISION Series CRT's are manufactured by Northern Technologies Ltd., a wholly-owned subsidiary of Lanpar Technologies Inc. VISION and VISION Series are trademarks of Lanpar Technologies Inc. DEC and VT are trademarks of Digital Equipment Corporation.


FEATURE COMPARISON *	VT220 VT220 emulation mode	VISION 2200 VT220 emulation mode
VT220 Command Set	YES	YES
Function System Memory	256	1024
Programmable Functions (PF)	15	64
PF in VT100 Mode	0	64
Data Routing From Function Keys	NO	YES
Non-Volatile Function Memory	NO ·	YES
Four-Page Memory	NO	YES
Eight-Page Memory Option	N/A**	YES
Bi-Directional Printer Port	NO	YES
Dual Set Up Tables	NO	YES
Dual Host Support	NO	YES
Compose Key	YES	YES
Graphics Option	NO	YES
PRICE QUANTITY ONE	\$1295	\$1245

^{*} Based on latest information supplied by manufacturer. ** Not applicable.



Concord, MA (617) 371-0915 Chicago, IL (312) 628-1895 Corona Del Mar, CA (714) 760-6070

CIRCLE NO. 115 ON INQUIRY CARD



Kimtron is building the #1 terminal company and proudly presents its KT-7 Display terminal.

KT-7 provides not only technological excellence, but also True Ergonomics, Highest Value and Unique Features to improve user efficiency and comfort.

True Ergonomics

- Height Adjustability
- Tilt and Swivel
- Low Profile Keyboard with three level tilt and easy touch
- Sharp Display with High Resolution
- Green or Amber Phosphor

Small Size and Light Weight

- Less than 18 inches deep and fits in a Secretarial Return Desk
- Less than 22 pounds net

Unique Features

 User-Selectable Hidden or Embedded Attributes

Best Features

- 9 X 13 Cell Resolution
- 25th Status/Set-Up/Message Line
- Set-up, 20 Programmable Function Keys and Answerback stored in Non-Volatile Memory
- 4 International Character Sets
- 94 Business Graphics Characters
- Block Mode and Protect Mode
- Up to 4 Pages of Memory Optional
- All the Smarts

Compatibility

Standard: TeleVideo* 910, 920, 925. Option: ANSI X3.46 or DEC** VT** 52/100/132 (80 column), or DG*** D100, or OEM Customization for other terminal emulation available

Only \$595

for all these features.

Call us or your terminal supplier for more information

Kimtron

2225-I Martin Avenue Santa Clara, California 95050 (408) 727-1510

OEM/Systems Integrator/ **Distributor**/Dealer Inquiries Invited

*TeleVideo is a trademark of TeleVideo Systems, Inc.

**DEC and VT are trademarks of Digital Equipement Corporation

***DG is a trademark of Data General Corporation

TERMINALS

COMPETITION FORCES COST-CUTTING EFFORTS

Manufacturers conversational **CRTs** are moving to offshore production to lower costs and stave off competition from intelligent terminals

Marc H. Rudov, Venture Development Corp.


With the advent of inexpensive intelligent terminals, low-cost alphanumeric terminals are losing market share despite drastic price reductions. These conversational, or dumb, terminals generally have no local intelligence and rely on a host computer for control. They are nonprogrammable, have no editing features (except for retyping or character strikeover) or text buffers and converse with the computer one character at a time.

Recently, microprocessor technology enabled these terminals to perform tasks formerly controlled by a host computer, such as cursor control, uppercase and lowercase letters, singlepage buffering and tab setting. These functions are sometimes "hard-wired" into a terminal rather than implemented by a microprocessor. A

terminal can contain a microprocessor and still be considered dumb if it acts primarily as a slave to the host computer.

The dumb-terminal market has approximately 20 major manufacturers with total 1983 revenues of \$513 million. This is 50 percent lower than the average revenues of smart-terminal manufacturers. The current leader in the dumb-terminal market is Digital Equipment Corp.

In the past few years, many dumb-terminal manufacturers, such as Teleray and Soroc Technology Inc., have left this market because of declining prices and low profit margins. Venture Development Corp. (VDC) expects to see more computer manufacturers enter this market as the independent companies leave. Most independent start-up companies entering the terminal market will manufacture smart terminals or personal computers.



end of the decade.

OPEN

1986

TERMINALS


A recent trend among CRT manufacturers is to use offshore production because labor is cheaper in Taiwan, Korea and Japan. TeleVideo Systems Inc., for example, manufactures terminals in Korea. The company entered the CRT terminal market in 1979 and now commands a leading 25 percent of the overall market.

One company affected by TeleVideo's offshore strategy is Hazeltine, which has since adopted a similar strategy. In 1981, Hazeltine introduced the Esprit, a dumb terminal manufactured in Taiwan by Disco Electronics. The price of the terminal was so attractive that. Hazeltine contracted to become its exclusive worldwide distributor. The Esprit is now Hazeltine's most popular terminal.

Other industry leaders, such as Lear Siegler Inc., sell monitors made in Korea and keyboards made in Japan. VDC expects the offshore manufacturing trend to continue. As prices fall below \$400, manufacturers will have to find less expensive ways of manufacturing terminals to remain competitive and profitable.

One source of competition for conversational terminals comes from intelligent CRTs, which have taken market share away from dumb terminals because of their local processing abilities and declining prices. Teleprinters are another keen competitor. The main difference between CRTs and teleprinters is the form of output. One advantage of a CRT is that its output appears quickly. The disadvantage is that it requires a separate printer for hard copy. However, it is

Fig. 2. Captive market shipments of conversational terminals will gain increasing market share between 1981 and 1986 both in units shipped (left) and revenues (right).



sometimes less expensive to buy a dumb terminal and slave printer than to purchase a teleprinter. This is particularly true of multiterminal installations that can share one printer. The competition between teleprinters and CRT terminals occurs more frequently at the intelligent-model level.

Graphics terminals also compete with alphanumeric terminals. This competition occurs more often in statistical and business applications, in which a pie chart or graph can display information better than a list of numbers can. In applications such as word processing, there is little or no need for graphics.




Fig. 3. Of the total installed base of conversational terminals in 1981, four companies accounted for more than 75 percent.

Product cycle approaches maturity

Products typically progress through a fourstage life cycle: introduction, during which sales increase slowly; growth, when the product is widely accepted and sales increase rapidly; maturity, during which sales growth levels off and the product becomes a commodity; and decline, in which sales decrease steadily.

The overall CRT-terminal industry is in the growth stage of its life cycle. The dumb-terminal market is further along in the growth stage than the smart-terminal and personal-computer market segments and will approach maturity by 1986. Smart/editing terminals, including IBM 3270-compatible and non-3270-compatible units, are in mid-growth. Smart terminals will continue to experience high growth over the next five years and will not become mature products for seven to 10 years.

VDC pegs the average market life of an alphanumeric terminal at 4½ years. In other words,




Fig. 4. DEC leads the conversational, or "dumb." terminal market.

terminals are sold actively for 4½ years before vendors replace or upgrade them with new products or models. Of the terminals introduced in 1981, most will be replaced or upgraded by 1985. It is also likely that many dumb terminals introduced in 1981 will be replaced by smart terminals by 1985.

When new technology and advanced manufacturing processes lead to reduced prices, thereby creating commodity-like products, the resulting features and functions provided by more powerful, but less expensive, products become necessities rather than luxuries. Just as 32-bit microprocessors will replace 8- and 16-bit CPUs, intelligent terminals will replace dumb terminals. To remain competitive, terminal vendors will replace dumb terminals with smart or intelligent terminals or with personal computers.

Unit shipments of dumb terminals to captive markets are lower than those to the open market but are growing at a faster rate (Fig. 1). Captive shipments of dumb terminals were 82,500 units in 1981. At a compounded annual growth rate of 19 percent, captive shipments will reach 196,700 units by 1986. Open market shipments were 311,000 units in 1981 and will grow at a compounded annual growth rate of 11.4 percent, reaching 533,600 units by 1986.

As with unit shipments, dollar shipments of conversational terminals are growing faster in the captive market segment. Dollar shipments of dumb terminals to the captive market were \$155.1 million in 1981. With a projected 13.2 percent compounded annual growth rate, shipments to the captive market will reach \$288.5 million by 1986. Dollar shipments to the open market have been increasing at a compounded annual growth rate of only 4.3 percent since 1981. This is a direct result of falling prices.

Shipments of conversational terminals to the open market in 1981 constituted 79 percent of total unit shipments. Open market shipments are expected to decrease to 73.1 percent of the conversational-terminal market by 1986. Likewise, dollar shipments to the open market will decrease from a 63.9 percent share in 1981 to 54

percent in 1986 (Fig. 2).

DEC had the largest part of the 1981 installed base of conversational terminals with a 25.8 percent share. Applied Digital Data Systems Inc. (ADDS) and Lear Siegler each had 17.2 percent, and Hazeltine earned a 16.3 percent share (Fig. 3). DEC also had the overwhelming lead in 1981 unit shipments with a 50.8 percent share, followed by ADDS with 11.4 percent, Lear Siegler with 10.6 percent and Hazeltine with 6.6 percent. DEC had an even larger share of dollar shipments, with 65.2 percent, because the company sold terminals to the captive market at prices higher than those common to the open market. Lear Siegler and Data General Corp. were tied for second place with 5.9 percent each (Fig. 4). Although DG had only 2.9 percent of unit shipments, its prices were higher than those of the independents because the company sells predominantly to the captive market.

Most conversational terminals are sold through dealers or distributors, which accounted for 39.4 percent of 1981 unit shipments. Captive end-user shipments represented 28.8 percent of shipments, OEM/system houses had 14 percent, and open-market shipments to the end user comprised 13.7 percent.

> Interest Quotient (Circle One) High 828 Medium 829 Low 830

Marc H. Rudov is a senior consultant with Venture Development Corp., a Wellesley, Mass., management consulting company serving the electronics industry.

That's right. No one.

Not TeleVideo, not ADDS, not

Lear Siegler.^R

Not surprising. Because the Ampex 210 isn't just a conversational terminal at a stripped-down price.

It's loaded.

With editing and other features you'd expect only on more expensive terminals.

With 14 popular, non-volatile emulations you can switch at the touch of a key.

And with ergonomics like a low-profile, Selectric-type^R keyboard for easy typing. A large 14" tilt-and-swivel screen for easy reading. And amber or green at no extra cost.

How can we sell all that for \$549,

or even less in quantity? Then back everything with nationwide service and a full six-month warranty?

By taking advantage of something none of our competitors can match-our 30 years of video, computer peripheral and manu-

facturing expertise.

So call Ampex Computer Products Division


toll free at 800 621-0292. 800 821-9473 in California. Ask us to detail everything we pack into our \$549 terminal.


Then go out and compare us to the competition. But don't be surprised

if you can't AMPI

Ampex Corporation • One of The Signal Companies §

TeleVideo, ADDS, Lear Siegler and Selectric are registered trademarks of TeleVideo Systems Inc; Applied Digital Data Systems Inc; Lear Siegler Inc. and IBM.





A PICTURE'S WORTH A THOUSAND BYTES

As desktop computers multiply, the need for quick, accurate presentation of data has escalated the business graphics market

Mary Owen
Advanced Resources Development

Computing power is coming into the hands of a wider category of users and is serving a broader range of applications than ever before. Whereas 10 years ago computer access was restricted mainly to data-processing personnel for specialized departmental applications, today a new kind of end user, commonly called a "knowledge worker," is using computers to assist in analyzing day-to-day business problems. As the quick, accurate presentation of data has become a crucial feature in this type of application, computer-generated graphics for business applications have emerged as a growing market segment.

Computer-generated graphics are not a new development. High-quality, high-resolution graphics have been used in design, manufacturing, engineering and military applications. For example, in computer-aided design/computer-aided manufacturing (CAD/CAM) applications, design details are collected and processed to generate a pictorial representation of the object being designed or complex circuitry is pictured on a screen for easy analysis. The largest application markets for CAD/CAM today are mechanical design and printed-circuit-board layouts, with architecture, drafting and engineering design as other important market segments. Architectural planning, process control and imaging in fields such as medicine, land-resource planning and space exploration are other traditional applications for computer-generated graphics.

The use of computer-generated graphics in general business applications is a recent trend. Apple Computer Inc.'s Apple II computer, introduced around 1978, brought easy-to-use, low-cost graphics to personal computer users. The development in the late 1970s of improved display devices




Fig. 1. Business graphics will constitute the lion's share of computer graphics shipments by 1987.

BUSINESS GRAPHICS


for computer/terminal installations reduced the cost of computer graphics enough to make graphics feasible for business applications. Now, graphics capability is finding its way into distributed workstations, in which more intelligent terminals and local graphics-processing capability are unburdening host computers and speeding interactive response.

Business graphics use expands

At the end of 1982, CAD/CAM and other applications, including process control and imaging, dominated computer graphics shipments with 48 percent and 14 percent shares of the market, respectively. By year-end 1987, healthy growth in the business graphics sector will have changed this picture. Business graphics will then account for 45 percent of total graphics market shipments, up from 1982's 38 percent share. CAD/CAM applications will drop to a 42 percent market share, down from 1982's 48 percent share. The total computer graphics market will mushroom into a \$22.3 billion market by 1987, with business graphics alone accounting for roughly \$10 billion of the 1987 total. By then, graphics capability will be a necessity for workstations, microcomputers and terminals sold for business applications.

Graphics displays, hard-copy output devices, input devices and software constitute the graphics market. The graphics display segment includes all the hardware directly associated with the display, including the graphics processor, the display memory, the internal memory dedicated to graphics and the monitor. Hard-copy output devices include color and monochrome printers based on matrix impact, ink-jet and thermal technologies. Development of hard-copy output devices based on electro-

Fig. 2. Graphics displays will continue to outpace hard-copy output devices in terms of the value of device shipments. Graphics software, however, will be close behind.



static and laser color technologies promise faster color output at a lower cost per copy. Input devices include keyboards, mouse-like cursor-control devices and digitizer tablets. Finally, graphics software encompasses all microcomputer and host software graphics generation.

Graphics displays will continue to account for the largest dollar volume in the graphics market (Fig. 2), with hard-copy output devices and software coming in second and third, respectively. Through 1987, displays will show the most dramatic growth in revenues, followed by hard-copy output devices.

Business graphics function with four broad types of computer devices: workstations, business microcomputers, graphics terminals and turnkey presentation systems. Workstations, as defined in Advanced Resources Development's market study, "Management Workstations: Markets and Strategies," offer multifunction support to managers, professionals and support-staff workers and include personal desktop computers, intelligent terminals, multifunction word processors and workstation systems. These devices are usually part of larger integrated office systems using shared data files and peripherals and providing communications with other workstations. Communications are via a central computer system, a local-area network or a telephone line.

Business microcomputers include single-user and multiuser, 8-, 16- and 32-bit microcomputers with graphics software as well as hard-copy devices supporting general business applications. Software-based graphics can be added to most microcomputers at a very low incremental cost, stimulating the demand for graphics. Many low-end microcomputers support graphics software using their main processors and standard displays, thus requiring no additional investment in hardware to implement monochrome graphics displays. Some microcomputers, however, require the use of an optional graphics display processor, usually selling for less than \$1,000.

Graphics terminals used for business applications range from high-resolution color terminals to medium-resolution monochrome displays. Connecting to mainframes or minicomputers, graphics terminals are usually used for generating presentation data. The declining prices of graphics terminals should spur the use of host-generated computer graphics. And, because hard-copy devices can be easily shared through a central computer, the terminal approach is attractive on a cost-peruser basis. The most powerful and flexible graphics software is designed for large computers that can directly access large statistical databases.

Turnkey presentation systems bundle hardware and software into an integrated standalone graphics system designed to generate high-quality hard-copy output suitable for presentations. Such systems



IT'LL BLOW YOU AWAY

THE NEW 1500 SERIES FROM CHROMATICS

- 1536x1152, 60Hz non-interlaced, graphics display
- 19" Ultra High Speed, High Resolution Monitor
- 500,000 transformed vectors per second (24 bits deep)
- 10 Megaflops IEEE Floating Point Array Processor
- Industry standard GKS library

Chromatics

2558 Mountain Industrial Blvd., Tucker, GA 30084 (404) 493-7000, TWX 810-766-8099

Chromatics, Inc. 1984

The New WY1000 Microcomputer BULLDING BLOCKS Powerful, Affordable, Expandable.

Plus, we added color capability, when used with our color terminal, and a 10 Mbyte Winchester disk option.
FEATURES:
• 80186 8 MHz Processor

stacks up to be
a lot of machine
from a few simple pieces.
By adding the WY-1000 to our popular display terminals, we created the most ex-

By adding the WY-1000 to our popular display terminals, we created the most exciting concept in high performance desktop workstations on the market today.

We also added sophisticated graphics,

We also added sophisticated graphics,

We also added sophisticated graphics,

We also added sophisticated graphics, suitable for the most demanding applications.

The

WY-1000

• System Priced from \$3090
MS-DOS is a registered trademark of Microsoft Corporation.

Best of all it's only available from qualified system integrators who are committed to providing total solutions and can build the right system for your application.

For a complete brochure on the WY-1000 contact WYSE Technology toll free at 800/421-1058.

WYSE

Make the Wyse decision.

CIRCLE NO. 120 ON INQUIRY CARD

WYSE TECHNOLOGY 3040 N. First St., San Jose, CA 95134, 408/946-3075, TLX 910-338-2251, Outside CA call toll free, 800/421-1058, in So. CA 213/340-2013.

BUSINESS GRAPHICS

Fig. 3.

Workstations

largest dollar

volume in the


graphics market

dramatic growth

and will exhibit the most

business

account for the




offer sophisticated graphics software with flexible formatting options, color support and high-quality hard-copy output devices.


Workstations account for the largest dollar volume in the business graphics market and will show the most dramatic growth in revenues through 1987 (Fig. 3). Business microcomputers will exhibit the next-best growth pattern—although the increased demand for workstation systems will hamper the revenue growth of business microcomputers. Graphics terminals will continue to show growth through 1987, but their market share in dollars will decrease in favor of workstations and microcomputers. Although shipments of turnkey presentation systems will continue to grow, this type of system will continue to be a relatively minor market segment.

Mary Owen is a consultant and director of terminals research at Advanced Resources Development, Medfield, Mass.

Interest Quotient (Circle One) High 831 Medium 832 Low 833



CIRCLE NO. 121 ON INQUIRY CARD



Attention Manufacturers With \$1 Million and More In Annual Sales

Manufacturing Software for your new IBM S/36 5362

A complete system ready to run right now.

Manufacturing software for your new IBM 5362 is available for immediate delivery. It is a complete system you can install today and begin using immediately.

Like the 5362, it's no toy.

This is real manufacturing software. Sophisticated enough to handle the most demanding environment, yet easy to use at any level.

And the price is right, too.

If you can afford the 5362, you can afford Data 3 manufacturing software. But the question is, can you afford to do without it? Not if the savings from decreased inventory levels, higher productivity and better customer service levels can put that cost back on your bottom line many times over—and they can!

Don't wait to find out your competition got there first.

Call or write us now for more information. Let your competition do the worrying.




P.O. Box 441 Santa Rosa, CA 95402 707-528-6560

DATA 3 SYSTEMS, INC.

CIRCLE NO. 122 ON INQUIRY CARD

Meeting the Challenge of Profit-Building...



Over 250 displays demonstrating the latest in business computer systems, word processing, telecommunications, office automation, data communications, copying/duplicating, furniture/workstations, computer peripherals and accessories and much more.

The Conference will address the most relevant topics in 4 Program Tracks: Management Issues and Concerns, Systems Planning and Perspectives, Technological Studies and Updates, Program Implementations. If you plan, design, implement, use or manage information systems you should attend.

Keynote Addresses by Industry Experts

- John J. Connell, Executive Director Office Technology Research Group "Challenge of the Years Ahead—
 Management Issues in Information System
- Management Issues in Information Systems"
- Amy D. Wohl, President Advanced Office Concepts Corp.
 "Hardware and Software Design Issues"
 Dr. Michael Hammer, President, Hammer and Co. Inc.

Dr. Michael Hammer, President, Hammer and Co., Inc.
 "Office Automation, Personal Computing and All That Jazz"

June 19–21, 1984 O'Hare Exposition Center Rosemont, Illinois

REGISTER NOW CALL 312/299-9311 FOR DETAILS!

Cahners Exposition Group Cahners Plaza 1350 East Touhy Avenue P.O. Box 5060 Des Plaines, IL 60018

MAILMEN SUPPLY COMPUTER BOOM

Computer proliferation in small business applications has spurred the emergence of direct-mail specialists as dominant computer-supply vendors


Joseph V. Popolo, MISCO Inc.

As recently as 20 years ago, computers were exotic pieces of equipment that were sequestered in computer rooms, pampered with air conditioning and tended by specialists. Today, business people who never dreamed they'd be able to afford the advantages of electronic budget forecasting, inventory control or sales projections have discovered they can have such benefits on their desktops for a few thousand dollars. The demand for computers has triggered a rising demand for computer supplies of all kinds-from floppy disks to print wheels, paper and magnetic tape. The demand has also significantly affected the computer-supplies market, spurring the growth of the direct-order computer-supplies industry and altering traditional distribution patterns.

A \$20,000 computer uses about \$3,000 worth of consumable supplies a year. The market for floppy disks is predicted to increase to more than \$730 million by 1987, up from 1981's \$128 million total. The dramatic penetration of computers into small business applications—which is emerging as the most important segment of the business-supply market—is one of the main factors fueling the growing demand for computer supplies. The market increased 130 percent from 1979 to 1982, and 1 million computers are expected to be installed in businesses with fewer than 500 employees by 1985.

Changing distribution patterns

This market growth has altered the traditional distribution patterns of the computer-supplies market, which has had to change from supplying a few dozen industrial giants to supporting and servicing thousands of small systems. The sudden growth of the direct-order computer supplies market is a consequence of this changing supply pattern. End users are increasingly buying computer supplies



The dramatic increase in personal computer shipments, expected to surpass mainframe sales by next year, has forced the computer-supply industry to restructure to supply this new demand.


from direct-mail companies instead of ordering directly from supplies manufacturers. Yearly sales from direct-order companies are estimated at \$420 million.

Catalogs of computer supplies offer the most efficient means of reaching the greatest number of customers. With the cost of an average sales call now pegged at \$250, many companies cannot afford to send salespeople to potential customers. In addition, many end users prefer the advantages of shopping from a catalog. Without waiting for a salesperson to call, they can use the catalog as a reference tool to what's available for their computer systems and get valuable insights into ways of optimizing their operation. Charts and diagrams aid in matching disk drive filters with disk drives

COMPUTER SUPPLIES

and the right cables and connections for adding peripherals to systems. End users can discover equipment they did not know was available to solve business problems—from ergonomic furniture to boost computer operator performance to surge suppressors to protect vital equipment.

Traditional methods of computer-supply distribution are eroding as a result of the requirements of thousands of small business computer systems. Direct-order specialists, such as catalog companies, are selling directly to end users. increasingly replacing the traditional manufacturer-toend-user link.



COMPUTER PENETRATION OF SMALL BUSINESS MARKET 550 - 1982 500 - 1979 450 (THOUSANDS 400 350 300 BASE 250 NSTALLED 200 150 100 50 20 TO 99 100 TO 249 250 TO 499 1 TO 19 NUMBER OF EMPLOYEES IN COMPANY SOURCE: PERSPECTUS INC

Computer penetration of the small business market has risen dramatically over the last few years, producing opportunities for direct-order computer-supply companies.

Direct-order serves end-user needs

Direct-order specialists can help meet critical end-user needs. Business computer users must have a reliable source for their supplies and one that furnishes the right product for an application. No retail outlet has the shelf space to stock thousands of computer supplies. In addition, some products, such as printer ribbons and diskettes, deteriorate over time. The direct-order supply specialist has the volume turnover to ensure that a product has not been sitting on the shelf for too long; the retailer may not have the inventory turnover to ensure product freshness.

Because they stock all leading brands of computer supplies and have no particular ax to grind, supply specialists can usually recommend the best product for an end user's application. They can offer pre- and post-sale technical assistance over the phone at the end user's convenience. Furthermore, they can stop problems before they begin by recommending products completely compatible with a user's equipment.

Dealing directly with all major computer-supply product manufacturers, supply specialists know what products are about to be introduced. By comparing customers' needs with advance knowledge of product features, they can offer expert recommendations.

End users concerned about quality will be well-served by supply specialists. They carry top-quality brand names and products whose reliability and performance consistency has been proven over a number of years. The specialist knows that a product is not a bargain if it fails in use and causes costly downtime for end users.


Finally, using a single specialized source for computer supplies assures end users that they can pinpoint responsibility for malfunctioning products. The shipper, in addition, is responsible for proper packing to prevent goods from being damaged en route to the end user.

These and other advantages have spurred the growth of the direct-order computer-supplies market and will continue to do so as the catalog of tomorrow moves into electronic mail and onto videotex screens.

Joseph V. Popolo is president of MISCO Inc., Holmdel, N.J. Active in the Direct Marketing Association, Popolo was formerly director of sales at Perkin-Elmer Corp., Oceanport, N.J.

Interest Quotient (Circle One) High 834 Medium 835 Low 836

Fujitsu presents sophisticated fast talk.



Shown here, in actual size, is Fujitsu's 14,400 bps stand-alone modern. Also available are 9,600, 4,800 and 2,400 bps stand-alone moderns, plus 14,400, 9,600, 4,800 and 2,400 bps card moderns.

Life size.

To stay competitive in today's market, a manufacturer has to stay close to the cutting edge of available technology. At Fujitsu, we offer OEM's a line of high-speed stand-alone modems and boards with the industry's most technologically advanced features. With speeds up to 14,400 bits per second. With powerful automatic equalizers that minimize the effects of line interference. And with such versatility, they're compatible with any type of equipment.


As one of the world's largest OEM suppliers, we know that our growth depends upon how well our products help your company grow. Whether you're planning to

resell modems, incorporate them into a system, or integrate modem boards into products you manufacture, you'll find us to be a powerful resource. And every product we make is backed by the Fujitsu name—recognized worldwide as a leader in data communications products.

For more information, contact us today. And get the answers fast.

Fujitsu America, Inc. • Data Communications Division • 1945 Gallows Road, Vienna, Virginia 22180 • (703) 356-5758





Net/One offers something unique in local area networking. A track record.

In fact, Net/One® offers a number of things unique in local area networking. True vendor independence. Media independence—baseband, broadband, fiber optics, or any combination thereof. Remote bridges and local bridges to interconnect separate Net/One systems—broadband or baseband—between buildings, or between cities, worldwide.

And all this uniqueness becomes even more so when you look at our track record. We not only talk a great network, we've actually been delivering Net/One since July of 1980. Hundreds of our systems are already out there moving information for organizations like Control Data, Caltech, Fairchild, ITT, RCA, Boston University, U.S. Forest Service, and Ford Aerospace.

Let's talk about how to turn the equipment you have now—whatever it is—into the network you want, now, with a network you can have, now. And a network that can take you wherever you want to go from here. Net/One.

Ungermann-Bass, Inc., 2560 Mission College Boulevard, Santa Clara, California 95050. Telephone (408) 496-0111.

Net/One from Ungermann-Bass U



EMULEX TALKS DEC



TWO-GIGABYTE PUSSYCATS...

One lean controller. Capable of taming up to four big, fast disks—making them look like a roomful of RM05 pussycats. Over two gigabytes of formatted on-line capacity—without changing a line of your VAX-11/750 or 780 software. It's the new Emulex SC7000, the most powerful—and versatile—disk controller ever developed. A single-board controller that can handle any mix of old and new SMD-interface drives: fixed or removable, 80 to 825 Mbytes per spindle, with standard or high-speed transfer rates of 1.8 Mbytes per second.

BEYOND ALL LOGIC ...

You can map your physical disk surface into any combination of up to eight "logical" DEC drives (RM03, RM05 or RM08). Completely transparent, of course, to your VMS or UNIX software, application programs and subsystem diagnostics. But you can also break through these logical barriers and take full advantage of the new generation of higher density, higher performance drives. Host-readable SC7000 configurations allow you to write your own custom, self-configuring device drivers for non-standard disk capacities, cylinders, tracks and sectors per track.

TWO OF A KIND ...

The new SC7000 disk controller is also a perfect match for the recently announced tri-density (GCR/PE/NRZI) Emulex TC7000 tape coupler. Together they give you almost unlimited mass-storage flexibility. With maximum throughput benefits and minimum parts inventories. Both single-board controllers can be plugged directly into any available Comet Memory Interconnect (CMI) slots in your VAX-11/750 backplane. Or the same boards (with different switch settings) can be loaded into an Emulex V-Master chassis plugged into the terminator slot of your VAX-11/780 Synchronous Backplane Interconnect (SBI) bus.

CATCHING THE CACHE BUS...

Similar high-throughput features apply to another new Emulex product—the SC72 disk controller for PDP-11/70 CPUs. Again, a proprietary bipolar microprocessor architecture supports disk transfer rates of 1.8 Mbytes per second. Again, too, the SC72 gives you a direct backplane interface—via the PDP-11/70 cache bus—for high-speed DMA transfers between the host and any combination of up to four physical SMD drives or eight "logical" drives. All completely transparent to your PDP-11 software. But with a host of OEM and end-user conveniences: priority-level jumpers, 14-sector data buffer to minimize late data delays, switch settings for interrupt vector, address range and up to 32 combinations of pre-defined disk configurations.



.3545 Harbor Blvd., P.O. Box 6725 Costa Mesa, California 92626 Toll-free (800) 854-7112, in Calif. (714) 662-5600.

Get More Power From Your System With CPC's Winchester Easy Box!



Up to 70 MB of fast-access fixed disc or 10-MB Fixed plus 10-MB Removable.

The CPC DSS 5300 Easy Box™ Winchester disc subsystem gives you quick expansion to your database and greater system power, using 30, 50, or 70 MB fixed-disc drives* or 10 MB fixed-disc capacity plus 10 MB in a removable cartridge.

Host adapters make installation quick and simple for the following computers and I/O busses:

- IBM PC®
- Multibus™
- S-100 Bus
- Q-bus™

- Versabus™
- Apple II®
- TRS-80 ||® & |||®
- STD Bus
- Unibus™
- EXORcisor IITM SASITM/SCSI
- **6800**

In a cabinet only 4.5" x 8.55" x 12", weighing 13 pounds, the DSS

5300 Easy Box disc subsystem combines your choice of 5.25" Winchester disc drives, an intelligent controller for up to two drives, power supply, and control panel. Access time is 30 or 40 ms, depending on drive type. Controller microprogramming permits these powerful functions:

- and verify
- Automatic readSector retries; error detection and
- correction. Alternate track or sector

assignment.

- Automatic seek
 Overlapped seeks
 - Interleave
 - Error logging.
 - Off-line copy

Get complete specifications and prices now by calling the sales office nearest you. Improve your system performance the Easy Box way!

*5 and 10 MB drives are also available outside North America.



766 San Aleso Avenue Sunnyvale, CA 94086 (408) 745-0855 TLX 6770005

Eastern Regional Office 1661 Worcester Road Framingham, MA 01701 (617) 879-6644 Southwest Regional Office 25251 Paseo de Alicia Laguna Hills, CA 92653 (714) 859-1571 Cii Honeywell Bull Cynthia Peripheral Division Rue Jean-Jaures 78340 Les Clayes-sous-Bois France Tel: (3) 462.70.00 Telex: 696054F



OEMs look to subsystem manufacturers for ready-to-run, value-added disk drives. Meanwhile, drive manufacturers enter the subsystem market

David Simpson, Associate Editor

OEMs and system integrators that need Winchester storage have two alternatives: they can buy a barebones disk drive from a drive manufacturer and do the integration themselves, or they can buy ready-to-run subsystems. Over the past two years, subsystem manufacturers have begun to add value beyond integration and packaging with enhancements such as backup devices and disk caching, giving OEMs higher-performance systems and more options. As a result, subsystem manufacturers are attracting new segments of the OEM market.

Why buy a subsystem?

Disk subsystem companies buy drives from drive manufacturers and usually add a chassis, a controller, a power supply, cables, a host adapter interface and software utilities. They also perform incoming tests and debugging and often add built-in diagnostics. OEMs that ship in large quantities (more than 500 units per year) generally do their own integration; they buy off-the-shelf components or build their own and supply appropriate software. Subsystems tend to attract OEMs that ship in smaller quantities—fewer than 100 units per year.

Aside from cutting component costs and alleviating integration headaches, subsystem manufacturers often add value by integrating backup devices. A variety of companies offer Winchester and floppy disk combinations, including Advanced Electronics Design Inc.,

Bering Industries Inc. and Scientific Micro Systems. However, the trend is toward fixed/removable subsystems that include a cartridge-disk or -tape drive.

Dataram Corp., a major player in the Digital Equipment Corp. LSI-compatible market, incorporates a 31.2M-byte fixed disk and a 10.4M-byte removable disk cartridge in its DEC RL02-compatible D22 subsystem. The cartridge drive can be used as fixed-drive backup, as a separate drive for file-oriented applications, as a user-program storage device or as an archival storage unit. The D22 interface card plugs into the Q-bus backplane.

Another alternative to DEC's RL02 drive is Emulex Corp.'s SABRE (storage and backup/RL02 emulation) subsystem, which includes a 31.2M-byte fixed Winchester drive and a 10.4M-byte cartridge-disk unit. Emulex's host adapter plugs directly into the Q-bus backplane and emulates two overlapped DEC RLV11/12 controllers. The 5¼-inch Winchester drive incorporates the small computer system interface (SCSI). Emulex is a major manufacturer of DEC-compatible controllers, and its recent product introductions represent a move by controller manufacturers into the subsystem business.

Subsystem companies with high-capacity drives tend to sell to OEMs and value-added resellers; those with low-capacity drives sell primarily through dealers, distributors and direct sales forces.

Tallgrass Technologies Corp., a leader in the IBM PC-/XT-compatible market, manufactures a disk/tape controller that handles both Winchester and tape-cartridge drives in its TG series of subsystems. The hard disks offer 6M to 140M bytes of formatted capacity; the tape cartridges hold 20M or 45M bytes. The disk/tape controller eliminates the need for separate disk controllers and tape formatters. The TG series indicates a general trend toward disk/tape combinations and multifunction controllers, such as those from Data Systems Design Inc. and Priam Corp.

Tallgrass' subsystems read and write 10K-byte tracks at a time, instead of 512-byte sectors as in conventional hard disks. The company's BIOS software converts the track's memory image into 512-byte sectors so that the lack of disk sectors is transparent to MS-DOS. According to Tallgrass, this approach yields 20 percent more formatted capacity because it eliminates the inter-record gaps required for sectored




Fig. 1. Disk caching reduces access times by storing most-frequency-accessed data records in RAM cache. In U.S. Design Corp.'s CSS-800 disk subsystem, the controller includes a Z80A that manages all I/O functions and cache operations, as well as "look-ahead" track buffering.


schemes.

Another significant enhancement in some subsystems is disk caching. U.S. Design Corp.'s CSS-800 disk/tape subsystems include 64K-byte cache memories. The disk controller contains the RAM cache and four dedicated Z80As that execute algorithms that store the most-frequently-used disk sectors in cache (Fig. 1). The CSS-800 transfers data from disk at 800K bytes per second and from cache at 2M bytes per second. Cache access time is 1.5 msec.; the disk's average access time is 20 msec.

U.S. Design recently announced the 620M-byte VIP/X disk subsystem, bringing mainframe storage to multiuser microcomputers. The VIP/X includes a 512K-byte cache that gives the subsystem a 10-msec. average access time with a disk that normally has a 35-msec. average access time. The cache is triple-ported for concurrent transfers between disk, host, microprocessor and memory. The CSS-800 and VIP/X subsystems connect to the DEC Q-bus or Unibus, the Multibus or the IBM PC.

Another subsystem manufacturer offering disk caching is Eicon Research Ltd. Recently available in production quantities, the DCH series of Winchesters includes 128K or 256K bytes of RAM cache and a dedicated microprocessor. When the processor loads a requested sector into the cache, it also loads the adjacent 31 sectors, which are the ones the host is most likely to request next. The subsystem typically returns 75 percent of all sector requests from the RAM cache. Maximum RAM access time is 100 $\mu \rm sec.$, compared to an average access time of 200 msec. from the Winchester. The subsystem backs up 10M bytes in less than 1 minute. Eicon's disk drives are compatible with Apple Computer Inc., IBM Corp. and NEC Corp. microcomputers.

System Industries' multiple-access control system



Disk subsystem prices show an uneven cost-per-megabyte distribution. Stars indicate subsystems that include backup devices.

WHITNEY

Fig. 2. Whitney technology read/write head assemblies offer improved head suspension—a function of the stability of the read/write platform—which improves recording-signal reliability. The reduced mass of the head assembly contributes to stability, as does the geometry of the side rails (1), load beam (2) and slider (3).

(SIMACS) is another subsystem product incorporating performance improvements. Via its 9900 disk subsystems, SIMACS allows as many as eight VAXs to share one to eight storage-module drive (SMD)-compatible disk drives. The control unit combines hardware, firmware and software that manages dynamic shared-disk access and performs load balancing.

Capitalizing on a recent advance in drive technology, some subsystem manufacturers are incorporating into their systems Amcodyne Inc.'s Arapahoe 7110 drive, which uses Whitney technology read/write heads (Fig. 2). The drive provides 22.5M bytes of removable cartridge storage and 22.5M bytes of fixed storage. Subsystem manufacturers using the Amcodyne drive include Plessey Peripheral Systems and Interphase Corp., a leader in the Multibus-compatible market.

Responding to the high-capacity requirements of multiuser systems, subsystem manufacturers are offering more storage and are abandoning 5M-and 10M-byte drives.

In response to the high-capacity requirements of multiuser systems, subsystem manufacturers are now offering products with more storage than the conventional 5M to 10M bytes. As more microcomputer manufacturers furnish systems with integrated 5M-and 10M-byte Winchesters, end users and OEMs will be less apt to buy low-capacity add-ons. For example,


Tallgrass has stopped manufacturing the 6M-byte TG-3006 subsystem and is phasing out the 12M-byte TG-3012, according to vice president of marketing Steve Volk. The company is instead focusing marketing attention on the 20M-byte TG-3020 and is ramping up production lines for its recently announced 70M- and 140M-byte subsystems.

Likewise, Davong Systems Inc. recently announced 43M-byte drives for the IBM PC and Apple Macintosh computers. Dubbed the I0011-040 and AM12-040, respectively, the drives represent a move away from Davong's established 5M- and 10M-byte subsystems. Other PC-compatible subsystem manufacturers, such as Corona Data Systems Inc., Corvus Systems Inc. and Tecmar Inc. are also following this trend.

Marketing channels are changing

Subsystem manufacturers traditionally sell to end users (via distributors, dealers and direct sales) or to specific OEM markets such as the DEC-compatible market. Now, however, the marketing mix appears to be in a state of flux as subsystem companies look for new markets and distribution methods.

Some subsystem manufacturers, such as Polymorphic Systems, market solely through dealers and distributors. Polymorphic's disk drives are targeted for the company's microcomputers but are also compatible with systems from Vector Graphics Inc. and North Star Computers Inc., among others. Although the company does not currently market to OEMs, sales to value-added resellers will probably pick up over the next year, predicts Ken Gudis, vice president of operations. Other companies, such as Dataram, Plessey Peripher-



als and U.S. Design, sell most of their subsystems to the OEM market. "The major change in our marketing approach," says U.S. Design vice president of marketing Larry Tashbook, "will be an increase in sales to Fortune 500 companies."

Marketing trends indicate that subsystem companies with high-capacity drives tend to sell to OEMs or value-added resellers; those with low-capacity systems sell primarily through dealers, distributors or direct sales forces. Some industry analysts predict that the OEM share of subsystem sales will increase dramatically over the next few years.

"Now that system houses are into the multiuser microcomputer market, they're using subsystem companies extensively," says disk industry analyst Jim Porter, author of Disk/Trend Report. Another reason is the growing number of microcomputer systems with integrated, low-capacity hard disks, causing subsystem manufacturers to move toward higher-capacity drives and thus toward the OEM market. The major growth area for subsystems is the multiuser environment where added performance is a major requirement.

Drive manufacturers enter the market

In what may presage another general trend in the subsystem market, drive manufacturers are throwing their hats into the ring. Drive manufacturers with plans to sell subsystems include Control Data Corp., Priam, Quantum Corp., Seagate Technology and Tandon Corp.

Priam is shipping production quantities of a subsystem based on its 86M-byte 803 drive. The subsystem includes a 45M-byte, ¼-inch tape-cartridge drive manufactured by Archive Corp. Priam manufactures all the other components, including the controller. "This originally was not a planned product as much as a logical solution to a customer problem," says Dal Allan, product manager of storage systems.

Over the next year, OEMs can expect more drive manufacturers to offer disk subsystems. The only impediments are lack of software expertise and inexperience in supporting controllers. Drive manufacturers often cannot tailor subsystems to specific OEM applications, but they can provide inexpensive general-purpose solutions. As Priam's Allan puts it, "A lot of OEMs believe that they could do the job better than could a subsystem manufacturer, but a general solution is always cheaper."

Interest Quotient (Circle One) High 837 Medium 838 Low 839



On July 9th

PPC

will announce
the new generation in
eight-inch, high-capacity
disk storage.

DX-300

When at NCC, Las Vegas, don't miss Booth C-4398



9600 Irondale Avenue Chatsworth, CA 91311 (818) 882-0030 CIRCLE NO. 129 ON INQUIRY CARD


CDC, MEET YOUR MATCH!

- STANDARD 19" RACK-











9715 FSD DRIVE

330 MB BACKUP DRIVE


The "half-wide" Winchesters from Control Data offer a great combination of convenience and capacity.

Finally, there's a low-cost backup device that's a perfect match: the new MT-1220 cartridge tape drive from MegaTape. 330 MB of reliable backup—in a single book-size cartridge.

The MT-1220 drive has the same form factor as the CDC 9715 disk drive—so the two fit perfectly side-by-side in just 10½ inches of rack space.

In 200 ips streaming mode, the MegaTape system dumps 330 MB in just 24 minutes. Start/stop mode is great for network archive servers, high-volume transaction journal logging, digital image storage, and similar applications. Average access to any record on a cartridge takes only 30 seconds.

330 MB in each book-size cartridge



CIRCLE NO. 130 ON INQUIRY CARD

MegaTape is an easy designin, too—it uses standard off-the-shelf controllers. The same transport is also available in a horizontal full-rack configuration. With extremely attractive OEM prices, it's no wonder MegaTape is fast becoming the new industry standard for high-capacity backup.

Call Gary Webb, Vice President, Marketing at (213) 357-9921


MegaTape Corporation, P.O. Box 317 1041 Hamilton Road, Duarte, CA 91010



The great leap forward in backup.

Demos at NCC/Booth C-4362.

DISK DRIVE SUBSYSTEMS



MINI-MICRO SYSTEMS/June 1984

			DISK	DRIVE SUBSYSTE	MS	
And the state of t	A principal capage	**	Oles John Charles of the State	Sometime of the second of the	Price (8)	Security of Securi
Se sa	Toler Second	Disk si	4 100	Se See	Quice .	No. of the state o
DFS 807A-2312	67(fixed)	8	Fujitsu America M2312K	DEC PDP series, VAX series, Unibus	9,765	includes controller
DFS 807A-9710	67(removable)	9	CDC 9710	DEC RM02, PDP series, VAX series, Unibus	11,465	includes power supply
DFS 807A-9766	256(removable)		CDC 9766	DEC PDP-11, VAX-11, Unibus	18,700	includes controller
DFS 807A-9775	512(fixed)	14	CDC 9775	DEC PDP series, VAX series, Unibus	25,765	
DFS 808A-2351	349(fixed)		Fujitsu America M2351A	DEC PDP series, Unibus	17,500	includes controller
DFS 907A-9710	67(removable)	9	CDC 9710	DEC RM02, LSI series, Q-bus	11,465	includes power supply
DFS 907A-9715/ 160, 340, 515	134, 268, 402 (fixed)	9	CDC 9715-160, -340, -515	DEC LSI-11, Q-bus	11,065; 12,500; 13,815	includes controller
DFS 907A-9775	512(fixed)	14	CDC 9775	DEC LSI series, Q-bus	25,765	
DFS 907A-9766	256(removable)		CDC 9766	DEC LSI series, Q-bus	18,700	includes controller
BERING INDU	TRIES INC.					
3000	5, 10, 15(fixed)	5.25	Computer Memories 5000	HB-IB, IEEE-488	2,540	multiport disk sharing, includes power supply; opt. rackmount
3300	5, 10, 15(fixed)	5.25	Computer Memories 5000	HP-IB, IEEE-488	2,840	multiport disk sharing; includes power supply, 280K-byte, 3.5-inch floppy disk drive backup; opt. rackmount
3500	5, 10, 15(fixed)	5.25	Computer Memories 5000	HP-IB, IEEE-488	3,250	multiport disk sharing, includes power supply, 280K-byte, 5.25-inch floppy disk drive backup; opt. rackmount
3800	5, 10, 15(fixed)	5.25	Computer Memories 5000	HP-IB, IEEE-488	4,260	multiport disk sharing, includes power supply, 1.2M-byte, 8-inch floppy disk drive backup; opi rackmount
THE BRAEGEN	CORP.					
DSL 160W	134.8(fixed)	9	CDC 9715	DEC PDP 11/70, VAX 11/780		
DSL 302	256.2(removable)	14	CDC 9766	DEC PDP 11/70, VAX 11/780		
DSL 302W	256.2(fixed)	14	Tecstor 315	DEC PDP 11/70, VAX 11/780		
DSL 400W	405.2(fixed)	10.5	Fujitsu	DEC PDP 11/70, VAX 11/780		
DSL 602W	512.4(fixed)	14	CDC 9775	DEC PDP 11/70, VAX 11/780		
DSL 82	67.4(removable)	14	CDC 9762	DEC PDP 11/70, VAX 11/780		
DSV 160W	134.8(fixed)	9	CDC 9715	DEC VAX 11/750		
DSV 302	256.2(removable)	14	CDC 9766	DEC VAX 11/750		
DSV 302W	256.2(fixed)	14	Tecstor 315	DEC VAX 11/750		
DSV 400W	405.2(fixed)	10.5	Fujitsu America Inc.	DEC VAX 11/750		
DSV 602W	512.4(fixed)	14	CDC 9775	DEC VAX 11/750		
DSV 82 Cameo elect	67.4(removable)	14	CDC 9762	DEC VAX 11/750		
Series 1000	40(fixed)/ 10(removable)	8	Disctron	IBM PC, NEC APC, Victor 9000, Epson, Sanyo, Xerox	6,995	
Series 500	12, 24(fixed)	5.25	Rodime	IBM PC, NEC APC, Victor 9000, Epson, Sanyo, Xerox	3,195; 4,495	
CMI INTERNAT	TIONAL	PROFESSION OF STREET				
Targa I	5, 10, 15, 31.2 (fixed)	5.25	CMI 5206, 5412, 5619, 6640; Syquest SQ306R	IBM PC and compatibles; Kaypro II; Osborne I, II; Televideo 803	1,945	single-drive box, linear power supply

			DISK	DRIVE SUBSYSTE	MS	
The state of the s	Complete Control of the Control of t	100 to 10	September 19 Septe	Company of the state of the sta	(b) out (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	A Soil of the second of the se
Targa II	5, 10, 15, 31.2 (fixed/removable)	5.25	CMI 5206, 5412, 5619, 6640; Syquest SQ306R	IBM PC and compatibles; Kaypro II; Osborne I, II; Televideo 803, 802		2-drive box, includes linear power supply
Targa III	5, 10, 15, 31.2 (fixed/removable)	5.25	CMI 5206, 5412, 5619, 6640; Syquest SQ306R	IBM PC and compatibles		2-drive box, includes linear power supply, 5 PC-compatible expansion slots
COMPUPRO						
Hard disk subsystem	40(fixed)	5.25	Quantum	S-100 bus	5,495	includes CP/M-80, -86 operating systems
COMPUTER D	YNAMICS INC.					
WIN-5	4.5(fixed)	8	Shugart	IBM, Heath, Apple IIe, S-100 Bus	950	
WIN-10	9(fixed)	8	Shugart	IBM, Heath, Apple IIe, S-100 Bus	1,200	The state of the s
WIN-15	13.5(fixed)	8	Shugart	IBM, Heath, Apple IIe, S-100 Bus	1,600	
COMPUTER PE	RODUCTS INT'L.					
CPI hard disk drive subsystem	8, 16, 25, 40, 65, 92(fixed)	5.25	Miniscribe	IBM PC; DEC Rainbow, North Star, Xerox 820, Zenith, Radio Shack, Victor 9000, NEC PC8000; Apple II, III	1,675; 2,095; 2,495; 3,675; 4,195; 5,250	
COMREX INTE	RNATIONAL INC.					
ComFiler CR-1510	10 (fixed)	5.25	Tandon	Epson QX-10	2,295	
CONTROL DAT	A CORP.					
33501 A2	635 (fixed)	14	CDC 33501	IBM System 370, 4300 Series	40,000	field upgradable to 33502, attachment of up to three 33501 B2 models; opt. dual access, zero seek
33501 B2	635 (fixed)	14	CDC 33501	IBM System 370, 4300 Series	31,680	field upgradable to 33502; opt. dual access, zero seek
33502 B2	1270 (fixed)	14	CDC 33502	IBM System 370, 4300 Series	41,680	opt. dual access feature, zero seek storage
33502 A2	1270 (fixed)	14	CDC 33502	IBM System 370, 4300 Series	50,000	attachment of up to three 33502 B2 models; op dual access feature, zero seek storage
33750 AD4	1630 (fixed)	14	CDC 33750	IBM 303X, 308X, 4300 Series, System 370	83,555	separate and independent HDA, independent interface logic, separate power interface, field upgradable to 33800 AA4, includes DPS/E, attachment of up to three 33750 B4 models
33750 AB4	1630 (fixed)	14	CDC 33750	IBM 303X, 308X, 4300 Series, System 370	73,115	separate and independent HDA, independent interface logic, separate power interface, field upgradable to 33800 A4, attachment of up to three 33750 B4 models
33750 B4	1630 (fixed)	14	CDC 33750	IBM 303X, 308X, 4300 Series, System 370	60,650	separate and independent HDA, independent interface logic, separate power interface, field upgradable to 33800 B4
33800 A4	2520 (fixed)	14	CDC 33800	IBM 303X, 308X, 4300 Series, System 370	81,995	separate and independent HDA, independent interface logic, separate power interface, attachment of up to three 33800 B4 models
33800 AA4	2520 (fixed)	14	CDC 33800	IBM 303X, 308X, 4300 Series, System 370	93,710	separate and independent HDA, independent interface logic, separate power interface, attachment of up to three 33800 B4 models, includes DPS; opt. DPS/E
33800 B4	2520 (fixed)	14	CDC 33800	IBM 303X, 308X, 4300 Series, System 370	68,020	separate and independent HDA, independent interface logic, separate power interface, field upgradable to A4 or AA4
CORONA DATA	SYSTEMS					
Personal hard disk (external)	10(fixed)	5.25	Seagate Technology, Miniscribe	IBM PC	2,695	includes operating system software
Personal hard disk (internal)	10(fixed)	5.25	Seagate Technology, Miniscribe	IBM PC	2,295	includes operating system software

MINI-MICRO SYSTEMS/June 1984 245

			DISK	DRIVE SUBSYSTE	MS	
Subject of the Subjec	The dead of the last of the la	Piet Piet	Dist on one of the original of the original or or or or or or original or	Companies of the State of the S	(dy out of the state of the sta	A STATE OF THE STA
CORVUS SYS						
6, 11, 20	5.9, 12.1, 18.4(fixed)	5.25	IMI 5007-H, 5014-H, 5021-H	Apple II, IIe, III; Radio Shack TRS-80 models II, III, 12; Xerox 820, 820-II; IBM PC, DEC VT80, NEC PC8000	2,195; 2,995; 3,995	
CROMEMCO	INC.					
HD-20	18(fixed)	5.25	International Memories	S-100 bus	3,995	includes WDI-II HD interface card
CVM SYSTEM	to the second second second second					
M80-F	80 (fixed)	8		DEC Unibus, Q-bus	3,315(Q1); 2,680(Q100)	tape back-up, dual-function controller, DEC Unibus or DEC Q-bus meets specifications for CDC 9762
M40-F	40 (fixed)	8		DEC Unibus, Q-bus	2,600(Q1); 2,100(Q100)	tape backup, dual-function controller, DEC Unibus or DEC Q-bus meets specifications for CDC 9760
DATA GENER	AL CORP.		-38/20aP-24/20			
6060, 6061, 6122	96, 192, 277(removable)	14	Data General	Data General	32,500; 35,900; 43,350	
6160, 6161, 6214	73, 147, 602(fixed)	14		Data General	18,000; 24,000; 50,000	
6236	354(fixed)	14	Data General	Data General	25,000	opt. tape drives
DATAPOINT (NAME AND ADDRESS OF THE OWNER, WHEN PERSONS AND ADDRESS O	5.05		D-1	2.050	
9313	5(fixed)/ 1(removable)	5.25		Datapoint 1560	3,950	
9315	10(fixed)/ 1(removable)	5.25		Datapoint 8600	3,950	And the second state of the second
9325	40(fixed)/ 10(removable)	8		Datapoint 8605	17,750	
DATARAM CO	Balling to the control of the contro			DEC PLACE OF	44 000	200
D22	31.2(fixed)/ 10.4(removable)	8	Quantum/Disctron	DEC RL02, Q-bus	11,950	D33 equivalent version available for VAX and PDP-11
DAVONG SYS						
AE012-005	5.2(fixed)	5.25	Computer Memories, Disctron, Tandon, Rodime	Apple IIe	1,995	
A2012-005	5.2(fixed)	5.25	Computer Memories, Disctron, Tandon, Rodime	Apple II	1,995	
A2012-010	10.4(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple II	2,395	
A2012-015	15.6(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple II	2,795	
AE012-010	10.4(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple IIe	2,395	
AE012-015	15.6(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple IIe	2,795	
AM012-010	10.4(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple Macintosh	2,395	
AM012-015	15.6(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple Macintosh	2,795	alester Atha Atha
AM012-021	21.8(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple Macintosh	3,295	
AM012-032	32.6(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple Macintosh	3,995	

DELTA'S MAPPED OUT A WAY TO HANDLE YOUR TOP PRIORITY SHIPMENTS



Delta Air Express guarantees shipment to over 10,000 communities in more than 90 cities—on the flight you specify.

Few shipments are too large and none are too small. If your shipment does not get on the flight specified, rates will be adjusted to that of regular air freight. Local pick-up and delivery available.

Delta can ship anywhere in the U.S. or the world, via interline connections. Delta Air Express rates compare favorably with other air express services.

Also ask about Delta DASH*—sameday delivery on packages up to 70

pounds. And Delta 3-D[™]Air Freight— 40% off regular freight rates on high-density shipments.

For details, call the Delta Marketing Office in the city nearest you.



DELTA AIR CARGO. READY ALL-AROUND

TOMORROW'S DISTRIBUTED SWITCHED DATA NETWORK

RIXON'S Data Concentration Exchange (DCX) is a revolutionary concept in data communications equipment by combining distributed

switching, statistical multiplexing, concentration, contention, and network processing functions.

DISTRIBUTED SWITCHING allows a terminal user

direct connection to a local CPU or remote CPU without having data transmitted to a central switch and back over the same line. It will also save you the expense for multiplexer hardware, excess cables, computer parts, communication links, and the modems required when using a central data switch.

CENTRALIZED MANAGEMENT AND CONTROL is established by making one node the master over all other DCX switches and multiplexers. Faults can be localized to individual ports and/or network links as everything can be managed from one node.

RESOURCE SHARING capabilities of the DCX line of products gives you

your own digital PABX system. This allows interconnect to as many as 15 other DCX switches and as many as 63 in a single network. Access levels


restricting certain computer facilities for security reasons are easily assigned with the DCX products.

With a DCX at your local or remote cluster, you can minimize your hardware investments by having everything needed in one box. You eliminate your central switching device, multiplexers to serve each remote cluster, and excessive cabling between data switch ports and the multiplexer ports. The cost of the DCX is application dependent, but will be less because you are purchasing a complete system in one cabinet from one company.

Call Dave Shaffer so he can explain to you in detail how you can benefit from RIXON'S family of statistical multiplexers at (301)622-2121, ext. 471, or write to RIXON at 2120 Industrial Parkway, Silver Spring, Maryland, 20904

See us at NCC Booth #H-948.

3048 © RIXON INC., 1983






DISK			A 2

						Allega de la companya della companya de la companya de la companya della companya
le le			W.			5
· AC MO	8		Post of the State	and the second		
S. S	West of the State	5ª	1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and dilling	And Sold Sold Sold Sold Sold Sold Sold Sol	8.69
State of the state	Topado Contro M	Oisk St.	Disk of the State	Companies of the state of the s	· air	A Solido
AM012-040	43(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple Macintosh	4,495	
AM014-005	5.2(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	Apple Macintosh	1,995	
0011-032	32.6(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	IBM PC	3,695	
0011-005	5.2(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	IBM PC	1,845	
0011-010	10.4(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	IBM PC	2,095	
0011-015	15.6(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	IBM PC	2,695	
0011-021	21.8(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	IBM PC	3,095	
0011-040	43(fixed)	5.25	Computer Memories, Tandon, Disctron, Rodime	IBM PC	4,495	
DIGITAL EQU	IPMENT CORP.					
RUA60-AA	205 (removable)	14	DEC	DEC Unibus	20,000	
RUA80-AA	121 (fixed)	14	DEC	DEC Unibus	19,000	
RUA81-AA	456 (fixed)	14	DEC	DEC Unibus	24,000	
RCD50-BB	5 (fixed)	5.25	DEC	DEC PRO 350, Rainbow, DECmate	1,495	
RCD51-BB	10 (fixed)	5.25	DEC	DEC PRO 350, Rainbow, DECmate	2,995	
RL211-AK	10 (removable)	14	DEC	DEC Q-bus, Unibus	6,900	
EICON RESE	ARCH INC.					
DisCache 10, 20, 40	10.5, 20, 40(fixed)	5.25		NEC, Apple, IBM PC	3,000	includes 128K-byte RAM cache; max. access time for a sector from RAM is 100 microseconds
EMULEX COF	P.					
Sabre	31.2(fixed)/ 10.4(removable)	5.25/8		DEC RL01, RL02	8,550(Q1); 5,815(Q100)	
GENIE COMP	UTER CORP.					
Genie 5 + 5	5(fixed)/ 5(removable)	5.25	DMA Systems	Apple II, IIe; IBM PC, TI Professional	3,995	
Genie 5, 10, 15, 20	5, 10, 15, 20(fixed)	5.25	Disctron	Apple II, IIe; IBM PC, TI Professional	2,295; 2,595; 2,895; 3,195	
X5A	5(removable)	5.25	DMA Systems	Apple II, IIe; IBM PC, TI Professional	3,295	
HARRIS COR	P.			`		
5330, 5350	80, 160(fixed)	14		Harris 600, 700, 800, 1000	19,900; 23,700	
5360	474(fixed)	10.5	Fujitsu America	Harris 600, 700, 800, 1000	26,000	
5630	80(removable)	14		Harris 600, 700, 800, 1000	20,900	includes controller
5650	300(removable)	14		Harris 600, 700, 800, 1000	26,500	includes controller
5660	675(fixed)	14		Harris 600, 700, 800, 1000	44,500	includes controller
LEMM FOR	CRAND CO.				3,040	includes 270K-byte, 3.5-inch floppy disk driv
Managage Committee Control	A Officed	EOE				
HEWLETT-PA 9133V 9133XV	4, 8(fixed) 14.5(fixed)	5.25 5.25			3,650	includes 270K-byte, 3.5-inch floppy disk drive

			DISK	DRIVE SUBSYSTE	MS	
School of the state of the stat	Committee of Sabority	10 to	Pie so	Computer of the Control of the Contr	(g) (a)	A September Sept
9134XV	14.5(fixed)	5.25			3,345	
9134XV opt. 010	9.6(fixed)	5.25			3,345	
ONEYWELL	INC.					
DU 9640, 641	20(fixed)/ 20(removable)	8		Honeywell DPS6	12,750	
2 INTERFACI	E INC.					
2BM10P	10.6(fixed)	5.25	Tandon 502	IBM PC, Compaq, Columbia, Eagle	1,495	includes case, power supply, controller, cabl and host adapter
2BM15P	15.9(fixed)	5.25	Tandon 503	IBM PC, Compaq, Columbia, Eagle	1,795	includes case, power supply, controller, cabl and host adapter
2BM25P	25.1(fixed)	5.25	Tandon 703	IBM PC, Compaq, Columbia, Eagle	2,245	includes case, power supply, controller, cable and host adapter
NTERPHASE	CORP.					
RDS 300	21(fixed)/ 21(removable)	8	Amcodyne	Multibus, IBM PC	8,000	
RDS 300	6.5(fixed)/ 6.5(removable)	8	Control Data Lark	Multibus, IBM PC	7,000	
CENNEDY CO).					
055/8055	33.67, 67.4	8	38.3	SMD, ANSI, Pico Bus	5,800; 6,600	includes .25-inch cartridge tape drive, rack mountable cabinet, power supply
MICRO MAIN	FRAME					
HD10	10(fixed)	5.25	Microscience Int'l.	IBM PC, Radio Shack models TRS-80 I, II, III, IV, 12,	1,595	
MF-HDS10	10(fixed)	5.25	Microscience Int'l.	IBM, Tandy, S-100 bus	1,695	
MICRO-DESI	The second secon	economic de la composición della composición del				
PRO-10	10(fixed)	5.25	NEC	IBM PC, Radio Shack TRS-80	1,399	
PRO-20	20(fixed)	5.25	NEC	IBM PC, Radio Shack TRS-80	1,549	
SQ-520	20(fixed)/ 5(removable)	5.25	Syquest Technology	IBM PC, Radio Shack TRS-80	3,795	
SQ-55B	5(fixed)/ 10(removable)	5.25	Syquest Technology	IBM PC, Radio Shack TRS-80	2,895	internal and external configurations available
SQ-5B	5(removable)	5.25	Syquest Technology	IBM PC, Radio Shack TRS-80	1,995	internal and external configurations available
MOUNTAIN	OMPUTER INC.					
MCI 5 Mb	5.33 (IBM); 5.01 (Apple) (fixed)	5.25	Seagate ST-406	IBM PC/XT and compatibles, Apple and Apple compatibles	1,995(Q1); 1,397(Q100)	
MCI 10 Mb	10.66 (IBM), 10.02 (Apple) (fixed)	5.25	Seagate ST-412	IBM PC/XT and compatibles, Apple and Apple compatibles	2,495(Q1); 1,746(Q100)	
MCI 15 Mb	15.99 (IBM); 15.03 (Apple) (fixed)	5.25	Seagate ST-419	IBM PC/XT and compatibles, Apple and Apple compatibles	2,995(Q1); 2,097(Q100)	
MCI 20 Mb	21.32 (IBM); 20.04 (Apple) (fixed)	5.25	Seagate ST-425	IBM PC/XT and compatibles, Apple and Apple compatibles	3,495(Q1); 2,447(Q100)	
MCI 32 Mb	35.65 (fixed)	5.25	Quantum Q540	IBM PC/XT and compatibles, Apple and Apple compatibles	4,495(Q1); 3,147(Q100)	
MCI 10 Mb internal	10.66 (fixed)	5.25	Cogito CG912	IBM PC/XT	2,195(Q1); 1,536(Q100)	
MCI 10 Mb internal	10.66 (fixed)	5.25	Microscience HH612	IBM PC/XT	2,195(Q1); 1,536(Q100)	



The only reason you're not using Pioneer's disk drive tester already.

If you still haven't seen the Pioneer hard disk drive tester in action, it's time to take a look. And judge for yourself.

Beginning with the price tag, every aspect of the Pioneer Qualifier™ is designed to meet your requirements for pocketbook and performance.

It's the only tester to interface with any and all SMD drives.

It's the only one with a hefty 20megabit per second capability. Even at triple the price.

It's the only one that can read and transfer Fujitsu's error map right into your computer. In seconds.

It's the only one that will format to your custom specs. And it does it at one megabyte per second. Over five times faster than by computer.

It pinpoints your errors to a specific media sector. And separates the correctable from the uncorrectable. So you can detect and log either set.

Have you ever seen a tester that does all that?

And also checks the address mark capability of your drive? And isolates

intermittents in the output? And works with embedded servos? And can be multiplexed to test four drives at once?

The Pioneer Qualifier does all those things. And easily, at that.

It's almost turnkey. It's totally

programmable through the simplified keyboard. And you can input a custom set of drive characteristics with no EPROMS to modify or boards to change.

Plus, there's even a standard RS232 port for remote operation, data printout, uploading and downloading.

Call Pioneer for a demonstration today. It's an eye opener.

Pioneer Research, 1745 Berkeley St., Santa Monica, CA 90404. (800) 233-1745 (outside California). (800) 848-1745 (in California). Rep opportunities available.



CIRCLE NO. 132 ON INQUIRY CARD

Qualifier is a registered trademark

TAKE ONE FOR A TEST DRIVE.



Introducing the 1984 TEACS.

A full line of 51/4 inch half-high flexible disk drives. Available in single/double sided, 48 tracks per inch/96 tracks per inch, single/double density.

With Teac's exclusive system of half-high at half power you get less heat build-up, less media expansion and disk off-tracking problems. Which means more reliability plus more adaptability.

And, Teac's brushless DC direct drive motors are proven mileage champs with up to 10,000 hours MTBF. Which only goes to show, as always, Teac quality pays off down the road.

TEAC CPD BUILT TO FANATICAL STANDARDS

COPYRIGHT 1983. TEAC INDUSTRIAL COMPUTER PRODUCTS DIVISION. 7733 TELEGRAPH ROAD, MONTEBELLO, CALIFORNIA 90640

CIRCLE NO. 133 ON INQUIRY CARD


DISK DRIVE SUBSYSTEMS

		4				
**	Baci		or sales	24		8 *
ST SEE	20 20		S. T. S.	The state of the s	6	le sum
Suppania Sup	Manage of Sapace	Diek Si	Post of the solution of the so	Computer Computer Strain Bus	S. S	A Solido
MYARC INC.					Tanas III	
WDS/100	5, 10, 15(fixed)	5.25	Tandon 501, 502, 503	TI 99	1,899; 2,199; 2,499	includes power supply
WDS/200	10, 20(fixed)	5.25	Nippon Electric RD4127, RD4255	IBM PC, XT	2,199; 2,599	
NATIONAL ME	MORY SYSTEMS	CORP.				1 12
2501, 2502	84, 168(fixed)	8		DEC LSI series	8,500; 10,800	
2503	335(fixed)	14		DEC LSI series	12,900	
2504	480(fixed)	10.5	。 对部体系统 产品级	DEC LSI series	14,900	
3084, 3168	84, 168(fixed)	8		TI 300	11,900; 12,500	
3500	480(fixed)	10.5		TI 300	15,500	
8001, 8002	84, 168(fixed)	8		IBM PC	8,900; 10,900	SECULATION CORE AND AN ORDER
3003	335(fixed)	14	MITTER SERVICE	IBM PC	12,900	A language of the second
8004	480(fixed)	10.5		IBM PC	14,900	
NCR CORP.						
6097-4141	10 (fixed)	5.25	Seagate ST-412, Teac FD55F			power supply, SASI controller included
6097-6560	1 or 2 (removable)	8	NEC FD1165	industry standard		power supply included
PERCOM DATA	A					
PHD-10, -20	10, 20(fixed)	5.25	Tandon, Micro Peripherals Inc.	Apple, IBM, Radio Shack	2,295; 2,995	
PLESSEY PER	IPHERAL SYSTE	MS				
290, 292, 294	28(fixed)	8	Micropolis	DEC RK06, RK07, Q-bus	7,000; 8,350; 9,550	includes power supply, model 292 includes one 1M-byte, 8-inch floppy disk drive; model 294 includes a 20M-byte, .25-inch streaming tape drive
295	56(fixed)	8	Micropolis	DEC RK02, Q-bus	11,750	includes power supply, two 28M-byte Winchester disk drives
850	70(fixed)	8	Fujitsu America	DEC RK06, RK07, Q-bus	10,800	includes power supply
353	67.6(fixed)	8	Fujitsu America Inc.	DEC RM02, Q-bus	11,300	includes power supply
110, 112, 113, 114	10.4(fixed)	5.25	Computer Memories Inc.	DEC RL01, RL01, Q-bus	4,815; 5,985; 6,730; 7,065	model 112 includes one 1M-byte, 8-inch floppy disk drive; model 113 includes 2 floppy disk drives; model 114 includes a 20M-byte, .25-incl streaming tape drive
210, 212, 213, 214	20.8(fixed)	5.25	Computer Memories Inc.	DEC RL01, RL02, Q-bus	6,350; 7,650; 8,475; 8,850	all models include power supply; model 212 includes one 1M-byte, 8-inch floppy disk drive; model 213 includes two floppy disk drives; model 214 includes a 20M-byte, .25-inch streaming tape drive
215, 216, 217, 218	41.6(fixed)	5.25	Computer Memories Inc.	DEC RL02, Q-bus	8,750; 10,050; 10,875; 11,250	all models include two 20.8M-byte Winchester disk drives, model 216 includes one 1M-byte, 8 inch floppy disk drive; model 217 includes two floppy disk drives; model 218 includes a 20M- byte, .25-inch streaming tape drive
POLYMORPHI	C SYSTEMS					
HD/18	15(fixed)	5.25	Seagate ST419	Polymorphic Systems, S-100 bus	2,995	includes chassis, power supply, controller, host adapter, cables and software; can be upgraded to model HD/18 +
HD/18+	15(fixed)/ 5(removable)	5.25/ 3.9	Seagate ST419/ Syquest SQ306	Polymorphic Systems, S-100 bus	4,995	includes chassis, power supply, controller, host adapter, cables and software
HD/40	40(fixed)	5.25	Craden Peripherals Corp.	Polymorphic Systems, S-100 bus	3,995	includes chassis, power supply, controller, host adapter, cables and software
ODP COMPUT	ER SYSTEMS, QU	ASAR D	ATA PRODUCTS INC.			
HD-10	10(fixed)	5.25	Miniscribe 2012	S-100, IEEE-696	3,995	includes power supply, controller, cables
HD-15	15(fixed)	5.25	Miniscribe 4020	S-100, IEEE-696	4,995	includes power supply, controller, cables
HD-30	30	5.25	Miniscribe 4020	S-100, IEEE-696	6,995	self-contained storage expansion unit contains

DISK DRIVE SUBSYSTEMS

			DISK	DRIVE SUBSTSTE	EMIS	
Supposition of the Control of the Co	A STATE OF THE PARTY OF THE PAR	O September 1	Disk of the St. of the	Computer Pus	(S) out of the second	A September of the Sept
	PUTER SERVICE					
DSK 62, DSK 63, DSK 65, DSK 67	10, 16, 20, 42(fixed)	5.25	Miniscribe, Ampex, Vertex, Rodime, Syquest, Western Dynex Corp.	Apple, Canon, Compaq, Digital, Epson, Heath/ Zenith, IBM, TI, Radio Shack; S-100 bus	2,499; 2,799; 2,999; 4,999	
DSK 7X	5(removable)	5.25		Apple, Canon, Compaq, Digital, Epson, Heath/ Zenith, IBM, Tl, Radio Shack; S-100 bus	14,000	
BE V	10(fixed)	5.25	Miniscribe, Ampex, Vertex, Rodime, Syquest, Western Dynex Corp.	Apple, Canon, Compaq, Digital, Epson, Heath/ Zenith, IBM, TI, Radio Shack; S-100 bus	1,999	
QUENTIN RESI	EARCH CORP.			ECONORAL TOTAL	rea û	
Q-505, Q-510, Q-515, Q-520	5, 10, 15, 20(fixed)	5.25	Nippon Electric	IBM PC, DEC Rainbow, Tandy 2000, Radio Shack TRS-80 model IV, Apple IIe, III	1,795; 1,995; 2,295; 2,495	opt. tape drive
RADIO SHACK	TANDY					
15MB Hard disk	15(fixed)	5.25		Radio Shack TRS-80 models 12, 16	2,995	
5MB Hard disk	5(fixed)	5.25		Radio Shack TRS-80	1,999	
Tandy 2000 Hard disk	10(fixed)	5.25		Tandy 2000	1,699	includes power supply, controller
SCIENTIFIC MI	CRO SYSTEMS					
FWT 0100	71.2(fixed)	8	Quantum Q2000	DEC	6,600	includes power supply, controller, floppy disk drive backup
FWT 50000	71.4(fixed)	8	Quantum Q2000	general purpose SASI	6,100	
FWT 80000	75.4(fixed)	8	Quantum Q2000	Multibus	6,600	includes power supply, controller, floppy disk drive backup
SYSGEN						
II-10	10(fixed)/ 10(removable)	5.25	Disctron, Fujitsu America Inc., Rodime, International Memories Inc., NEC	IBM PC, XT and compatibles	2,995	verifying on the fly
II-20	20(fixed)/ 10(removable)	5.25	Disctron, Fujitsu America Inc., Rodime, Int'l. Memories Inc., NEC	IBM PC, XT and compatibles	3,795	verifying on the fly
IIG-10	10(fixed)/ 20(removable)	5.25	Disctron, Fujitsu America Inc., Rodime, International Memories Inc., NEC	IBM PC, XT and compatibles	3,295	verifying on the fly
IIG-20	20(fixed)/ 20(removable)	5.25	Disctron, Fujitsu America Inc., Rodime, Int'l. Memories Inc., NEC	IBM PC, XT and compatibles	3,995	verifying on the fly
Image	10(removable)	5.25	Disctron, Fujitsu America Inc., Rodime, Int'l. Memories Inc., NEC	IBM PC, XT	995	verifying on the fly
Qicfile	20(removable)	5.25	Disctron, Fujitsu America Inc., Rodime, Int'l. Memories Inc., NEC	IBM PC, XT	1,495	
SYSTEM INDU	STRIES	Enhance-turn car				
3400-51	380(fixed)	10.5		Data General		Zebra emulation
3400-62	74(removable)	14		Data General		Zebra and Kismet emulations, bad block forwarding, rack-mountable
3400-65	277(removable)	14	The second second	Data General		Zebra and Vulcan emulations
3400-66	277(removable)	14		Data General		Zebra and Vulcan emulations, bad block forwarding

Not only will CalComp's digitizing tablet integrate with your equipment, it will look like it, too.



While other tablets give you just one color, CalComp gives you a choice.

With CalComp's 2000 Series Tablet you get all the colors and textures you need to match it perfectly with your equipment. Plus, you'll have a choice of a metal or plastic case or no case at all. So instead of standing out like a sore thumb, the 2000 Series will fit right in.

It fits in other ways, too. The 2000 Series is plug-compatible with

competitive models. And with its flexible output format it will easily integrate with all your equipment.


The 2000 Series also offers you a long list of features, including self-contained electronics, mouse and joy stick emulation and the most reliable pen on the market. It all adds up to the best price and performance investment you can make.

So if the other digitizer tablets on the market have been looking drab to you, take a look at CalComp's 2000 Series. It stands out—even when it's fitting in.

For complete information, call or write: CalComp, 2411 West La Palma Avenue, P.O. Box 3250, Anaheim, CA 92803. In continental U.S., except California, call (800) 556-1234, ext. 156. In California call (800) 441-2345, ext. 156.

CALCOMPA Sanders Company

CIRCLE NO. 157 ON INQUIRY CARD



YOU'LL NEED A PARTNER WHO CAN CUT IT.

How We Look At The Future. Designing information systems for the business office of the future is a lot like planning the flawless performance in ice skating.

Choosing the right printer partner can be critical.

Are the same strong goals for success shared? Is the necessary talent, commitment, and dedication to meeting and exceeding those goals present?

As a major designer and manufacturer of state-of-the-art printers, worldwide, Okidata knows the importance of goals and commitment. And living up to them.

What We're Doing Today. For Tomorrow. Right now, our dedicated

research and new product design teams are pushing and testing the limits of present technology to find better ways to build better printers.

Through an on-going and expensive commitment to robotic assembly, we're assuring smoother and faster-than-ever product flow.

And, elsewhere, we're streamlining our customization and modification turnaround times to respond even more quickly to your rapid startups.

We'll Be There When You Need Us. In OEM system building, just like in the Olympics, commitment is everything.

If your audience will be looking to you for more flawless performances in the future, we're the printer company who'd like to join you. In fact, we're already working on it. Call 1-800-OKIDATA. Or write OKIDATA, Mt. Laurel, NJ 08054.



CIRCLE NO. 134 ON INQUIRY CARD

DISK DRIVE SUBSYSTEMS

		ð			A	
Supposite Suppos	Companies Capac.		Disk divine of the state of the	83° ET		Noies featings of the strong o
To a second	Politica Million	16	De le	a digital distribution of the control of the contro	Price (S)	18 6 8 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Se sa	To see see	Disk Si	Part of the state	Computer Purishing	quice	80 00 00 00 00 00 00 00 00 00 00 00 00 0
3400-75	380, 554(fixed)	14		Data General		Zebra and Vulcan emulations, bad block forwarding
3400-84	100, 147(fixed)	14		Data General		Zebra and Kismet emulations, bad block forwarding, rack-mountable
3400-94	277(fixed)	14		Data General		Zebra and Vulcan emulations, rack-mountable
6100-51	414(fixed)	10.5		DEC PDP-11, VAX Unibus		rack-mountable
6100-62	67(removable)	14		DEC PDP 11, VAX Unibus		rack-mountable
6100-65	256(removable)	14		DEC PDP-11, VAX Unibus		
6100-66	256(removable)	14		DEC PDP-11, VAX Unibus		
6100-75	512, 552(fixed)	14		DEC PDP-11, VAX Unibus		
6100-84	67, 134(fixed)	14		DEC PDP-11, VAX Unibus		rack-mountable
6100-94	256(fixed)	14		DEC PDP-11, VAX Unibus		rack-mountable
9900-51	405(fixed)	10.5		DEC PDP-11 Unibus, PDP-11/70 Cache bus, VAX 750 CMI, VAX 780 SBI		bad block forwarding, rack-mountable
9900-62	67(removable)	14		DEC PDP-11 Unibus, VAX 730, VAX 750 CMI, VAX 780 SBI, PDP-11/70 Cache bus		bad block forwarding, rack-mountable
9900-65	256(removable)	14		DEC PDP-11 Unibus, PDP-11/70 Cache bus, VAX 730, VAX 750 CMI, VAX 780 SBI		bad block forwarding
9900-66	256(removable)	14		DEC PDP-11 Unibus, PDP-11/70 Cache bus, VAX 730, VAX 750 CMI, VAX 780 SBI		bad block forwarding
9900-75	512, 552(fixed)	14		DEC PDP-11 Unibus, PDP-11/70 Cache bus, VAX 730, VAX 750 CMI, VAX 780 SBI		bad block forwarding
9900-84	67,134(fixed)	14		DEC PDP-11 Unibus, PDP-11/70 Cache bus, VAX 730, VAX 750 CMI, VAX 780 SBI		bad block forwarding, rack-mountable
9900-94	256(fixed)	14		DEC PDP-11 Unibus, PDP-11/70 Cache bus, VAX 730, VAX 750 CMI, VAX 780 SBI		bad block forwarding, rack-mountable
SYSTEMS GF	ROUP			associated site and the second		
HD2906	12.76(fixed)	5.25	Computer Memories	S-100 bus	2,060	
HD2907	19.6(fixed)	5.25	Computer Memories	S-100 bus	2,230	
	TECHNOLOGIES	5.05		IDM DC VT	2.005	includes 2014 hate contribution has been
TG-3006	6.2(fixed)	5.25		IBM PC, XT and compatibles	2,995	includes 20M-byte cartridge tape backup
TG-3012	12.5(fixed)	5.25		IBM PC, XT and compatibles IBM PC, XT and	3,495	includes 20M-byte cartridge tape backup
TG-3020	19.7(fixed)	5.25	Vodes Delieber	compatibles	3,995	includes 20M-byte cartridge tape backup
TG-3135	35(fixed)	5.25	Vertex Peripherals	IBM PC, XT and compatibles	5,595	includes 45M-byte cartridge tape backup
TG-3170	70(fixed)	5.25	Vertex Peripherals	IBM PC, XT and compatibles	7,495	includes 45M-byte cartridge tape backup

MINI-MICRO SYSTEMS/June 1984

			DISK	DRIVE SUBSYSTI	EMS	
South State of the	The state of the s	Ologe Str.	A STATE OF THE PARTY OF THE PAR	Commenter of the Commen	(S) color	Sound Strong Str
TARBELL ELE						
HDS5-5, -10, -16, -28	5, 10, 16, 28(fixed)	5.25	CMI 19	S-100 bus	2,095 to 3,000	
TECMAR						
40200, 40300, 40400	10, 15, 33(fixed)	5.25	Computer Memories	IBM PC	2,795; 3,195; 4,295	
40210, 40310, 40410	10, 15, 33(fixed)/ 5(removable)	5.25	Computer Memories Inc./Syquest Technology	IBM PC	3,995; 4,395; 5,495	
THOUGHT WO	RKS INC.		locinology			
DataFile U.S. DESIGN C	5, 10, 20, 40(fixed)	5.25	Memorex, Fujitsu America Inc.	Sanyo models 1000, 1100/1150, 1200/1250, 3000, 500/550; IBM PC, Xerox 820, Zenith Z100	2,195; 2,595; 3,595; 4,995	
CSS-800	22(fixed)	0	Driam 2450	IDM DC Multibus DEC	0.005	Santi dan andridan kana kantan andridan
model 835	22(lixed)	8	Priam 3450	IBM PC, Multibus, DEC Q-bus, Unibus	8,995	includes cartridge tape backup, controllers, host adapters, cables, power supply, 64K-byte cache memory
CSS-800 model 870	59(fixed)	8	Priam 7050	IBM PC, Multibus, DEC Q-bus, Unibus	9,995	includes cartridge tape backup, controllers, host adapters, cables, power supply, 64K-byte cache memory
VIP/X	620(fixed)	5.25	Maxtor XT2190	IBM PC, Multibus, DEC Q-bus, Unibus, SCSI	23,995	includes ASCII port, controller, host adapter, cables, power supply, 512K-byte cache mem- ory; opt. cartridge tape, floppy disk backup
UNITED PERIF	PHERALS					
1696	480	14	CDC	Hewlett-Packard	29,500	
1698	480	14	CDC	Hewlett-Packard	29,500	
WANG LABOR						
2265V-1	75(removable)	14		Wang	12,000	
2265V-2 2265V-3	288(removable)	14		Wang	18,000	
2280N-3A	620(fixed) 67(fixed)/	14	MANAGER MANAGE	Wang	28,000	
2280V-3	13.4(removable) 75(fixed)/	14		Wang Wang	13,000	
6580-3	15(removable) 67(fixed)/	14		Wang	13,000	
	13.4(removable)			9		
EXPERIENCE THE TAXABLE PROPERTY.	SYSTEMS INC.					
2xRL01	5.4(fixed)/ 5.4(removable)	5.25	DMA Systems	DEC RL01, Q-bus	7,000	
2xRL02	10.8(fixed)/ 10.8(removable)	5.25	DMA Systems	DEC RL02, Q-bus	9,000	
4xRL01 4xRL02	10.8(fixed)/ 10.8(removable) 21.6(fixed)/	5.25 5.25	DMA Systems	DEC RL01, Q-bus	10,000	includes two fixed/removable drives
DataSafe-	21.6(removable) 5.4(fixed)/	5.25	DMA Systems DMA Systems	DEC RL02, Q-bus	14,000	includes two fixed/removable drives includes enclosure, controller, power supply,
8+8R DataSafe-	5.4(removable) 10.6, 21.2	8	Linx DP-100	ISIS-II	9,500; 11,995	cables, host adapter includes enclosure, controller, power supply,
17R, -34AR DataSafe-8,	(removable) 5, 10, 15(fixed)	5.25		ISIS-II, Multibus	4,995; 6,500;	cables, host adapter includes enclosure, controller, power supply,
-16, -24 MB 10/10Rx2	21.6(fixed)/	5.25	DMA Systems	Multibus	7,995 14,000	cables, host adapter includes two fixed/removable drives
MB-10/10R	21.6(removable) 10.8(fixed)/	5.25	DMA Systems	Multibus	9,000	same capacity as model MB-5/5Rx2 at lower
MB-5/5R	10.8(removable) 5.4(fixed)/ 5.4(removable)	5.25	DMA Systems	Multibus	7,000	cost in a smaller package
MB-5/5Rx2	10.8(fixed)/	5.25	DMA Systems	Multibus	10,000	includes two fixed/removable drives

NET

(fill in blank)

Multiple Choice Made Easy.

Confused about which Local Network to choose? You're not alone. In today's personal computer environment, new LANs seem to pop up daily, adding even more choices. And more questions.

Questions about performance. Price. Security. Expandability. And software availability. It isn't hard to see that multiple choice has become multiple guess.

We Provide The Answer. At Novell, we offer a unique new approach. An approach which answers the multiple choice question. We've taken our field-tested network operating system and made it work on all of today's LANs. ARCnet. Ethernet. OMNINET. proNET. PCnet. G-NET. Even tomorrow's Anynet.

We call it NetWare.TM

NetWare is designed to bring the user and software supplier together for maximum performance, security and functionality. No matter which LAN hardware you choose.

Software, Software And More Software. Because each LAN is different, today's leading software companies view NetWare as the single unifying answer to the multiple choice question. Many have become NetWare "Do It Once and For All" affiliates, adapting their software for application in multiuser NetWare environments.

Quickly. Easily. Uniformly. And only once for all LANs.

Novell Means Service. To serve the LAN market better, we've initiated a series of benchmark tests on all the major LAN configurations—both with the supplier's native operating system and with NetWare. The results are available now.

Interested? Give us a call to order your copy of the "LAN Benchmark Report." It's free. We'll also try to answer any questions you might have about personal computer networking. Call us at 1-800-LANKIND.

NetWare. Dedicated to serve all LANkind.

See us at PC Expo Booth 2416.

Novell Inc.

1170 N. Industrial Park Dr. Orem, Utah 84057 801 226-8202

DISK DRIVE SUBSYSTEMS

Subsey, Subsey, Mode,	Mayor of the State	Disk Si	Post of the state	Computer Bus	Price (S)	April 19 Spirites
XCOMP						
XF-10	10(fixed)	5.25	Miniscribe	S-100 bus	2,195	
XF-16	16(fixed)	5.25	Miniscribe		2,395	
XF-20	21(fixed)	5.25	Computer Memories Inc.	IBM PC	3,395	
XF-30	31.5(fixed)	5.25	Computer Memories Inc.	IBM PC	3,995	
10 Mb, 15 Mb	10, 15 (fixed)	5.25		S-100, Apple, IBM, and compatibles	2,195(10 Mb); 2,395(15 Mb)	write-protection, up to 5 year warranty
21 Mb, 31.5 Mb	21, 31.5 (fixed)	5.25		S-100, Apple, IBM and compatibles	3,395(21 Mb); 3,995(31.5 Mb)	write-protection, up to 5 year warranty
ZOBEX						
12.7M byte	10.6 (fixed)	5.25		IBM PC	1,295(Q1); 1,095(Q100)	power supply, controller, cables, software included
12.7M byte	10.6 (fixed)	5.25		IBM PCjr. Sanyo	1,595(Q1); 1,295(Q100)	power supply, controller, cables, software included





THE NEWEST FEATURE ON THE 3000 FAMILY OF PRINTERS IS OUR NEW NAME.

GENICON 3 40 A Printers will be as popular as ever

Our 3000 family of printers has an impressive list of features. But the most prominent new change on our printers is our new name.

Formerly the Data Communication Products Department of General Electric, we're now independently owned...and our new name is Genicom.

So the GE 3000 family is now the Genicom 3000 family. But while the name has changed, the product retains its established superiority.

The Genicom 3000 series of output printers still features speeds from 40 to over 400 cps. Single or dual mode printing. Type quality from EDP to NLQ. Multi-color printing. Graphics. Selectable type fonts, American craftsmanship and more.

Genicom 3000 printers will be as popular as ever with end users as well as OEM's, distributors, retailers and dealers...thanks to our list of outstanding features, plus the unique commonality advantages of several models all based on a single design.

And Genicom will also offer other products including our 2000 teleprinters and the soon to be introduced 4000 shuttle matrix printers. You'll find we have the same complete product line we had with GE.

Genicom. We have proven products, experienced personnel, established manufacturing facilities, a nationwide service network, plus a new commitment to excellence that stands behind our new name.

Genicom Corporation, One General Electric Drive, Dept. M311, Waynesboro, VA 22980. In Virginia, call 1-703-949-1170.

For the solution to your printing needs call

TOLL FREE 1-800-437-7468 CIRCLE NO. 138 ON INQUIRY CARD

WHEN A PERSONAL COMPUTER ISN'T ENOUGH, YOU NEED A PERSONAL PDP-11.

NOW YOU CAN HAVE DIGITAL'S PERSONAL PDP-11'S RUNNING PDP-11 AND VAX-COMPATIBLE SOFTWARE ON YOUR DESK.

You know who you are.
You've been doing a major part
of your work using a terminal
connected to a PDP-11™ or
VAX™ system. Your applications are as wide-ranging as
your knowledge. Theoretical
physics, real-time data analysis, statistics, financial modeling, CAD/CAM, process
control – there's very little that's
beyond the reach of your professional experience.

Like most users, you're very satisfied with the services you've been getting from your PDP-11. You've come to rely on them, in fact. And you're not willing to give them up for just a personal computer. What you really want is a full-powered minicomputer dedicated exclusively to your work.

If you're this type of user, Digital has exactly the computers you need: the Professional™ 300 Series, our personal PDP-11's. They're engineered to give you the minicomputer power and sophistication you've come to expect—in a personal computer size, and at a personal computer price.

RICH PDP-11 DEVELOPMENT ENVIRONMENTS AT YOUR COMMAND.

Digital's Professional 300 Series, the best-engineered desktop systems for computerexperienced professionals, offer you a choice of minicomputerpowered operating systems.

First among these is P/OS.™ the Professional Operating System. A single-user, multi-tasking version of RSX-11M-PLUS." it gives you capabilities that far exceed typical personal computer software. Its complement of compiler languages includes BASIC 11, DIBOL, COBOL-81, Pascal, FORTRAN-77, and WHITESMITH C. What's more, a Native Tool Kit and a rich selection of editors, debuggers, task builders, forms management and sort utilities helps you achieve the high programming productivity you've come to expect from a minicomputer. The UCSD-p System™ is available as an alternative development environment under P/OS. Plus, P/OS lets you use Digital Classified Software, a portfolio of proven applications such as TK! Solver," a high-performance equation-solving tool. and RS/1,™ an industry-standard laboratory research system.

Next, there's PRO/RT-11,™ a single-user, multi-tasking, real-time version of the RT-11 operating system that's so popular in technical OEM PDP-11 applications. There's also the STANDARD MICRO MUMPS 300™ System. And for commercial applications there's the CTS 300™ system, which features RT-11 DIBOL portability.

VENIX, a UNIX V7M operating system complete with Berkeley 4.1 enhancements, has been optimized for

the Professional Series. It even includes a UNIX System 5 software license, demonstrating our commitment to keeping the Professional current with future UNIX directions.


MINICOMPUTER STRENGTH APPLICATIONS. ON THE SHELF. READY TO GO.

The reason we've engineered the Professional with a variety of operating systems isn't just to let you write your own minicomputer-powered programs. It's to let you access a vast library of proven, development

oped PDP-11 and VAX RSX programs, and run them independently on your Professional.

Many third-party PDP-11 and VAX RSX applications—or the ones you're using now—can be transported to your Professional. You can use the same files, the same commands. This puts an incredible variety of scientific, industrial, technical and commercial solutions at your disposal.

Just as important, you can attach a real-time interface to the Professional to adapt it for scientific and industrial use. And you'll have a wide variety



of printers, plotters, and special purpose peripherals to choose from.

A TRUE DISTRIBUTED OFFICE WORKSTATION ON YOUR DESK.

The Professionals acknowledge the fact that you work in an office as well as in a lab, offering Pro Office Workstation, the Professionals' version of Digital's ALL-IN-1™ software, the best-engineered office automation system you can buy. Running in conjunction with a VAX host, ALL-IN-1 gives you word processing, automatic spelling verification, electronic filing, electronic mail, calendar management and more. And that can increase productivity organization-wide.

Office automation tools designed for independent use on your Professional include Digital's ASKIT™ software, which provides business

graphics, personal database, word processing and spread-sheet functions, plus a game. And with the optional CP/M® the US oftcard, you can run a variety of CP/M-80 packages on your Professional.


ETHERNET/DECNET LOCAL AREA NETWORKING TODAY.

The Professional 300 Series supports a variety of networking options. Foremost among these options is DECnet,™ which lets your Professional serve as a distributed workstation with PDP-11 and VAX processors. And, DECnet gives you a choice of local and wide-area communications devices, including 10 Mb/sec Ethernet, with full support for V2.0 standard (IEEE 802.3 specification); public packet-switched X.25 networks; and standard telephone lines.

And by virtue of its compatibility with PDP-11 and VAX RSX software and RMS file structures, the Professional lets you

and: 7.98*EXP(-4.77*X)+92.61*EXP

download remote files from your PDP-11 or VAX to your Professional, all transparently to the user and the program. Or, if you wish, your Professional can



emulate Digital's VT™ terminals.

The Professional doesn't leave out the rest of the world, either. Device emulation includes IBM 3270, 2780/3780, 3277, and more.

THE LEADING GRAPHICS WORKSTATION IN ITS CLASS.

If you only want to portray simple X-Y values, lots of personal computers can do the job. But if you need a way to graphically display thousands of information variables, there's no finer tool available than a Professional. It gives you a palette of 4,096 colors to work with. State-of-the-art graphics architecture, like GIDIS,™a virtual device interface, helps you design fast graphics for your programs, while allowing them to run independently of future hardware enhancements. Industry-standard graphics application interfaces are also available. And the Virtual Device Meta file capability lets you integrate text and graphics in a single file under P/OS 2.0. Just as important, the quality of Professional 300 graphics is unsur-

passed. The bit mapped screen provides a

Displayed above is RS/1, integrated software for scientific and engineering uses from BBN Software Products Corporation, a subsidiary of Bolt Beranek and Newman Inc.

960 x 240 pixel resolution. And Digital's IVIS™ Interactive Video System is available for advanced program development.

BEST ENGINEERED TO A PLAN.

The Professional 300 Series, like every Digital hardware and software product, is engineered to conform to an overall product plan. This means Digital systems are engineered to work together easily and expand inexpensively. Only Digital provides you with a single, integrated computing strategy from desk top to data center.

For more information on Digital's Professional 300 Series systems, the Professional 325 and the Professional 325 and the Professional 350, call 1-800-DIGITAL, ext. 690. Or send the coupon or write: Digital Equipment Corporation, Attn: Mr. Dennis Coady, 200 Baker Avenue, West Concord, Massachusetts 01742.

I'd like more information on Digital's Professional 300 Series, the Personal PDP-11's:

☐ Please send a copy of your new Professional Series Handbook.

☐ Please have a sales professional call with complete information.


Name		
Title		
Company		
Address		
City		
State	Zip	
Telephone	Ext.	
	ital Equipment Corpo	

Return to: Digital Equipment Corporation, Attn: Mr. Dennis Coady, 200 Baker Avenue, West Concord, MA 01742. Media Code: N.

THE BEST ENGINEERED COMPUTERS IN THE WORLD







"IBM, DEC or Control Data systems it doesn't matter. What does matter is that your system is running efficiently. And that's what Control Data's full line of services is all about.

More than 2,800 customer engineers, like me, are committed to delivering maximum performance. We respond to your specific needs. And we're flexible enough to bend over backwards to meet those needs, even on multi-vendor equipment. We have a national network of parts warehouses and a Central Support Center with hardware and software experts at our beck and call.

At Control Data, we have a 26-year track record behind us. And a firm commitment to meet any service need that may be ahead of us.

Call Control Data
Engineering Services. You can count on us."

1-800-828-8001 ext. 58. In Minnesota 612/921-4400 ext. 58. Outside the U.S. call your local office.

GD CONTROL DATA

CIRCLE NO. 139 ON INQUIRY CARD

SUBSYSTEMS MANUFACTURERS' DIRECTORY

ADVANCED ELECTRONICS DESIGN INC.

440 Potrero Ave. Sunnyvale, CA 94086 (408) 733-3555 Circle 750

AMCODYNE INC.

1301 S. Sunset St Longmont, CO 80501 (303) 772-2601 Circle 751

APPARAT INC.

4401 S. Tamarac Pkwy. Denver, CO 80237 (303) 741-1778 Circle 752

AVIV CORP

26 Cummings Park Woburn, MA 01801 (617) 933-1165 Circle 753

BERING INDUSTRIES INC.

1400 Fulton Pl. Fremont, CA 94539 (415) 651-3300 Circle 754

BRAEGEN CORP.

3320 E. La Palma Ave. Anaheim, CA 92806 (714) 632-9600 Circle 755

CAMEO ELECTRONICS INC.

1626 Clementine Anaheim, CA 92802 (714) 535-1682 Circle 756

COMPUPRO

3506 Breakwater Court Hayward, CA 94545 (415) 786-0909 Circle 757

COMPUTER DYNAMICS INC.

105 S Main St Greer, SC 29651 (803) 877-7471 Circle 758

COMPUTER PRODUCTS INTERNATIONAL

510 Lawrence Expwy., Suite 210 Sunnyvale, CA 94086 (408) 773-1760 Circle 759

CORONA DATA SYSTEMS INC.

31324 Via Colinas, Suite 110 Westlake Village, CA 91320 (818) 991-8120 Circle 760

CORVUS SYSTEMS INC.

2029 O'Toole Ave. San Jose, CA 95131 (408) 946-7700 Circle 761

CROMEMCO INC.

280 Bernardo Ave. P.O. Box 74005 Mountain View, CA 94039 (415) 964-7400 Circle 762

DATA GENERAL CORP. 4400 Computer Dr.

Westboro, MA 01580 (617) 366-8911 Circle 763

DATAPOINT CORP.

9725 Datapoint Dr. San Antonio, TX 78284 (512) 699-7000 Circle 764

DATARAM CORP.

Princeton Rd. Cranbury, NJ 08512 (609) 799-0071 Circle 765

DAVONG SYSTEMS INC.

217 Humboldt Court Dr. Sunnyvale, CA 94089 (408) 734-4900 Circle 766

EICON RESEARCH INC.

2157 Park Blvd. Box 60456 Palo Alto, CA 94306 (415) 326-2164 Circle 767

EMULEX CORP.

3545 Harbor Blvd. P.O. Box 6725 Costa Mesa, CA 92626 (714) 662-5600 Circle 768

GENIE COMPUTER CORP.

31131 Via Colinas, Suite 607 Westlake Village, CA 92626 (213) 991-6210 Circle 769

HARRIS CORP. COMPUTER SYSTEMS DIV.

2101 Cypress Creek Rd. Ft. Lauderdale, FL 33309 (305) 974-1700 Circle 770

HEWLETT-PACKARD CO.

(general inquires) 1820 Embarcadero Rd. Palo Alto, CA 94303 (800) 367-4772 Circle 771

HONEYWELL INFORMATION

SYSTEMS INC. 200 Smith St. Waltham, MA 02154 (617) 895-6000 Circle 772

12 INTERFACE INC.

7630 Alabama Ave. #6 Canoga Park, CA 91304 (213) 341-7914 Circle 773

INTERPHASE CORP.

13667 Floyd Cir. Dallas, TX 75243 (214) 350-9000 Circle 774

KENNEDY CO.

1600 S. Shamrock Ave. Monrovia, CA 92714 (714) 261-0291 Circle 775

MICRO-DESIGN

6301 Manchacha Rd. Austin, TX 78745 (512) 441-7890 Circle 776

MICRO MAINFRAME

11325 Sunrise Gold Cir., Bldg. A Rancho Cordova, CA 95670 (916) 635-3997 Circle 777

MICROSCIENCE INTERNATIONAL CORP.

575 E. Middlefield Rd. Mountain View, CA 94043 (415) 961-2212 Circle 778

MYARC

P.O. Box 140 Basking Ridge, NJ 07920 (201) 766-1700 Circle 779

NATIONAL MEMORY

SYSTEMS CORP. 355 Earhart Way Livermore, CA 94550 (415) 443-1669 Circle 780

PERCOM DATA CO. INC.

11220 Page Mill Rd. Dallas, TX 75243 (800) 527-1222 Circle 781

PLESSEY PERIPHERAL SYSTEMS

17466 Daimler Irvine, CA 92714 (714) 540-9945 Circle 782

POLYMORPHIC SYSTEMS

5330 Debbie Rd. Santa Barbara, CA 93111 (805) 967-0468

QDP (see QUASAR DATA PRODUCTS)

QUALITY COMPUTER SERVICES (see QUCES INC.)

QUASAR DATA PRODUCTS (QDP)

10330 Brecksville Rd. Cleveland, OH 44141 (216) 526-0838 Circle 784

QUCES INC.

3 Quces Dr. Metuchen, NJ 08840 (201) 548-2135 Circle 785

QUENTIN RESEARCH

9207 Eton St. Chatsworth, CA 91311 (818) 709-6500 Circle 786

RADIO SHACK

1 Tandy Center Forth Worth, TX 76102 (817) 390-3839 Circle 787

SCIENTIFIC MICRO SYSTEMS INC.

777 E. Middlefield Rd. Mountain View, CA 94043 (415) 964-5700 Circle 788

SYSGEN

47853 Warm Springs Blvd. Fremont, CA 94539 (415) 490-6770 Circle 789

SYSTEM INDUSTRIES

1855 Barber Lane Milpitas, CA 95035 (408) 942-1212 Circle 790

SYSTEMS GROUP

1601 W. Orangewood Ave. Orange, CA 92668 (714) 633-4460 Circle 791

TALLGRASS TECHNOLOGIES CORP.

11667 W. 90th St. Overland Park, KS 66212 (913) 492-6002 Circle 792

TARBELL ELECTRONICS

950 Dovlen Pl., Suite B Carson, CA 90746 (213) 538-4251 Circle 793

TECMAR INC.

6225 Cochran Rd. Solon, OH 44139 (216) 349-0600 Circle 794

THOUGHT WORKS INC.

3532 W. Thomas Rd. Phoenix, AZ 85019 (602) 269-6841 Circle 795

UNITED PERIPHERALS

432 Lakeside Dr. Sunnyvale, CA 94086 (408) 733-4200 Circle 796

U.S. DESIGN

5100 Philadelphia Way Lanham, MD 20706 (301) 577-2880 Circle 797

WANG LABORATORIES INC.

1 Industrial Ave. Lowell, MA 01851 (617) 459-5000 Circle 798

WINCHESTER SYSTEMS INC.

400 W. Cummings Park Woburn, MA 01801 (617) 933-8500 Circle 799

XCOMP INC.

7566 Trade St. San Diego, CA 92121 (619) 573-0077 Circle 800

OUR COMPETITORS CAN TALK PLATED MEDIA, BUT THEY CAN'T DISH IT OUT.



Everyone's talking about plated media. How it's more reliable than oxide media. More durable. More everything.

We couldn't agree more. Unfortunately, our competitors' talk is just that: long on puff and short on product.

Because, puffery aside, the Tandon Winchester Company is the only major hard disk drive manufacturer with plated media in true high volume production.

How we got there is an instructive story. One that clearly shows the difference between Tandon and our competitors.

Six months ago, when our competitors were dragging their feet on plated media, we were building a factory to do what they claimed was

impossible: to produce and ship high performance plated media drives in high volume at prices lower than most vendors charge for oxide media.

Now that we've proved it's possible, everyone's jumping on the plated media bandwagon.

But all their talk can't match what we're delivering. Our factory is in full production. Which means that all our drives up to 50 MB can offer all the advantages of plated media. Today, not someday. In high volume, not in premium production runs.


And while our competitors have been talking louder and louder, we've been turning up the volume on our plated media production even higher. Future Tandon Winchester drives are coming soon. All will use plated media exclusively.

Which means we'll be in the interesting position of delivering even more products our competitors will still only be talking about.


TANDON WINCHESTER COMPANY.



Tandon Corporation. 20320 Prairie, Chatsworth, CA 9131. (213) 993-6644, TWX: 910-494-1721, Telex: 194794. Regional Sales Offices: Boston (617) 938-1916 • New York (201) 851-2322 • Atlanta (404) 934-0620 • Chicago (312) 530-7401 • Dallas (214) 423-6260 • Irvine (714) 669-9622 • Santa Clara (408) 727-4545 • Frankfurt, West Germany 6107-2091, Telex: 411547 • London, England (0734) 664-676, Telex: 848411. Distributors: Hall-Mark, Kierulff, Schweber.



Mini-Micro Systems



NCC '84 Preview



The National Computer Conference preview from *Mini-Micro Systems* comprises three sections. There is a detailed article by senior editor Ron Shinn on a front-end processor board that will be introduced at the NCC by MDB Systems Inc. The board, shown on the opposite page, lets integrators use existing PDP-11 programs to boost system performance. Following that are shorter articles, compiled by assistant editor Steve Frann, on six more products that have introductions planned for NCC. Finally, associate editor Jesse Victor tells you what to look for in the various professional programs and seminars scheduled for the annual gathering of the computer industry this year in Las Vegas, Nev., July 9 to 12.

Front-end processor board combines J11 chip set, PDP-11 instructions

Ron Shinn, Senior Editor

By configuring Digital Equipment Corp.'s J11 chip set, two highspeed direct-memory-address (DMA) serial communications ports, 512K bytes of dual-ported memory and a parallel timer/counter port, a front-end processor board lets integrators use existing PDP-11 programs and instruction sets to boost the performance of compute-bound systems.

The JFEP11 board from MDB power of systems based on relative-Systems Inc., Orange, Calif., ally standard-performance host prothough designed to solve multiprocessors, such as the PDP-11/23, tocol communications throughput while providing a software migra-

problems, provides a wide range of general-purpose applications, including operation as an interprocessor link, a data compressor/decompressor, a dynamic memory reallocator, a terminal switcher and a terminal multiplexer.

The board operates in a Q-bus environment, furnishing an interface through its own external J11 bus for a variety of high-speed inputs and outputs. A key advantage of the board is that it boosts the power of systems based on relatively standard-performance host processors, such as the PDP-11/23, while providing a software migra-

CC '84 Preview

tion path for PDP-11 programming.

Man-months to days

According to Sandra Traylor, senior design engineer at MDB, users can with minimal effort make PDP-11 software run in the JFEP11 environment. "It might take manmonths to build a driver from scratch, but it literally takes only days and weeks to transfer programs using the JFEP11. Also, there are large numbers of PDP-11 programmers available as programming resources, which makes the product especially attractive."

Traylor describes the software job as basically writing additions to the serial port drivers and programming the on-board devices. But, she points out, this can all be done in the PDP-11 instructions with which many programmers are


familiar.

The quad-height JFEP11 board contains three connectors on one edge. It slides into any PDP-11 backplane without modification. The connectors link the J11 bus directly to external devices, connect the serial ports to a distribution panel and connect the parallel counter/timer port. Five lightemitting diodes mounted on the top board edge assist in troubleshooting and debugging. Boards are available now, and single-quantity price is approximately \$4,500.

Raw power of a PDP-11/70

The J11 chip set generally rates at two to three times the processing power of a PDP-11/23 processor and, says Traylor, gives the JFEP11 board much of the raw power found in a PDP-11/70.

In the JFEP11 board, this processing power combines with a dualported memory to save Q-bus bandwidth. Typically, the main or host processor performs data transfers to memory under interrupts or DMA control, which ties up the main bus during the operation. With



The functional block diagram of the JFEP11 front-end processor board shows the relationship between the Q-bus and the J11 bus. The J11 bus communicates with devices outside the computer system. It performs high-speed data I/O while the J11 chip processes data for presentation to the host processor at the dual-ported memory.

dual-ported memory, the front-end processor, or coprocessor, brings in the data, manipulates it, puts it into memory and then tells the host processor that the data is available at a given Q-bus address.

For example, 1,000 blocks of data transferred under DMA could take as long as 4 µsec. per instruction cycle (or block) to transfer under host control. With the JFEP11 handling all the communications and placing the raw data in memory, which is then available to the host on the Q-bus, all of that time is saved by the main processor. This setup thus delivers data into a system at rates as high as 1M bit per second (bps) over a high-speed port without loading the system bus.

Limited bus bandwidth is frequently a serious system problem, which is caused by significant bus activity from devices such as disks, terminals and magnetic tapes. Of the 512K bytes of memory on-board the JFEP11, 256K bytes can be selectively shared by the main processor. This sharing means that the data processed by the board can be put directly into system memory without detracting from the main



Take the next step now! Convert your dial-up datacomm system to 9600 bps

9600 A/B

Universal Data Systems

Traffic growth is inevitable for a successful datacomm system. Why not get ready for it?


With UDS' 9600 A/B modem, you can have the benefits of 9600 bps right now, using your present dialup equipment. Then, if a change to dedicated lines becomes attractive, you'll have all the hardware you need. A few simple strap changes, and you'll be ready for dedicated line operation.

In the meantime, you'll be enjoying the inherent economies of 9600 bps communication over the dial-

up network. The next step is cost effective – quantity one price for a UDS 9600 A/B is only \$2650.

For detailed specifications, contact Universal Data Systems, 5000 Bradford Drive, Huntsville, Alabama 35805. Telephone 205/837-8100; TWX 810-726-2100.

Universal Data Systems



Information Systems Group

UDS modems are offered nationally by leading distributors. Call the nearest UDS office for distributor listings in your area. DISTRICT OFFICES: Atlanta, GA, 404/998-2715 • Bellevue, WA 206/455-4429 • Blue Bell, PA 215/643-2336 • Boston, MA, 617/875-8868 • Columbus, OH, 614/895-3025 • Englewood, CO, 303/694-6043 • Glenview, IL, 312/998-8180 • Houston, TX, 713/988-5506 • Huntsville, AL, 205/837-8100 • Mountain View, CA, 415/969-3323 • Old Bridge, NJ, 201/251-9090 • Richardson, TX, 214/680-0002 • Silver Spring, MD, 301/587-0166 • Tampa, FL, 813/684-0615 • Tustin, CA, 714/669-8001

CIRCLE NO. 141 ON INQUIRY CARD

Created by Dayner/Hall, Inc., Winter Park, Florida

NCC '84 Preview

system bus bandwidth. The board can also generate an interrupt to notify the main processor that data is available.

Board proves multifunctional

Because many different types of terminals are used to input and output data from the main computer system, the JFEP11 provides a solution to both data-transfer and data-manipulation problems. The board, under user programming, can compress/decompress data, handle data integrity, process data in synchronous or asynchronous protocols and search for special characters or messages.

It can also be used as a protocol emulator, emulating more than one protocol on a single channel or on more than one channel. What's more, the two on-board high-speed DMA or interrupt-driven ports are programmable in asynchronous or synchronous protocols.

The external, or JFEP11, bus can bring in additional serial channels directly to the J11 processor, or into the memory for later data processing. Therefore, the board can serve as a terminal server, handling various dumb terminals, intelligent terminals and personal computers.

As a terminal server, the board can be programmed to support features such as switching terminals, dynamic reallocating of terminals and varying terminal-cluster applications. It can also multiplex local terminals, remote terminals and workstations into the main system.

Good for graphics

The JFEP11 especially suits applications requiring heavy throughput, such as for graphics. This application can load down the main processor with point-to-point computations and screen displays. The additional data handling and processing power of the JFEP11 significantly enhances such systems.

Another use of the board is as an

inter-processor link. This application proves useful when parallel inter-processor links are not possible or when higher-level protocols and assorted levels of error correction/ detection are required. The advantage here is the JFEP11's highspeed (1M-bps) data rates, full modem-control capability, DMA and data manipulations. The programmable JFEP11 can also control satellite communications.

Because nearly all the board functions are under program control, the product resists obsolescence. As new protocols are implemented and changes are made to existing protocols, system integrators have merely to reprogram the board, not obtain new hardware.

For example, the JFEP11's onboard counter/timer works through a parallel port. The softwareprogrammable, interrupt-driven counter/timer ports can help set event-timing constraints. The parallel port also accommodates modem signals or connects control lines from the J11 process to a userspecified device.

System programs or diagnostics can be down-loaded from the main processor into the JFEP11. Once the programs are down-loaded, board execution is started by booting up on power or via an on-line debugging tool console. This console finds primary use in the development environments and operates similar to a serial line unit interface device on the Q-bus.

The dual-ported memory is accessible to the J11 processor, on-board DMA devices and other devices via the Q-bus or the J11 bus. It has two separate addressing ranges. One address range relates to the Q-bus; the other, to the J11 bus. If the address range for the Q-bus starts at location 0, the addressing range for both buses is the same. If the address range for the Q-bus starts at location 256K bytes and the address range for the J11 bus starts at

For your best investment in printers.

Call your nearest Qume distributor today.


United States:

American Calculator & Computer (205) 933-2344—AL **Almac Electronics** (206) 643-9092-WA Anacomp (206) 881-1113-CA, UT, WA Anthem Systems (415) 342-9182-CA Bohlig & Associates (612) 922-7011 - MN Butler Associates (617) 964-5270-CT, MA **Byte Industries** (800) 972-5948 (**CA** Only) (800) 227-2070 (Outside **CA**) **David Jamison Carlyle** (213) 410-9250—CA, CO, HI, IL, NJ, TX Computers & Peripherals Int. (315) 476-6664-NY The Datastore (609) 779-0200-NJ Equipment Resources (404) 955-0313-GA **Future Information Systems** (212) 732-3905 - NYC **Gentry Associates** (305) 859-7450-FL, GA, LA, NC, SC, TN Inland Associates (913) 764-7977 - KS InterACT Computer Systems (704) 254-1949-FL, GA, NC **Kierulff Electronics** (800) 338-8811—AZ, CA, CO, CT, FL, GA, MA MD, MN, MO, NC, NJ, OH, OK, TX, UT, WA, WI MA/COM-Alanthus Data (301) 770-1150-MD MicroAmerica Distributing (800) 431-7660 (**MA** Only) (800) 343-4411(Outside **MA**)—**CA**, **MA**, **TX** Midwest Microcomputers (419) 782-1115-OH **National Computers Syndicate** (312) 459-6400-IL. MN **Pacific Mountain States** (800) 272-3222 - CA. WA PAR Associates (308) 371-4140—CO, UT PCA Microsystems (512) 654-4711-TX PCS, Inc. (214) 247-9946-TX **Pioneer Electronics** (301) 921-0660-AL, FL, GA, MD, NC, PA Polygon Industries (504) 834-7658—LA **Printer Warehouse** (213) 829-5493—(**CA** Only) (800) 245-9812—(Outside **CA**) R.C. Data (408) 946-3800-CA Rudor Communications (212) 245-5509-NYC Schweber (800) 645-3040—AL, CA, CT, FL, GA, IA, IL, MA, MD, MI, MN, NJ, NY, OH, OK, PA, TX, WI Southern Microcomputer (305) 621-4237 - FL **Tek-Aids Industries** (312) 870-7400-IL, PA, TX Terminal Rentals (714) 832-2414-CA Terminals Unlimited
(800) 336-0423-24 Locations Tricom (516) 483-9700-NY Unico (512) 451-0251-TX Western New York Computer (716) 381-4120-NY

Canada: Abacus Data Services (416) 677-9555 - Ontario Datamex (416) 781-9135-Ontario, Quebec **DataTech Systems** (604) 479-7117 - Alberta, BC, Ontario **Data Terminal Mart** (416) 677-0184 — Alberta, BC, Nova Scotia, Ontario, Quebec **Future Electronics** (416) 697-7710 - Alberta, BC, Ontario, Quebec Micro Distributing (604) 941-0622-BC Printerm Data (416) 977-1711 - Ontario



DON'T PAY MORE FOR A PRINTER THAT DELIVERS LESS.



Qume's

SPRINT 11/55 PLUS

outperforms NEC**

and Diablo for a

lot less money.

A simple comparison tells the whole story. Qume's new SPRINT 11/55 PLUSm daisywheel printer is tops in performance, with a steady speed of 55 characters per second. Print quality that's second to none. And the industry's best reliability rating—equal to almost three years of all-day, five-day-a-week business use without a single repair.

That's nearly a year longer than its closest rival.

And the SPRINT 11/55 PLUS is a perfect fit for most popular business computers, via our inexpensive plugin interface modules.

That means you won't have to change printers when you upgrade your current system. It's this kind of value that has made Qume one of the largest manufacturers of letter-quality printers in the world.

So don't pay more for less. Choose Qume's SPRINT 11/55 PLUS—the best printer you can buy. And the best buy in printers. For more information, contact the Qume distributor nearest you. Or write Qume Corporation, 2350 Qume Drive, San Jose, CA 95131.

Qume printers. Your best investment in productivity.



See distributor listing on opposite page.

Qume

en de comparation de la comparation del comparation de la comparat

1.450

Mean Time Before Failure at 25% duty (manufacturer's published data)

(manufacturer spublished data)
**NEC is a registered trademark of Nippon-Electric Company
†Diablo is a registered trademark of Xerox Corp.

CIRCLE NO. 142 ON INQUIRY CARD

© 1984 Oume/1TT

NCC '84 Preview

0, then the addresses are different. In this case, address 0 for the J11 bus correlates to address 256K bytes on the Q-bus.

Each additional address correlates with the next location for each range. Address locations 0 through 776 on the J11 bus are considered the vector address range for the J11 processor. When using the dual-ported memory, this section of memory must be protected from the Q-bus.

Making the memory look like two separate sections to the Q-bus helps reduce problems encountered by program collisions when using multiprocessors with common memory. Here, the upper memory can be used to share data directly between the two processors; the lower

memory, for J11 programs.

Dual buses ease I/O operations

Furthermore, the JFEP11 can be programmed to perform I/O operations between the J11 bus and the Q-bus. To do this, the J11 takes over the Q-bus by initiating a DMA transfer. Once the board becomes the master, it can read or write to any address on the Q-bus until it releases the bus back to the main processor.

In addition, two registers on the JFEP11 regulate the control and status information for each bus. The Q-bus control-and-status register controls power-fail to the J11 processor, lower- and upper-memory selection, DMA enable, dual-ported memory enable, J11 interrupt vec-

tor address and J11 interrupt request.

The second register grabs the Q-bus for J11-to-Q-bus I/O transfers, sets single cycle or requests the number of DMA transfers for burst-mode operation, starts DMA mode and enables the BEVENT (60-Hz-clock) line to J11 from the Q-bus and the Q-bus interrupt vector address and the request for Q-bus interrupt.

The serial communication channels and certain modem signals connect to the 50-pin connector on the card edge. Only RS422 interfacing is supplied on the board; RS423 interfacing is available through the external distribution panel.

Panasonic broadens its printer offerings

Panasonic Industrial Co. is broadening its printer offerings with the introduction of a daisy-wheel printer and the addition of three models to its dot-matrix printer line.


The KX-P3151 serial impact Diablo-compatible, bidrectional logicseeking daisy-wheel printer uses a 96-character wheel. It operates at 22 cps in 12-pitch Shannon text or 21 cps in 10-pitch. It performs wordprocessing functions such as boldface and shadow lettering, backspace, margins, tabs, underline and justification. The product comes with a standard friction-feed and optional tractor and cut-sheet feeders. Usable form lengths are operator-variable from 3 to 16 inches. The printer produces as many as four copies at a time on non-carbon forms or as many as three copies on carbon paper with a maximum paper width of 151/2 inches and a maximum printing width of 131/2 inches. LED lights indicate power-on and and on-line operation and error conditions such

as paper end, ribbon end, ribbon out and line error. An 8-bit parallel interface is standard; an RS232C interface is optional. \$700.

Models KX-P1092, KX-P1093 and KX-P1091 are nine-pin, serial dot-matrix printers. The KX-P1092 bi-directional printer with logic-

seeking head prints 180 cps in pica and elite. It features print modes for graphics, draft or near-letterquality output with a touch pad that enables users to change print mode from draft, near-letter-quality, italics or porportional. The unit has both tractor and friction paper-feed

Panasonic's model KX-P1092 dot-matrix printer lets users change form length and print mode from the front panel.





The dual tray ASF 522, like most BDT sheet feeders, installs in seconds.

You must be putting us on

A BDT sheet feeder belongs on every office automation system you make.

Simply, because your customers demand it.

BDT sheet feeders are the largest selling sheet feeders in the world, with more models, for more printers, than any other manufacturer.

Our line includes models with single and dual bins, as well as a triple unit with envelope capability.

And best of all, BDT sheet feeders are designed for easy integration into virtually any office automation system.

Reliability through simple design

People who buy office

automation systems want reliability.

When you put on a BDT sheet feeder, you're installing the most reliable sheet feeder ever made.

Its tested mean time to failure of 5,000 hours, and misfeed rate of less than 1 in 1,000 sheets, are the best in the history of the industry.

Through twenty-five years of design innovation in paper handling technology, we've continuously sought to create products praised for reliability, with no limit to their useful life.

Lowest Cost

Some people find it hard to believe that the most reliable sheet feeders are also the least expensive. That is, until they talk with us, and find out how inexpensive a sheet feeder can be.

And that makes your systems just that much more profitable.

So isn't it time that you consider putting us in our place, on your system? Call us today, (714) 660-1386.


Nothing tops a printer like a BDT sheet feeder




BDT Products, Inc.

17152 Armstrong Ave., Irvine, CA 92714
•714/660-1386 In New York: 101 Green St., Herkimer, NY 13350 • 315/866-1244 In Europe: BDT GmbH, PO. Box 80, D-7210 Rottweil, West Germany (0741)
248-0 Telex 762876 (bdtro) d

WE MAKE OUR 51/4 HALF-SATISFY THE TOUGHEST





Ourselves.

NEC manufactures some of the most advanced computer systems in the world today. And inside every one of them, you'll find some of the most advanced disk drives.

All designed and made by NEC.

You'll also find the same NEC drives in a lot of other well-known computer systems. Because system builders know every NEC drive is made by

people who look at drives the same way they do.

One reliable source for 5\(^1/4\)" drives.

The latest additions to the NEC disk drive line are 5½" half-height Winchesters and flexible drives. The Winchester is available now with 12.91 MB of storage; flexibles with 1.0 MB. Even larger capacities will be introduced in the near future.

If you use both drives in your systems, now you can count on one reliable source for all your needs.

20 years in the driver's seat.

NEC was one of the first to develop magnetic recording devices, back in 1959. But NEC has been pioneering advance-

12.9 MB of storage is available in Winchester drives (Model D5124). .5 and 1.0 MB is available in flexible drives (Model FD1053 and FD1055).

HEIGHT DISK DRIVES TO OEM IN THE BUSINESS.



ments in electronics for almost 85 years. Today, we're a worldwide company with over \$6 billion a year in sales.

NEC is one of the few who make a full range of disk drives: 8-inch and 5½" Winchesters and flexible drives, along with a new high capacity 9" Winchester. Some drives incorporate such advanced techno-

logies as NEC manufactured plated media and thin-film heads. Clearly NEC is at the leading edge of disk technology.

For more information on 5\(^{1}/4\)" drives or other sizes, or product literature, call 1-800-343-4418. (In Massachusetts, call 617-264-8635.) You'll discover why more and more systems builders are saving. "NEC and me."

rate such advanced techno-	ers are saying, "NEC and me."		
Please send me more information on:51/4" Half-height Winchester disk drive51/4" Half-height floppy drive	8" Winchester drive 9" Disk drive 520 MB	AND	
Name			
Title			
Company			
Address			
CityStateZip	_Tel. ()	Total Visit	
NEC Information Systems, Inc. 1414 Massachusetts Avenue Boxborough, MA 01719	MMS 6/84		
	CIRCLE NO. 145 ON INQUIRY	CARD	









B-600 MEDIUM SPEED BAND PRINTER



P-80 MATRIX PRINTER



MODEL 480 MATRIX PRINTER



DP-55 DAISYWHEEL PRINTER



DP-35 DAISYWHEEL PRINTER



P-80 MATRIX PRINTER



P-132 MATRIX PRINTER

M-120 MATRIX PRINTER

and so on.



Dataproducts printers. Nobody puts ideas on paper so many ways.

DATAPRODUCTS CORP., 6200 CANOGA AVE., WOODLAND HILLS, CA 91365. (818) 887-3924. IN EUROPE, 136-138 HIGH ST., EGHAM, SURREY, TW 20 9HL ENGLAND.


CIRCLE NO. 146 ON INQUIRY CARD

MINI MICRO SYSTEMS (No. 1984)

mechanisms and can accommodate fan-fold or single-sheet paper from 4 to 10 inches wide. Communication is through an 8-bit parallel interface; an RS232C interface is optional. \$599.

The bidirectional model KX-P1093 with logic-seeking head prints at 160 cps in pica and at 135 cps in elite. The printer also features graphics, draft, near-letterquality and proportional printing modes. It uses bottom paper feed and has adjustable tractor feed or friction paper feed. It accommodates 15-inch-wide paper. The product comes with 8-bit parallel and RS232C interfaces, \$899.

The KX-P1091 printer operates at 120 cps and offers switchselectable graphics, draft, near-



Panasonic enters the solid-font printer market with its KX-P3151 daisy-wheel unit.

letter-quality and proportional modes. Featuring an adjustable printer accepts sprocket or singlesheet paper from 4 to 10 inches wide. The product has a standard

8-bit parallel interface with an optional RS232C interface. \$499. tractor feed and friction feed, the Panasonic Industrial Co., One Panasonic Way, Seacaucus, N.J. 07094, (201) 348-7183.

Circle No 743

Subsystem provides 2.6G-byte write-once storage

Hitachi's 301 series optical-disk subsystem provides a maximum recording density of 19,500 bpi and a track density of 16,000 tpi for a storage capacity of 2.6G bytes per 12-inch disk. A proprietary Tellurium-Selenium photoelectric medium is air-sandwiched into the sealed glass envelope of the 301's disk.

Combined with read-after-write recording and an error-correction function, the medium reduces expected read errors to 10⁻¹², permitting storage of image and encoded data. Average access time is 250 msec. Data-transfer rate is 440K bytes per second. The basic subsystem configuration combines a for-

matter controller with one to four disk units. The second, or library, configuration offers as much as 80G bytes of storage and incorporates a formatter controller with software, one or two disk units and an automatic changer for as many as 32 disk cartridges. The formatter controller interfaces with CPUs via the GP-IB interface. Contact vendor for prices. Hitachi America Ltd., 950 Elm Ave., San Bruno, Calif. 94066, (415) 872-1902.

Circle No 744

Selectable modes match varied applications

The multimode model MVP 150B dot-matrix line printer produces correspondence-quality documents at 80 lpm and data-processingquality reports at 150 lpm. In the condensed-print mode, the product can print a 132-column report on an 8½-by-11-inch page. With the block graphics character set, an operator can generate custom business forms from a variety of horizontal, vertical and diagonal lines. For scientific or industrial graphics applications, the device plots at 100-by-100 dpi. It handles continuous fan-fold, edgeperforated, 3- to 16-inch-wide, oneto six-part forms. A Centronicscompatible interface is standard.



\$3,745. Printronix Inc., 17500 Cartwright Road, P.O. Box 19559, Irvine, Calif. 92713, (714) 863-1900. Circle No 745


Intelligent modems come in two configurations


The MultiModem line consists of three desktop models and two internal modem cards, which include communications software packages. The desktop models include the 1,200-/300-bps MultiModem, which combines the features of the Hayes Smartmodem 1200 with internal telephone-number storage and dial- or busy-tone-detection capabilities, the 1,200-/300-bps MultiModem HC and the 300-bps MultiModem HC3. The two internal modem cards are

the 1,200-/300-bps MultiModem PC, which plugs into the IBM PC expansion bus, and the 300-/110-bps MultiModem II, which plugs into the expansion bus of an Apple II, II Plus or IIe. The 1,200-/300-bps models operate over two-wire lines in half- or full-duplex mode and feature automatic dialing, automatic answering and pulse- or tone-dialing capability. Desktop models provide seven LED indicators for verification of phone-line and modem condi-

tions, such as receive data, transmit data, carrier detect, high speed, off hook, data terminal ready and modem ready. The 1,200-/300-bps MultiModems sell for \$549 each; the MultiModem IIe, for \$329; and the MultiModem HC, for \$289. MultiTech Systems Inc., 82 Second Ave., S.E., New Brighton, Minn. 55112, (612) 631-3550.


Circle No 746





Processor transforms terminal into personal computer


The Memorex PC Attach adds personal-computing capabilities to the company's line of IBMcompatible display stations. The product also attaches to the Memorex 2078 and 2079 display stations as well as to the IBM 3278, 3279 and 3178 displays. For host processing applications, the PC Attach connects to the Memorex 2074 and 2076 or the IBM 3274 and 3276 cluster controllers. PC Attach can transfer files to and receive files from an IBM host. The unit has 8088 and Z80A microprocessors, 128K bytes of memory, RS232C interfaces for asynchronous host communication and serial printer connection and includes MS-DOS and CP/M-80. Four system configurations are available: single-diskette drive,



dual-diskette drive and 10M- or 20M-byte hard disk drive with one diskette drive. All configurations use 5¼-inch diskettes formatted under MS-DOS to 320K bytes (IBM PC) or 360K bytes (IBM PC XT) or

under CP/M-80 to 410K bytes. Prices range from \$2,600 to \$6,000. **Memorex Corp.**, 18922 Forge Drive, Cupertino, Calif. 95014, (408) 996-9000.

Circle No 747



Multiuser system contains NS16032 CPU

The multiuser System 816/G uses National Semiconductor's 6-MHz NS16032 CPU with an NS16202 ICU and NS16082 MMU. The IEEE-696-compatible microcomputer also includes 512K bytes of 16-bit static memory, 12 serial ports, one Centronics printer port, one parallel port, 1.2M bytes of floppy disk storage, 40M bytes of hard

disk storage and 1.5M bytes of MDrive/H solid-state disk storage. UNIX Version 4.2 and the C and FORTRAN programming languages are standard. \$19,995. Deliveries begin in the third quarter. CompuPro, 3506 Breakwater Court, Hayward, Calif. 94545, (415) 786-0909.

Circle No 748



NCC looks ahead to Al, emerging computer industry standards

The NCC will target AI systems emerging from R&D labs and standards for graphics packages, LANs and microcomputers

Jesse Victor, Associate Editor

The National Computer Conference (NCC), to be held July 9-12 in Las Vegas, Nev., will focus on artificial-intelligence (AI) systems and emerging standards for computer graphics, local-area networks (LANs) and microcomputers. AI is no longer merely a technical buzzword or a subject for lengthy articles in technical journals. AI-based computer systems are emerging from research and development labs into prototype and, in some cases, commercial products. This year's NCC will provide an in-depth look at this powerful and significant technology, devoting a professional program track and nearly a score of professional sessions to AI and associated expert and knowledge-based systems.

"We are going to look at what is really going on out there right now and not just work in a laboratory," explains AI-program-track chairman James Miller, director of sponsored research at Computer Thought Corp., Dallas. A Wednesday morning session, for example, "Expert Systems in the Computing Industry," will present an overview of practical expert systems that can in some sense reproduce experts' decision-making skills. Providing a designer/user perspective, the panel will feature joint presentations by companies that have developed expert systems and by users of the systems in the field. The companies will discuss the motivation for applying AI and problems in building the systems; the users will zero in on applications and performance parameters.

Speakers will describe an orderentry expert system built by Teknowledge for NCR Corp., a system for the design of very-largescale-integration (VLSI) semiconductor chips developed by Hewlett-Packard Co.'s Research Lab in Palo Alto, Calif., and an expert system for computercontrolled instrumentation developed by IntelliGenetics Inc., Palo Alto, Calif., for the Lawrence Livermore National Laboratory, Livermore, Calif.

Session chairman Peter Friedland, a research scientist in the heuristic programming project at Stanford University, Stanford, Calif., views AI and expert systems as supplying "an intelligent front-end to complicated machinery," making experts' jobs easier. "The operator will be able to talk to the computer or instrument in terms closer to [the operator's] language," Friedland says. "The expert system will translate what the expert knows into language the instrument can understand. One of the major functions of expert systems is to make tools smarter and easier to use."

Lawrence Livermore has devel-

Video display offers Honeywell 7300 compatibility

The model 7-HNY terminal offers Honeywell VIP 7300 series and DEC VT102 compatibility. Unlike the VIP 7300, the model 7-HNY contains two bidirectional RS232 ports and expanded line-drawing and mosaic character sets, and its setup parameters are entered from the keyboard. The terminal has 12 pre-programmed function keys and

a 512-character, non-volatile function memory that accepts as many as 32 variable-length user-programmed functions. Its display attributes—low intensity, blink, underline, reverse and hide—are VIP7300-, VIP7200- and 7801-compatible. The model 7-HNY's display memory, consisting of one (or three) 24-line-by-80-column pages, can be

reformatted by logically redefining line length and page length in select mode. The terminal has seven area qualifiers, including zero fill, must fill and right justify, and characters can be displayed as large as double-height-by-quad-width. It is available in 9-, 12- and 15-inch CRT sizes and white, green and amber phosphors. The 12-inch model sells for \$1,695. **Teleray Division of Research Inc.**, 6425 Flying Cloud Drive, Eden Prairie, Minn. 55344, (612) 941-3300.

Circle No 749

oped an AI-based expert system to speed the calibration of a sophisticated triple-quadrupole mass spectrometer (TQMS). Developed with IntelliGenetics' knowledge-engineering environment (KEE) knowledge-representation language, the program, called TQMSTUNE, greatly speeds the complex coarseand fine-tuning calibration process, claims Dr. John Kunz, manager of custom systems at IntelliGenetics.

"Because there is no good algorithm for doing the calibration, it takes a very good chemist nearly an hour to perform the task," Kunz observes. "One of the advantages of AI telling you what to do is that you can implement something and see specifically how the instrument behaves. In the process of doing the calibration, you are learning the algorithm for doing it well." Although Kunz savs very few companies have triple-quadrupole mass spectrometers, he expects the technique to be applicable to other complex instruments.

Participants in a session called "AI Techniques for Signal Instruments" will discuss similar approaches to AI implementation. Signal processing, says Computer Thought's Miller, has been traditionally approached as a number-crunching problem, as in the analysis of complex seismic data, for

example. But recently, "people have been moving from a purely numerical approach to a more symbolic one," he says.

Systems like SRI International's Prospector, Miller explains, apply AI techniques to the seismic exploration for oil and other valuable materials, shifting more data analysis into the computer system itself. The system could then generate hypotheses about geological structures. For example, based on the collected seismic data, such a system could determine whether oil would likely be found at a specific location—in effect, giving an informed opinion with an associated probability of success.

A session called "Tools for Commercial AI" will explore practical AI systems from both hardware and software perspectives. Speakers at the Wednesday morning session will focus on new personal LISP machines that support AI, the AI operating-system environment and compatibility with traditional machines, ways in which AI can increase productivity and tools for improving application productivity.

"AI is essentially a scientific and engineering activity aimed at replicating or understanding human problem-solving skills," explains session chairman Thomas Kehler, executive vice president of technolo-

gy at IntelliGenetics. "From a product point of view, it is typically a program that supports an expert in decision making or in problem solving or a system that can supplement an expert when the expert is not around, allowing a less experienced person to substitute."

Kehler expects quite a few AI products to be introduced over the next few years and notes that Fortune 500 companies are developing AI products internally that could be developed for use in general applications. AI systems, Kehler says, can promote productivity by providing a set of highly relevant tools that permit designers to enhance the user-to-computer interface, do "some basic system design," customize computer systems for specific applications or create highly innovative graphics.

Systems analyze for style errors

"Intelligent Aids to Document Preparation" will spotlight highly innovative AI-based systems that might someday replace secretaries and copy editors. In the Thursday morning session, IBM Corp. will unveil its Epistle document-enhancement and -editing system that can analyze text for word-level, grammatical and stylistic errors.

The difference between Epistle and other systems is that it has a

parser of English text that understands grammatical structure, says Dr. Lance Miller, director of the Epistle project and manager of language and knowledge systems at IBM's Thomas Watson Research Center, Yorktown Heights, N.Y. Using standard style manuals, Epistle finds grammatical and stylistic errors and implements about 80 common style precepts. IBM will eventually customize Epistle to meet specific styles and user needs, Miller says.

Requiring 3M to 5M bytes of hard disk storage for its 130,000-word dictionary, Epistle uses a two-level cache memory. One level holds the


1,000 most frequently used words; the other holds the words most frequently written in creating a document. Epistle is in the research prototype stage and is undergoing field testing. It is currently a host-computer-based system, but Miller says it can be put into a small machine. Such a system, however, would need a performance level of 0.75 million instructions per second and 1M byte of memory. "Terminals now don't have those specs," Miller says, "but next year they probably will."

Also at NCC, Bell Laboratories, Summit, N.J., will spotlight its Writer's Workbench text-analysis software. The package, produced by AT&T Technologies Inc., Greensboro, N.C., contains more than 25 programs designed to improve and clarify writing. The Writer's Workbench proofreading programs check for spelling and punctuation errors, consecutive occurrences of words, split infinitives and phrases classified by writing experts as poor or sexually biased. The style program provides statistical information about the text, including readability indexes, the average length of sentences and the percentage of passive verbs.

Running under most versions of UNIX and available with the re-

Expert systems that encode human experts' knowledge and provide a logical decision-making process can control complex instruments or processes. The prototype triple-quadrupole mass spectrometer (TQMS) expert system, developed with IntelliGenetics'

knowledge-engineering environment software for Lawrence Livermore Laboratory uses an Al LISP processor, a Xerox 1100 Dolphin and two computers to calibrate and control a TQMS.





The first compatible disk controller that's an intelligent alternative.

Completely compatible with Perkin-Elmer's IDC system.

Full emulation permits disk pack exchange with P-E drives.

Macrolink performance, pricing and support.

Uses standard system diagnostics. No software patches required.

Only our Macrolink Intelligent Disk Controller (MIDC) offers full software and disk pack compatibility with the P-E IDC system. Using such advanced features as on-board ECC logic and micro-coded bit slice technology, MIDC corrects errors of up to 11 bits without operating system overhead. And when you plug this single-board controller into your Series 3200 CPU, you

can mix or match four SMD drives from independent suppliers to put up to 2400 Mbytes on line.

MIDC is shipped from stock with installation manual, cables and a one-year limited warranty. Of course, it comes complete with the high reliability, tested performance and attractive pricing you'd expect from the world leader in P-E interfaces.

Find out about the largest family of P-E compatibles going—

including memory, COMM, tape and more. Call today for prices and details. MACROLINK INC. 1150 East Stanford Court, Anaheim, CA 92805-6887. Telephone (714) 634-8080. TWX 910-591-1671.

Installed and serviced nationwide-call for details.



See Us At NCC Booth #4091 & 4021 CIRCLE NO. 148 ON INQUIRY CARD

Everything for Perkin-Elmer systems, except the computer.



cently introduced AT&T 3B series computers, Writer's Workbench is written in C and is available in source code for other minicomputers. The compiled programs and libraries require approximately 550K bytes of disk storage.

Document preparation

Epistle and Writer's Workbench, however, represent only one category of three types of AI-related document-preparation systems. Another session at NCC will describe a document-creation system for stylized documents, such as legal reports. The system will interview the user in standard English prose for the information needed to customize forms, says session chairman Bruce W. Ballard, assistant professor of computer science at Duke University, Durham, N.C.

Another presentation will highlight an AI system that, unlike most word processors, accommodates spoken, rather than typed, input. This permits an operator to use a touch-sensitive screen to move text from one part of a document to another under voice control. For example, a user could say, "Move this paragraph to here" as he touches the screen, Ballard explains. "You need AI [to do this] because you are not touching a paragraph but a horizontal and vertical screen coordinate and a letter, a word, a sentence or a paragraph. The system has to figure out which one."

Systems such as these will have a profound effect on the user/computer interface, Ballard asserts. Now, every step of editing or other computer-related processes must be specified at a very low level. "We are now talking about systems that can take over more of the tedious tasks, such as preparing legal documents," says Ballard. "Ultimately, we would like a system that does all of these things—document creation, improvement and editing. The system would automatically create styl-

ized documents with touch- and voice-based input and automatically catch grammatical and stylistic errors."

Realizing the promise of CAI

A Monday afternoon NCC session will highlight knowledge-based training systems that effectively "realize the promise of computeraided instruction (CAI)," says session chairman Eliot Soloway, assistant professor of computer science at Yale University, New Haven, Conn. "We are on the verge of being able to deliver effective CAI," he says, adding that CAI promises users a "high-powered teacher" at their beck and call. But providing such a teacher requires building experts into machines using AI techniques. "Traditional CAI is wellintentioned," says Soloway, "but the approach is insufficiently powerful to realize the goal."

Knowledge-based training systems, Soloway asserts, will revolutionize the man-machine interface and have an important place in schools and universities. "AI has been in the research part of the R&D stage for a long time. Now, we are about to enter the development stage."

Soloway's program will concentrate on systems for training medical students in diagnosis, teaching material in introductory psychology courses and aiding in the nonsyntactic bugging of computer programs. The prototype medicaltraining program presents a case study containing medical symptoms. The student performs a diagnostic "interview," evaluates the "patient's" condition and reaches a diagnosis. The training system monitors the process and points out where mistakes are being made.

During the session, Computer Thought Corp. will explore a training system for Ada programmers that finds "the semantic and pragmatic bugs that prevent a program from running correctly," according to Soloway.

Are computers intelligent?

Computer Thought's Miller expects the term "knowledge-based system" to enjoy wider use because most people are uncomfortable with the idea of computers having "artificial intelligence." Says Miller, "Psychologists have trouble defining 'intelligence,' so it's difficult to say what 'artificial intelligence' is. Generally, however, [an AI system] must contain a lot of knowledge about the domain in which it is to be applied and [a lot of] general problem-solving ability."

Miller expects future systems to have "substantial" learning ability. However, some laboratory systems now have the ability to reconfigure themselves based on mistakes. "For VLSI chip design, we would like a system that could work with the

Word level

Faulty abbreviations after first spelling Incorrect capitalization

Stylistic level

Awkward double negatives

Speaker shifts within sentences

Tense shifts within sentences

Unbalanced sentences—subject too long

Wrong correlative conjunction

Use of undesirable sentence construction

Grammatical level

Subject and verb disagreement

Wrong pronoun case

Noun modifiers disagreement

Non-standard verb forms

Some punctuation errors

SOURCE: IBM CORP.

The Al-based Epistle text-editing and -analysis system, under development at IBM, detects word, grammatical and stylistic errors. It can flag the disagreement of noun modifiers ("These valve must open"), non-standard verb forms ("That's all she writed") and undesirable sentence constructions, such as those using nominative absolutes ("The repair finished, reconnect the computer to peripherals").

VLSI engineer to build a circuit," Miller explains. "At some point, the system would suggest how the design might work. The engineer might say, 'No, it won't go,' and the machine would restructure the knowledge base to take this into account."

Miller views voice input as an "intriguing possibility" for AI systems and a very important area over the next few years. Stanford's

Friedland concurs, pointing out that, although considerable work is being done on voice input, "we are a long way from a system that can understand a large vocabulary. A lot of research needs to be done on spoken-language recognition on the AI side." A Thursday morning NCC session, "Natural Language Interfaces to Software Systems," will deal with problems of naturallanguage understanding in AI systems.

Standards prove important

As computer systems proliferate and computer-based applications multiply, standards for computer graphics, LANs and microcomputers become increasingly crucial for system integrators attempting to link disparate components and software. Several NCC professional sessions will deal with this important issue.

In "Emerging Standards in Computer Graphics," speakers from Integrated Software Systems Corp. (ISSCO), San Diego, Data General Corp., Austin, Texas, the National Center for Atmospheric Research, Boulder, Colo., and McDonnell Douglas Automation, St. Louis, will explore four key attempts at graphics standardization: the graphic kernel system (GKS), virtual device metafile (VDM), virtual device interface (VDI) and programmers hierarchical interactive graphics standard (PHIGS).

GKS applies to most passive and interactive applications and VDM serves graphics packages in storing

Designed to improve and clarify writing, AT&T Technologies' Writer's Workbench package comprises spelling, punctuation, style and text-analysis programs. This typical simplified printout from the proofreading (proofr) program analyzes a two-line text (INPUT). It indicates spelling errors, correct punctuation (NEW:) for incorrect (OLD:), consecutive occurrences of a word (DOUBLE WORDS) and split infinitives. Sentences with wordy or faulty phrasing are surrounded with stars and brackets, and alternative phrasing is suggested (PHRASE SUBSTITUTION).

and sharing graphics instructions, notes session chairman Tom Wright, director of research at ISSCO. Graphics packages will use VDI to access devices: PHIGS is a more specialized standard for highly interactive packages.

Other NCC graphics coverage promising to be of high interest includes Wednesday afternoon sessions focusing on new techniques in 3-D presentations, including sophisticated simulation systems, and case studies in computer animation.

Standards are becoming increasingly important in LAN technology, claims William Zachmann, vice president of corporate research at International Data Corp., Framingham, Mass., and chairman of a session called "Update on LANs." Zachmann believes that emerging standards will play a very important role. "We will see users of LANs turning toward non-vendorspecific implementations when they are available," he says.

The relevant advisory committees and the American National Standards Institute have accepted three IEEE 802 LAN standards and submitted them to the International Standards Organization for acceptance as international standards. Other 802 standards are under review.

Zachmann's panel will feature speakers from 3Com Corp., Ungermann-Bass Inc., Concord Data Systems Inc. and Warner-Amex. The speakers will prognosticate on significant LAN developments over the next few years.

Zachmann sees three significant trends in LANs in addition to emerging standards:

- the use of baseband technologies to form "work-group networks" linking multiple microcomputers with shared file servers, Winchester disks, communications facilities and printers:
- the use of broadband, community antenna television- (CATV-)

INPUT: Our report, "The Basic Fundamentals of Computational Complexity", is enclosed. Please send any recomended changes at your earliest convenience. thanks.

PROOFR OUTPUT:

Possible spelling errors are:

Computational recomended ******* PUNCTUATION *

****** SPELLING *

The punctuation is first described.

2 double quotes and 0 single quotes 0 apostrophes 0 left parentheses and 0 right ones

The program next prints any sentence that

it thinks is incorrectly punctuated and follows it by its correction.

OLD: Our report, "The Basic Fundamentals of Computational Complexity" NEW: Our report, "The Basic Fundamentals of Computational Complexity,' line 3

OLD: earliest convenience. thanks. NEW: earliest convenience. Thanks.

For more information about punctuation rules, type:

punctrules

******* DOUBLE WORDS*******

No double words found

******* WORD CHOICE ******* Sentences with possibly wordy or misused phrases are listed next, followed by sug-

gested revisions. beginning line 1

Our report, "The *[Basic Fundamentals]* of Computational Complexity", is

beginning line 2 Please send any recommended changes *[at your earliest convenience]

* Table of Substitution *

PHASE SUBSTITUTION

at your earliest convenience: use "soon" for "at your earliest convenience" basic fundamentals: use "fundamentals" for "basic fundamentals"

**** SPLIT INFINITIVES ****

No split infinitives found

Source: AT&T Bell Labs

based technology to create buildingwide, inter-building and campuswide LANs;


• The extension of these technologies in metropolitan areas as an important bypass alternative to local telephone company switching facilities.

LANs improve videotex

Metropolitan LANs will initially be used primarily for transmitting business data, Zachmann says, but, ultimately, they have great potential for bringing videotex services into homes. If videotex is to be successful, Zachmann maintains, it is going to need more bandwidth than the telephone system can provide, and "CATV-based systems are the only way to get it." This type of videotex system, Zachmann points out, can furnish better graphics, quicker response and less cumbersome log-on procedures.

Zachmann is uncertain about the impact IBM's token-passing-ringbased LAN will have on the market: "It depends on how soon IBM rolls it out. We are seeing some evidence users are getting tired of waiting for it. It appears chip development has not gone as quickly as was hoped." Other potential problems with the LAN are that it has an extremely complicated protocol and, says Zachmann, there are "some fairly significant roadblocks" to getting it accepted as an 802 standard. "It was put together with a bit order different from that of other 802 standards," Zachmann observes, "and it won't be inexpensive to implement."

One of the best attended of all professional sessions at past NCC shows has been the presentation on the future of the personal computer industry, and this year promises to be no exception. In "The Personal Computer Industry; The Experts Forecast the Future," four leading industry analysts will take an intensive look at the current state and the future of personal computers.



Future Computing traces the evolution of de facto personal computer standards along actual or highly probable paths (solid lines) and possible future tracks (segmented lines). One LAN (IBM's approach) and possibly other products will dominate multiuser personal computer system standards. For Winchester- and floppy disk-based personal computers, the IBM PC and PC XT architecture constitutes the main standard, but the dominant window-based software application environment is still undetermined. IBM's PCjr, Apple Computer Inc.'s Apple Ile and Z80-based CP/M systems are the primary standard-setting candidates for high-end home personal computers.

"Two conflicting trends are at work in the industry today," asserts session chairman Dr. Portia Isaacson, president of Future Computing Inc., Richardson, Texas. On the one hand, "the customer, the consumer and the office worker want standards badly," Isaacson observes. "They can't understand why you can't run a diskette from one computer on another. But they know that you should be able to."

New technology, however, now being introduced to personal computers—whether new methods of user interfacing, liquid-crystal-display-based flat screens or new software-based application environments with windowing capabilities—work against standards. "Technology is almost the antithesis of standards," Isaacson comments. "A technological breakthrough necessitates pulling away from standards."

Whatever the outcome of the technology-vs.-standardization conflict, Isaacson foresees exciting days ahead for the personal computer industry. "The technology now being

incorporated in personal computers is very sophisticated. The most advanced user-interface work is being done in personal computers, led by the software companies, and that is the technology that benefits the user most directly. Personal computers are now delivering what the Xerox Corp. Star workstation technology promised us," Isaacson says.

Interest Quotient (Circle One) High 840 Medium 841 Low 842

LOOKING AHEAD IN MMS

The premier issue of Mini-Micro System's Computer Digest is coming soon. It is MMS' first ever guide to minicomputers and microcomputers featuring articles on:

- single-board micros
- single-user micros
- multiuser micros
- mini systems
- OEM computers

Each section includes a staff-written overview discussing market trends and issues and extensive product tables.

SYSTEMS

Workstations support engineering applications

The Syte Series 3000 Micromainframe line of 32-bit engineering microcomputer systems features cache memory, an independent diagnostic processor and a floating-point processor. The workstations support CAD/CAM, engineering, robotics, graphics-arts, typesetting, office-automation and executive-administration applications.

The company's proprietary global environment manager system software permits the simultaneous use of different programs running on separate operating systems, with multiple windows displayed on the screen. For example, a user can write documentation in one window for a printed-circuit board layout displayed in another—even if the software for each application runs on different operating systems. The computers also support a proprietary implementation of System V UNIX, called /syte/UNX, that offers demand



Syte's Series 3000 model 300 engineering workstation provides floating-point capability, cache memory and separate processors for input/ouput, diagnostics and communications. The standalone station can be upgraded to local networking without software modifications.

paging, pre-emptive scheduling and a forking algorithm.

The model 300, the first of the Series 3000, consists of a CPU with 1M byte of memory, a keyboard, and a 19-inch. monochrome or color monitor. The monochrome monitor comes with highresolution graphics (1,024 by 800 pixels); the color monitor has mediumresolution (640 by 480 by 4) bit-mapped graphics. Each CPU is a single board that includes an NS16032 microprocessor for executing code; an Intel 80186 microprocessor for DMA and network and disk interfacing and two Intel 8051 microprocessors—one for communications and another for diagnostic processing. Each workstation is equipped with Ethernet network capability. Monochrome version: \$21,900, color version: \$24,900. Both systems include the global environment manager, /syte/UNX and the C, Pascal and FORTRAN programming languages. Syte Information Technology Inc., 11339 Sorrento Valley Road, San Diego, Calif. 92121, (619) 457-2270.

Circle No 300



Portable incorporates gas-plasma display

The PC Traveler portable computer for technical and business professionals features dual 16-bit Intel 80186 CPUs that are software-compatible with the Intel 8088 chip used in the IBM PC and other popular microcomputers. The PC Traveler includes an 80-cps impact

dot-matrix printer that prints 80 or 132 columns per line on letterhead or fan-fold paper. The printer also supports multiple print fonts, character sets and dot-addressable graphics. Incorporating AC gas-plasma technology, the computer's 91/4-inch diagonal amber screen displays 80 columns by 25 lines. The computer comes standard with 128K bytes of RAM, expandable to 256K bytes. A 6.2M-byte cartridge disk drive or two 360K-byte, half-height floppy disk drives provide mass storage. The system's lightweight, movable 88-key keyboard features a separate "enter" key on the numeric pad, 10 programmable function keys and additional function keys that initiate ROM-based diagnostics. \$4,495. Strategic Technologies Inc., 7001 Peachtree Industrial Blvd., Building 3, Norcross, Ga. 30071, (404) 441-8070.

Circle No 301

Portable computer suits OEMs

The C8/16 computer system features a 5-pound portable keyboard processor that can be linked to an optional low-profile coprocessor/mass-storage



unit. Keyboard-processor components consist of an 80-character-by-3-line LCD, a low-power 8-bit CMOS NSC-800 microprocessor, a standard typewriter keyboard and a microcassette recorder. The unit has a built-in 300-/1,200-baud modem, a real-time clock, RS232C and Centronics I/O ports, television and color-monitor ports, 64K bytes of dynamic RAM and 16K bytes of CMOS RAM for battery use. The coprocessor/ mass-storage unit contains Z80A and 8088 microprocessors, 128K bytes of RAM and two 51/4-inch, 512K-byte floppy disk drives. Prices are available from the vendor. Sunrise Systems Inc., 2209 Midway Rd., Carrollton, Texas 75006, (214) 934-0010.

Circle No 302

SYSTEMS

Micros feature high performance

The Universe 68/35 and 68/67 microcomputers incorporate a 12.5-MHz MC68000 microprocessor, a 32-bit VERSAbus I/O bus, 32-bit main memories, 32-bit disk channels and a 32-bit, 4K-byte cache memory. The 68/35 features a 35M-byte, 5¼-inch



bytes of main memory and support of as many as 64 users. It uses an 8-inch, double-sided, double-density, 1.25Mbyte floppy disk drive for program loading and backup storage. The 68/67 uses a 64M-byte, 8-inch Winchester disk drive. A built-in 45M-byte streamingtape drive provides system backup. The 68/67 comes with 512K bytes of main memory with byte parity, expandable to 5M bytes. Both computers support UNIX and the UNOS real-time operating system. 68/35: \$14,900, 68/67: \$24,900. Charles River Data Systems Inc., 983 Concord St., Framingham. Mass. 01701, (617) 626-1000. Circle No 303

Winchester disk drive, 512K to 3M



TWO, FIVE OR EIGHT LINE VERSATILITY Network Products Dependability

Babymux brings large multiplexer capabilities to the small Mux. User upgradable from two to five or eight lines in minutes. Terminal and composite line speeds up to 19,200 bps. Babymux supports a complete line of computers and terminals including DEC, Data General, Hewlett-Packard and IBM. Front panel convenience for programming configuration and statistical monitoring and no unnecessary DIP switches. Babymux - you can depend on it because it comes from Network Products.

Network Products, Inc. Research Triangle Park, NC 27709 919/549-8210

Network Products, Ltd. 387 Sykes Road Slough, Berkshire SL14SJ United Kingdom (0753) 821898






Micro features color graphics

The IBM PC- and PC XT-compatible Sperry Personal Computer features a built-in asynchronous RS232 port, an automatic time-of-day clock, color graphics and a keyboard. The 16-bit 8088 microprocessor operates at switchselectable speeds of 4.77 or 7.16 MHz. and the computer comes with 128K bytes of memory, expandable to 640K bytes. It offers a choice of three monitors, including a 12-inch, color monitor that supports 640-by-400-pixel resolution and simultaneously displays 16 colors. At 320-by-200-pixel resolution, the monitor simultaneously displays 256 colors. The keyboard has an IBM look-alike layout and features defined key captions, lock-key indicators, an enter key next to the numeric keypad and shift and return keys in typical typewriter locations. Massstorage options incude 320K- and 360K-byte floppy disk drives and 10M-byte hard disk drives. \$2,643 to \$5,753. Sperry Corp., Computer Systems, P.O. Box 500, Blue Bell, Pa. 19424, (215) 542-4213.

Circle No 304

DISK/TAPE



Streamer uses nine-, 16-track tapes

The JetStream 16 1/4-inch streaming cartridge-tape drive reads and writes as a nine- and 16-track unit. The drive mechanism has a separate erase bar and uses a two-channel, bidirectional tape head to record data. It stores 80M bytes (formatted) on a DC300XL data cartridge. It is QIC-02 and -24 compatible. Burst transfer rate is 400K bytes per second, and average data-transfer rate is 72K bytes per second to maintain streaming. Microprocessors on the controller enable automaticreference burst location, identification of cartridge type, error logging and diagnostic tests at power-up and cartridge insertion. \$925 (500 units). Qantex Division of North Atlantic Industries Inc., 60 Plant Ave., Hauppauge, N.Y. 11788, (516) 582-6060.

Circle No 305



Tape drive operates in two modes

The STR-Stream II model 130 dual-mode ½-inch cartridge-tape drive provides start/stop and streaming capabilities. Its streaming capacity is 130M bytes, and start/stop capacity is 83M bytes (formatted). The unit streams at 75 ips, runs start/stop at 50 ips and searches/rewinds at 150 ips. Data-transfer rate is 225K bytes per second in streaming mode. The drive has a 5¼-inch form factor and uses an Enhanced Small Tape Interface. MTBF is greater than 15,000 power-on hours,

and MTTR is less than 30 minutes. Approximately \$1,000 (10,000 units). Electronic Processors Inc., 1265 W. Dartmouth Ave., P.O. Box 569, Englewood, Colo. 80110, (303) 761-8540. Circle No 306



Winchester employs 9-inch media

The NEC D2300 Winchester disk drive features 520M bytes of unformatted storage on 9-inch plated media, a 15-msec. average access time and a 1.859M-byte-per-second data-transfer rate. It is available with an Extended Storage Module Device interface. \$8,300 (100 units). NEC Information Systems Inc., 1414 Massachusetts Ave., Boxborough, Mass. 01719, (617) 264-8000.

Circle No 307

Winchester drives feature SCSI intelligence

The 700S series of intelligent 51/4-inch rigid disk drives combines the performance of Winchester technology with the intelligence of SCSI controllers. The 706S and 712S pack 5M and 10M bytes of formatted data, respectively, on oxide-coated media. They provide device independence from the host CPU and easy integration with host CPUs through generic software programmed into the operating system. Incorporating the full SCSI function within the form factor of a full-height, 51/4-inch Winchester disk drive, the 700S series performs formatting, data-error detection and correction, data buffering and automatic retries functions. Dataprotection features include four-point

shock mounts, a spindle lock and a dedicated head-landing/-shipping zone. MTBF is 18,000 power-on hours. Average access time is 85 msec. 706S: \$661 (OEM quantities), 712S: \$716 (OEM quantities). Shugart Corp., 475 Oakmead Parkway, Sunnyvale, Calif. 94086, (408) 733-0100. Circle No 308

Winchester aids multiuser systems

The half-height, 8-inch ST8100 Winchester disk drive stores 102.1M bytes (unformatted). Using a proprietary voice-coil linear-actuator design, the drive provides a 30-msec. average access time. Data-transfer rate is 10M bps. The unit uses three oxide-coated disks, a DC spindle motor and manganese-zinc ferrite, mini-slider read/write heads. Approximately \$1,500 in large quantities. Seagate Technology, 920 Disc Dr., Scotts Valley, Calif. 95066, (408) 438-6550.

Circle No 309



Winchesters use 12 read /write heads per surface


The Turbo-disc 51/4-inch Winchester disk drive subsystem uses 12 read/write heads per disk surface. In a 10M-byte configuration (5M bytes fixed/5M bytes removable), the Turbo-disc always maintains 425,000 characters of data under 48 heads. It provides an 8-msec. access time for data under the heads and a 16-msec. average access time for the remaining data. The heads are prevented from crashing onto the plated media by a head-lifting system that locks the heads above the disk surface. Datatransfer rate is 5M bps. OEM versions come with an ST506/412 interface. Prices start at \$1,800. New World Computer Co., 6624 Owens Dr., Pleasanton, Calif. 94566, (415) 463-0330.

DISK/TAPE



Winchester features 25-msec. access time

The model V2100 51/4-inch Winchester disk drive stores 78.7M bytes (formatted) on four thin-film disks. It offers a 25-msec. average access time and uses the ST412HP interface for a 10M-bps data-transfer rate. Other features include a 960-tpi track density and a dual-frequency, closed-loop servo system that allows continuous sampling and correction of head-to-track positioning as the disks rotate. An automatic actuator lock, which is activated on power-down, a dedicated landing zone and full shock mounting counter potential shock and vibration damage. MTBF is more than 11,000 power-on hours; MTTR is less than 30 minutes. Approximately \$1,750 in OEM quantities. Vertex Peripherals, 2150 Bering Drive, San Jose, Calif. 95131, (408) 942-0606. Circle No 311




Subsystem integrates hard disks, tape drives

The VectorSafe Series VS mass data storage system integrates an 83M-, 132M- or 212M-byte (unformatted) 8-inch Winchester disk drive with an optional 45M-byte formatted capacity, ½-inch, nine-track streaming tape-cartridge transport, interface cards, a power supply and a cooling fan. The subsystem attaches to computers ranging from the IBM PC to DG's Eclipse

and to system buses ranging from the Multibus to the STD bus. Interface options include SMD for the disk, QIC-02 for tape or SCSI for both devices. Winchesters have an 11.5K-bpi recording density and a 1.2M-byte-persecond data-transfer rate. Average access times are 45 msec. for the 83M-byte model and 38 msec. for the 132M- and 212M-byte models. The streaming tape has a 90K-byte-persecond data-transfer rate and 8,000-bpi data-recording density. It reads, writes and rewinds at 90 ips. \$4,640 and \$8,610. Vector Electronic Co., 12460 Gladstone Ave., Sylmar, Calif. 91342, (818) 365-9661.

Circle No 312



Subsystem operates in start/stop, streaming modes

The model 2922 OEM tape subsystem operates at 50 ips in start/stop mode and at 100 ips in streaming mode. Both modes are software-selectable. The nine-track drive provides ANSI-compatible 1,600- and 6,250-bpi recording formats. In the 6,250-bpi recording mode, the drive can pack as much as 180M bytes of data on a 2,400-foot, 10½-inch reel of ½-inch magnetic tape. Instantaneous transfer at 50 ips is as high as 312.5K bytes per second and 625K bytes per second at 100 ips. In start/stop mode, the drive has a 5-msec. average access time; in the streaming

mode, it has a 20-msec. nominal access time and a 50-msec. total reposition time. The subsystem includes a tape transport, a formatter/controller, a power supply and resident microdiagnostics. Evaluation units will be available in October. \$6,540 in 100-unit quantities. Storage Technology Corp., OEM Marketing, 2270 S. 88th St., Louisville, Colo. 80028 (303) 673-4066.

Circle No 313



Disk subsystem improves access time

The AIM/300 Winchester disk drive subsystem attaches to the standard Massbus of the PDP-11 and VAX computers in the same manner as other DEC drives. It offers software and diagnostic compatibility with the DEC RM05 disk drive. The 300M-byte AIM/300 adaptively reorganizes its data structure to reduce the average access time during normal computer system operations. The drive also incorporates transparent media-flaw management, a high-speed data cache and read lookahead buffering. The system can transfer single and multiple blocks of data at speeds as fast as 1.2M bytes per second from the magnetic media and at 1.6M bytes per second from the semiconductor memory. Using dynamic data relocation, caching and read look-ahead, the AIM/300 is said to achieve 10 times the access time of a conventional disk. Average seek time without dynamic data relocation is 29 msec., and average rotational latency is 8.33 msec. \$26,950. Acceleron, 2356 Walsh Ave., Santa Clara, Calif. 95051, (408) 727-9289.

Circle No 314


More than A Memory A Commitment To Quality

Every department, every person in our organization is dedicated to one goal—to deliver the finest in disk memories.


At Century Data Systems, we see quality as a pervasive, company-wide attitude. And our customers share this perspective. Leading OEMs continue to rely on Century Data Systems disk memories for supply reliability year after year.

Leading OEMs continue to rely on Century Data Systems disk memories for superb reliability, year after year. That's the real payoff from our total approach to quality.

At Century Data Systems, quality is much more than a memory. It's a living company commitment. And it can work to your advantage. Write or call for specifics.



Marketing Communications 1270 N. Kraemer Boulevard Anaheim, California 92806 (714) 999-2660



See us at NCC, Booth #A1144 and Presidential Suite, Las Vegas Hilton.

CIRCLE NO. 150 ON INQUIRY CARD


PRINTERS



Plotter comes in flatbed, roll-feed versions

The DA 8400 intelligent six-pen x-y plotter is directly compatible with RS232C, 8-bit parallel or GPIB/IEEE-488 interfaces. The plotter features a DC servo motor and a programmable 0.004-inch step size. Maximum plotting speed is 16 ips. The unit is available in flatbed or roll-feed models. The flatbed version employs electrostatic paper hold-down and accepts paper in sizes A3 (11 by 17 inches) and A4 (81/2 by 11 inches). The plotter automatically selects water- or oil-based fiber-tip pens or water-based ball-point pens. Flatbed version: \$1,850, roll-feed version: \$2,350. Western Graphtec Inc., 12 Chrysler St., Irvine, Calif. 92714, (714) 770-6010 or (800) 854-8385.

Circle No 315



Daisy-wheel printer furnishes plotting

Featuring a variety of interfacecontrol codes, the M20 daisy-wheel printer is compatible with most Qume, Diablo and NEC printers. Printing speed is 20 cps. The unit prints lines as wide as 15.7 inches on paper as wide as 16.5 inches. The printer allows 6, 8 or 12 lpi. When plotting, it furnishes 23,040dpi resolution. It handles single sheets and continuous forms. Operator controls include paper release, reset, top of form and paper adjust. RS232C and parallel interfaces are standard. \$999. Daisy Systems Holland, P.O. Box 1010, Torrance, Calif. 90505, (800) 423-2479 or (800) 441-5273. Circle No 316

Matrix printer features color graphics

The JDL 750 impact dot-matrix printer features letter-quality and color graphics printing. Using a 24-wire print head, it prints at 54 cps in letter-quality mode and 115 cps in draft-quality mode. It offers a graphics resolution of 180 by 180 dpi. Carriage width is 151 characters. The unit prints



in six colors using a three-color ribbon, and users can select Courier, Gothic or italics print styles from a front-panel keypad. Paper movement is by friction feed, tractor feed or automatic cassette sheet feed. RS232C and Centronics interfaces are standard. \$1,788 (500 units). Pacific Technology Services Inc., 332 Pine St., Suite 610, San Francisco, Calif. 94104, (415) 956-3926. Circle No. 317

Graphics plotter features automatic paper feed

The HP7550A B-size eight-pen plotter has a pen speed of more than 31.5 inches per second and an acceleration of 6 gs, forming letters at 8 to 10 cps. It automatically loads sheets of paper in response to front-panel or program commands and feeds as many as 150 sheets without reloading. Features include an LCD with function keys for reporting plotter status and program messages and a re-plot feature that draws as many as 99 copies of a graph without rerunning the program. The plotter offers a wide array of colors and pen combinations-fiber-tip for paper and transparency film, roller ball and liquid ink. Pens are loaded onto the plotter in eight-pen carousels that provide automatic plotter settings by pen type for regulating pen speed and pressure. Additional features include 20



international character sets in two fonts, including Japanese katakana and most European languages, user-definable character-set capability, an-arc-and-circle generator, a line-pattern generator, polygon definition and area-fill commands, point digitizing and a built-in self-test. The plotter comes with HP-IB (IEEE-488) and RS232C/CCITT V.24 interfaces. A 12K-byte I/O buffer speeds system communications. \$3,900. Hewlett-Packard Co., 1820 Embarcadero Road, Palo Alto, Calif. 94303.

Circle No 318

Dot-matrix printer emulates Epson MX-80

The Esprit impact dot-matrix printer emulates the Epson MX-80 printer and is configured with a switch-selectable, Centronics-compatible interface and an EIA RS232C interface. The printer operates at 100 cps and offers a 96-character ASCII set and four foreign character sets—U.K., French, German and Japanese—in a 9-by-11-character font matrix. The unit handles roll paper and cut sheets using friction feed and fan-fold paper using tractor feed. \$399. Esprit Systems Inc., 100 Marcus Dr., Melville, N.Y. 11747, (516) 293-5600 or (800) 645-4508. Circle No 319

Line printer provides dual modes

The multimode MVP 150B dot-matrix line printer for business, scientific and industrial graphics applications furnish-



es 80-lpm correspondence-quality printing. In condensed mode, it prints a 132-column report on an 8½-by-11-inch page. It handles one- to six-part continuous fan-fold forms as wide as 16 inches. Plotting resolution is 100 by 96 dpi. A Centronics-compatible interface is standard. \$3,745. Printronix, 17500 Cartwright Rd., P.O. Box 19559, Irvine, Calif. 92713, (714) 863-1900.

Circle No 320



Daisy-wheel printer has wide carriage

The ComRiter CR-III daisy-wheel printer operates at 23 cps and offers a 132-column carriage width, two-color printing and a 5K-byte buffer memory. The printer operates in word-processing mode with a Diablo 630 protocol. Word-processing features include superscript, subscript, backspace, underline, boldface, double strike and proportional spacing. Cut-sheet and tractor feed are available for automatic paper handling. The unit comes with a Centronics or RS232 interface. Approximately \$1,000. Comrex International Inc., 3701 Skypark Dr., Torrance, Calif. 90505, (213) 373-0280. Circle No 321



Letter-quality printer operates at 38 cps

Compatible with TeleVideo computer systems, the TP 740 daisy-wheel printer prints at 38 cps (Shannon text). The letter-quality printer has a 96-character print wheel and accepts paper as wide as 15 inches. It prints 132 characters at 10 cpi, 158 characters at 12 cpi and 197 characters at 15 cpi. With proportional spacing, the printer produces 113 to 263 cpl. The unit has a bidirectional carriage and uses HyType II cartridge ribbons. Interface options include Centronics, RS232C, Qume and IEEE-488. A cut-sheet feeder and a tractor feeder are optional. \$1,595. TeleVideo Systems Inc., 1170 Morse Ave., Sunnyvale, Calif. 94086, (408) 745-7760.

Circle No 322



Printer withstands industrial environments

The 80-column SP-2000 printer, a rugged, industrial-quality unit, features a heavy, oil- and dirt-resistant aluminum cabinet. Printing method is impact dot matrix with or without a ribbon cartridge. The unit prints a 64character ASCII subset in a 5-by-7-dot matrix at 100 cps on standard 81/2-inch-wide or multiple-copy, carbonless paper from an internal paper supply. Other features include RS232 or 20-mA current loop input and a 256-character buffer. \$925. Syntest Corp., 169 Millham St., Malboro, Mass. 01752, (617) 481-7827. Circle No 323

computers

As a member of Digital Equipment Corporation's network of independent computer distributors, Unitronix can define your needs and help you choose the right Digital computer system for your company. Best of all, Unitronix provides fast delivery of your Digital computer from our multi-million dollar inventory.

Powerful systems using these CPUs . . . tailored to your needs

- Micro 11
- MICROVAX I
- PDP-11/23+
- VAX 11/725 ■ VAX 11/730
- PDP-11/24 ■ PDP-11/44
- VAX 11/750
- PDP-11/73
- VAX 11/782







COMPLETE DATA SYSTEMS

with Unitronix-developed standard, customized and custom applications software

CALL TODAY . . .

FOR LATEST PRICING, DELIVERY . AND LEASE OR RENTAL INFO

(201) 231-9400



AUTHORIZED digital COMPUTER DISTRIBUTOR

50 County Line Road Somerville, NJ 08876 (201) 231-9400 ■ TELEX: 833184

CIRCLE NO. 143 ON INQUIRY CARD

SOFTWARE

Tool speeds program development

The BSO symbolic debugger for testing and modifying Motorola 68000 microprocessor software supports assembly-language and Pascal programs as large as 16M bytes. It allows users to examine and modify variables and memory locations. Trace and breakpoints can be set upon modifications to variables and symbolic locations. The debugger works with the DEC VAX, PDP-11 and Micro-11 computers under the VMS, IAS, RSX and RSTS operating systems. \$5,000 when licensed with matching BSO/Pascal compiler or BSO/Assemble assembler. Boston Systems Office, 469 Moody St., Waltham, Mass. 02154, (617) 894-7800.

Software package works as cross assembler

The macro-oriented program interpreter (MOPI), an assembler/compiler for 8-bit microprocessors, converts assembly-language instructions into machine code. It also converts macro instructions into calling sequences to pre-defined subroutines that perform the required operations. MOPI contains only the syntax from which users can define their own instructions. Users can insert variable text data into a program when the program is assembled and can insert serial numbers for identification and to prevent unauthorized use. Available for use with the CP/M-80 operating system, MOPI sells for \$150. Voice Operated Computer Systems, P.O. Box 3705, Minneapolis, Minn. 55405, (612) 544-5712.

Circle No 325

Circle No 324

Program generator works under Microsoft COBOL

The COGEN program generator runs under Microsoft COBOL, a version of COBOL for microcomputers running under MS-DOS and PC-DOS. It generates COBOL source programs through a series of interactive steps using menus and prompts. Programmers can paint data-entry screens and forms for such standard business applications as file maintenance, inquiries and report writing. Occupying less than 30K bytes of memory, the generator features a data dictionary, data validation, arithmetic calculations

and conditional selection logic. Five skeletal source-code modules can be modified to tailor the generated code to installation standards. Less than \$1,000. **Bytel Corp.**, 1730 Solano Ave., Berkeley, Calif. 94707, (415) 527-1157.

Circle No 326

p-System runs on DEC minicomputers

p-BRIDGE, an implementation of Softech Microsystems' p-System for DEC PDP-11 and VAX minicomputers, includes BRIDGE software, a p-System license, the vendor's z-Board, which contains four Z80A microprocessors, 256K bytes of memory and a bit-slice state machine. The p-BRIDGE software runs on the host minicomputer and maps all p-System output to the host's peripherals. It comprises the p-System editor, the UCSD Pascal compiler/linker and advanced programmer's tool kit. \$5,000 to \$7,500. Virtual Microsystems Inc., 2150 Shattuck Ave., Suite 720, Berkeley, Calif. 94704, (415) 841-9594.

Circle No 327

MegaBASIC addresses 1M byte of memory

MegaBASIC features direct addressing of 1M byte of memory and extensions for accessing custom packages from memory. Users can load libraries of programs, subroutines and functions into memory and execute them from the running program with one statement. The packages are user-written in MegaBASIC, providing custom tailoring to an application. MegaBASIC also features variable names as long as 255 characters, advanced trace and edit functions and BCD arithmetic. It works with the CP/M-86 and MS-DOS operating systems on 16-bit Intel microcomputers. \$400. American Planning Corp., Suite 425, 4600 Duke St., Alexandria, Va. 22304, (703) 751-2574 or (800) 368-2248.

Circle No 328

Database program features report writer

The Alphabase V relational database program runs on IBM personal computers and compatibles. The software provides 40 fields of 60 characters each per record and 32,767 records per file. It furnishes user-designed input screens,

full screen data editing, the linking of as many as four files when generating a report or entering data, database reconfiguration and keyboard macros. Its report writer offers unlimited length headers, titles, subgroup titles, footers and subgroup footers, printer control codes and the ability to define as many as 10 calculated report fields. \$425. Alpha Software Corp., 30 B St., Burlington, Mass. 01803, (617) 229-2924.

Circle No 329

Spreadsheet with graphics suits VAX/VMS

The Graphic Outlook electronic spreadsheet and graphics package for the VAX/VMS operating environment is available with interfaces to DISSPLA, DI/3000, SAS, MGSP graphics systems or with its own embedded graphics software. The package prepares blackand-white and color plots of spreadsheet data and produces vertical and horizontal bar graphs, pie charts and line drawings on most graphics terminals and plotters. A low-resolution graphics feature draws bar charts and line drawings on VT100-type terminals. The program accommodates spreadsheets as large as 500 columns by 999 rows and supports 3-D spreadsheets, spreadsheet consolidation and encryption, journaling and iteration to a goal. Prices start at \$2,950. Stone Mountain Computing Corp., 1096 Cambridge Dr., Santa Barbara, Calif. 93111, (805) 964-9101.

Circle No 330

UNIX accommodates the DEC Professional 350

PRO/V7M, a UNIX system for the vendor's Professional 350 microcomputer, includes all the standard features of UNIX V7, such as kernel routines, a tree-structured directory system, the V7 C compiler, the shell (Bourne) command language, pipes, background processing and more than 100 utility programs. The operating system also provides an error language and user diagnostics, the VI full screen editor from the University of California at Berkeley for program development and document preparation, a user overlay kernel scheme for large programs and communications with other PRO/V7M systems. \$695. Digital Equipment Corp., Maynard, Mass. 01754.

Circle No 331

There are a lot of powerful reasons to write software for HP systems.









You're looking at two of them.

An enhanced UNIX[™] operating system. And the cash bonuses you'll earn when you sell your UNIX-compatible applications with an HP system.

Those are compelling reasons to participate in HP's special program for software companies.

We have a whole range of products that can run UNIX, from our popular line of MC 68000-based machines to our powerful 32-bit systems. And we'll be expanding that range all the time.

While we're giving you a wider choice of products for your programs, we're also making it even easier for you to write them.

We've developed an especially powerful version of the industry standard UNIX, called HP-UX. Its enhancements provide for graphics, data base management and networking, to name just a few.

When you team up with HP, you have our full service organization behind you. Our factory and field support teams are dedicated to problem-

solving. So, if you or your customers have any questions about HP-UX, just give us a call. We're ready to help.

And we're ready to make your efforts very rewarding. When your customer buys an HP system because of your application, we'll give you a cash bonus of 30% of your software's sales price—up to 6% of the net HP system's price. Our only restriction is that, to qualify for the bonus, your software must sell for at least \$10,000.

There are lots of other good reasons to write HP-compatible software for UNIX or any of our other operating systems. To find out all about them, write to Hewlett-Packard, Attn: Gwen Miller, Dept. 08190, 19447 Pruneridge Avenue, Cupertino, CA 95014. In Europe, contact Henk van Lammeren, Hewlett-Packard Nederlands B.V., Dept. 08190, P.O. Box 529, 1180 AM Amstelveen, The Netherlands.



UNIX is a trademark of Bell Laboratories.

BD02315

TERMINALS



Variable display memory suits varied applications

The ADM 12 conversational/block mode video display terminal features 16 non-volatile, programmable function keys, six programmable edit and transmission keys and a variable-format display memory. The terminal can store data in a horizontal, 158-column-by-24line format that can be scrolled horizontally across the screen. The vertical, 80-column-by-24-line page that can be scrolled vertically handles word-processing applications. The standard 80-column-by-24-line display memory suits general data-processing applications. Its 12-inch green or amber monitor is equipped with a tilt-and-swivel mechanism. \$895. Lear Siegler Inc., Products Division, 714 N. Brookhurst St., Anaheim, Calif. 92803, (714) 774-1010. Circle No 332



Display terminal operates in two modes

The model 7-DEC dual-mode ANSI X3.64 terminal is software-compatible with DEC's VT102 in one mode and user-definable in the other. The unit performs all VT102 operating functions plus text-editing, programmable-function and block-transmission operations. It has two pages of volatile or non-volatile display memory that can be reformatted by redefining logical line and page lengths. In user-definable

mode, the terminal's controls can be changed to emulate DG, Datapoint, Honeywell and other asynchronous terminals. The unit has two buffered, bidirectional RS232 ports, a 256-character input buffer, a built-in calculator and a built-in clock. It has four resident character sets, including mosaic and line graphics. The terminal is available in three enclosure styles with 9-, 12- or 15-inch CRTs and three CRT phosphors (white, green or amber). \$1,370. Teleray Division of Research Inc., P.O. Box 24064, Minneapolis, Minn. 55424, (612) 941-3300.

Circle No 333



Hand-held terminal features expanded memory


The HT/1000E LCD hand-held control/display terminal features a 24,000character memory. The terminal can store data input from an outside source for review and analysis in a service application or transmit data to another device such as a printer in a machine data-collection application. The rugged, dust-proof unit operates on batteries or +4.75V to +28V DC supplies. Using the terminal's menu capability, operators can specify baud rate, parity, full-/halfduplex modes and function-key programming; selected options are stored in non-volatile memory. \$995. Termiflex Corp., 18 Airport Road, Nashua, N.H. 03063, (603) 889-3883. Circle No 334

Ergonomic terminal has 20 function keys

The KT-7 video display terminal has a tilt-and-swivel, height-adjustable, 12-inch, non-glare green or amber screen. It features menu setups and user-selectable hidden, or embedded, attributes. Setups, 20 programmable function keys and answer-back are set from the keyboard or the host and stored in



non-volatile memory. The screen displays 24 lines by 80 characters and a 25th status line. Character sets include 128 ASCII, 15 line graphics characters, three international character sets, 20 special and math symbols and 59 thick-line and bold graphics characters. The terminal is code compatible with TeleVideo models 910, 920 and 925. \$595. Kimtron Corp., 2225-I Martin Ave., Santa Clara, Calif. 95050, (408) 727-1510. Circle No 335



Display terminal emulates DEC VT102, DG D200

The model 72 emulating terminal is software-compatible with the DEC VT102 and the DG D200. A user or the host computer can reformat the terminal's two- or four- page volatile or non-volatile memory to accommodate spreadsheets, tab listings or text varying from a single page of 255-column lines to 28 pages of 10-column lines or other line/page combinations within memory capacity. Users can program and store as many as 32 variable-length functions. The terminal features a 256-character input buffer

and two bidirectional, buffered RS232 ports. It offers five display attributes, including underscore and blank, and seven area qualifiers, including alpha only, numeric only and right justify. It contains 224 displayable characters, including mosaic and line graphics, any one of which can be used as a cursor. The CRT comes in three (9-, 12- and 15-inch) sizes and three phosphors (white, green and amber). 12-inch model: \$1,535. Teleray, 6425 Flying Cloud Dr., Eden Prairie, Minn. 55344, (612) 941-3300. Circle No 336

variations, point plot mode and selective erase. The conversational ADM 11G handles computer transmissions to 19.2K baud without handshaking. It has four visual attributes, four function keys and an 80-character-by-24-line display format with a 25th status line. In addition to all the features of the ADM 11G, the ADM 12G offers block

mode and has 16 programmable, non-volatile function keys, five selectable embedded or non-embedded visual attributes and a variable-format display memory. Model 11G: \$1,995, model 12G: \$2,195. Lear Siegler Inc., Data Products Division, 714 N. Brookhurst St., Anaheim, Calif. 92803, (714) 774-1010. Circle No 338




Graphics terminal employs custom VLSI technology

The model One/10 desktop graphics terminal uses a 16-bit microprocessor and proprietary VLSI processor to achieve its vector-writing performance of more than 1 million pixels per second. VLSI hardware also generates imagememory refresh and timing, performs video refresh at 60 Hz non-interlaced and provides hardware vector clipping and picking. The terminal features 640-by-480 resolution, VT100 compatibility, eight planes of image memory and as much as 256K bytes of local display-list memory. The graphics database uses a nested-segment structure and supports CORE and GKS functionality. Prices start at \$6,000. Raster Technologies Inc., 9 Executive Park Drive, North Billerica, Mass. 01862, (617) 667-8900. Circle No 337

Graphics terminals draw vectors, circles, arcs

The ADM 11G and 12G graphics terminals offer the alphanumeric capabilities of the ADM 11 and 12 video display terminals plus Tektronix Plot 10 and 4010 compatibility. Graphics resolution is 512 by 250, and features include graph mode for drawing circles and arcs, polygon fill, multiple vector



Microcomputer users and vendors can now add nine-track, main-frame-compatible tape drives to their single- and multi-user systems and reap the benefits of having the only TRUE STANDARD for DATA INTERCHANGE WORLD-WIDE. Choose from two drives: the hi-performance 75ips (non-vacuum coluum) drive, and the auto-loading 45ips drive. Both come with the following interfaces.

• RS-232C: supports full handshaking and async/

- bisync/isosync protocols.


 IEEE-488: supports subsets SH1, AH1, TE5, LE3, SR1,
- IEEE-488: supports subsets SH1, AH1, TE5, LE3, SR1, RL2, PP2, DC1, DT0 and CO.
- IBM-PC: DMA interface with DOS 2.0 driver and utilities including hard-disk fast copy.





TDX Peripherals Division Telebyte Technology Inc., 148 New York Avenue, Halesite, NY 11743 (516) 423-3232

DATACOMM



Kit builds local-area network

The XLAN kit provides the tools to build a baseband, CSMA, 1M-bps LAN for as many as six devices. The kit includes two StationMate communication devices and 100 feet of twisted/shielded wire. Each StationMate interface unit contains three RS232C ports, a 300-baud, Bell 103J integral modem with auto-dial and auto-answer capabilities and an interconnect operating system in firmware. \$2,995. Complexx Systems Inc., 4930 Research Drive, Huntsville, Ala. 35805, (205) 830-4310. Circle No 339


Device transfers computer/printer data

The Macrolink data-control center can simultaneously transfer, share/buffer, access, hold, print and receive data to or from more than one computer, printer or modem. The Macrolink comes with Z80 processor, 64K bytes of memory, a clock with battery backup, two serial channels, four Centronics-compatible parallel channels and communications software. Macrotech Computer Products Ltd., 1370 Marine Drive, North Vancouver, British Columbia V7P 1T4, Canada, (604) 984-9305.Circle No 340

Fiber-optic LAN is Ethernet compatible

Fiber Optic Net/One, an Ethernet-compatible LAN, is available in single-or multiple-cable configurations and operates at 10M bps. Net/One network-interface units (NIUs) employ user-transparent electro-optical transceivers to provide the transmission interface to the fiber-optic medium. The interface meets all requirements of the Ethernet specification and employs access methods and collision-detection signals functionally identical to those used in Ethernet baseband systems. Star

couplers can connect as many as 62 NIUs per star, and the maximum distance between NIUs in single-star configurations is 2,800m. An entry-level system is approximately \$25,000, including NIUs, the network-management facility, transceivers, star couplers and the Network Operation System Software. Delivery is 60 days ARO. Ungermann-Bass Inc., 2560 Mission College Blvd., Santa Clara, Calif. 95050, (408) 496-0111. Circle No 341



Interface enables error-free communications

The IF-11/HDLC microprocessorbased communications front-end provides DMA support for PDP-11 and VAX applications that require HDLC capability. The system includes a processor board, a distribution panel, cabling and device drivers for RSX, VMS and IAS operating systems. The system supports user-selectable frame sizes as large as 131 bytes per frame. It also supports line speeds as high as 500K bps and data throughput rates as high as 400K bps. \$7,500. Advanced Computer Communications, 720 Santa Barbara St., Santa Barbara, Calif. 93101, (805) 963-9431. Circle No 342

Product links personal computers to mainframes

The Attachmate-3270/OEM, a 3270 coaxial-processor subsystem, interfaces with IBM mainframes through the coaxial ports of an IBM 3270 control unit. It in turn interfaces with a non-IBM PC or other microprocessor-based product through shared memory. The Attachmate-3270/OEM emulates the functions of a 3270 coaxial terminal or printer device through the software operating in its proprietary microprocessor. It also emulates the functions of a 3270 control unit and drives 3270

devices. The product is available in an IBM PC- and PC XT-compatible version. It consists of two printed-circuit boards that fit into one I/O slot position of an IBM PC or XT. One board contains the Attachmate microprocessor and coaxial drivers and receivers. Prices start at \$910. Attachmate Corp., 3241 118th St. S.E., Bellevue, Wash. 98005, (206) 644-4010. Circle No 343


Plug-in modems feature auto-dial capability

The PC212A and R212A intelligent auto-dial modems store as many as 10 telephone numbers and feature batteryprotected memory. Both modems are Bell 212A-compatible and operate full-duplex asynchronously at speeds as high as 300 bps and character asynchronously at 1,200 bps. Designed for use in the IBM PC, the PC212A modem features an RS232C port and an internal microprocessor for modem control from the IBM PC keyboard. The R212A intelligent modem also allows all option settings and test features to be controlled from the terminal keyboard. \$499. Rixon Inc., 2120 Industrial Parkway, Silver Spring, Md. 20904, (301) 622-2121. Circle No 344

Device translates codes, format commands

The Altertext Communicator screenbased protocol converter permits direct exchange of text, codes and commands between incompatible word processors, typesetting equipment and personal computers. In addition to its communications capabilities, the product is equipped with a CP/M operating system, so that when it is not being used as a conversion device, it can double as a standalone desktop personal computer. The system consists of a Z80 microprocessor with 64K bytes of memory, a 9-inch CRT that displays 24 lines of 80 characters each, a detachable keyboard. a proprietary communications program built around the company's "A" code, one 420K-byte, 51/4-inch floppy disk drive, four parallel ports and three RS232 ports. Both asynchronous and bisynchronous interfaces can be used with the unit. Users can select communications speeds between 300 and 19,600 bps. \$7,500. Altertext Inc., 210 Lincoln St., Boston, Mass. 02111, (617) 426-0009. Circle No 345

SUBASSEMBLIES



Intelligent board controls Winchesters, floppies

The GMS6529 intelligent disk controller controls as many as four 8- or 51/4-inch, single- or double-density, single- or double-sided floppy disk drives and three 51/4-inch Winchester disk drives, one of which can be fixed/removable. Four processors are mounted on the 93/4-by-6-inch EXORbus board. A master processor operating at 10 MHz handles communication between the system and control processors. A second processor performs read/write to the hard disks, and a third, which controls the floppy disk drives, contains a built-in data separator, write pre-compensation and seek functions. A fourth processor, an error-correction/-detection device automatically generates ECC or CRC on the data stream. Upon error detection, it automatically corrects a 5-bit stream on a single burst of data, and, if data cannot be corrected, it automatically initiates a retry. \$387 (100 units). General Micro Systems Inc., 1320 Chaffey Court, Ontario, Calif. 91762, (714) 621-7532.

Circle No 346




Interface mates IEEE-488, RS232 devices

The CmC BUSSter GR microprocessor-based interface allows computers with an IEEE-488 interface to communicate with RS232 devices. The unit's

software-controlled features include selectable baud rates of 75 to 19.2K, a 110-character input buffer with X-on/Xoff capability, parity and word-length selection, readable data-terminal-ready input and data-set-ready output. Special commands allow users to read inputbuffer status. An eight-position DIP switch selects device address (0 to 31), startup baud rate (300 or 1,200), automatic line feed and automatic carriage return. The device comes with a case, a power supply and standard female GBIB and DB-25 connectors. \$495. Connecticut MicroComputer Inc., 36 Del Mark Dr., Brookfield, Conn. 06804, (203) 775-4595.

Circle No 347




Clock board sets system time

The battery-backed TOY11 calendar/ clock board for the DEC Q-bus is compatible with LSI-11/02, 11/23 and 11/73 processors. The product includes software for standard DEC operating systems to set system time at power-up without operator intervention. It has a 60-Hz crystal-controlled clock for standard line time-clock functions and a five-year rated lithium battery. The board features an alarm function and a millisecond counter for measuring elapsed time. Interrupt signals are programmable for 10- or 1-Hz, onehour, one-day, one-week and one-month intervals. \$299 (100 units). Romar Peripherals Inc., 4 Rotterdam Dr., Hudson, N.H. 03051, (603) 882-3741.

Circle No 348

Analog input board has DMA capability

The model 123 is a DEC LSI-11-compatible analog input subsystem with DMA capability. It incorporates conventional programmed I/O and four-level interrupt interfaces. The subsystem



accommodates as many as 32 single-ended analog input channels and can achieve overall data-transfer rates of 250 kHz. Six DMA modes provide software flexibility, and a calibration/self-test voltage output allows a user to dedicate one or more channels to automatic self-test. The unit is supplied on a standard DEC-style printed-circuit board and resides in a single card slot. \$2,495. Grant Technology Systems Corp., 11 Summer St., Chelmsford, Mass. 01824, (617) 256-8881.

Circle No 349



Colby computer is IBM-compatible

The Colby single-board computer has the same dimensions and mounting holes as the IBM PC motherboard. It


SUBASSEMBLIES

features an 8088 CPU, 64K bytes of RAM with parity, an RS232 port, an IBM PC-compatible keyboard port, a 5¼-inch floppy disk controller, five expansion slots, a real-time clock with battery backup and an SASI hard disk interface. The Colby can accept as many as six 28- or 24-pin ROMs or EPROMs. \$569. Colby Computer, 849 Independence Ave., Mountain View, Calif. 94043, (415) 968-1410.

Circle No 350

S-100 interface includes three parallel channels

The 8800GF2 interface for IEEE-696/S-100 bus systems provides three full-duplex parallel I/O channels, a serial port and a selectable-rate interrupt timer on one board. Each of the three parallel-data channels incorporates eight TTL-latched input lines and eight tri-state output lines with 24 mA drivers. The board supports data-transfer rates as high as 10 MHz. A



switch-selectable interrupt timer gives fixed-interrupt rates from 50 interrupts per second to 19,200 interrupts per second. Each parallel connector provides power for peripheral devices. The board's serial port provides RS232C ±12V signals or optically isolated 20-mA signals with an internal or external current source. The data-transmission rate is switch-selectable from 50 to 19,200 bps. \$399 for the certified system-component version. Vector Electronic Co., 12460 Gladstone Ave., Sylmar, Calif. 91342. (213) 365-9661.

Circle No 351

Video-capture system suits IBM PC

The IBM PC-compatible PC-Eye Series 1000 video-capture system handles graphics/image-processing, surveillance/security, quality-assurance and machine-vision applications. The interface board accepts images from inexpensive video cameras and recorders having RS170 or NTSC interfaces at speeds as high as 8 frames per second. The images can be digitized with 1 or 2 bits of intensity for compatibility with the IBM high-resolution graphics adapter or digitized with 4 bits of intensity (600-by-400-pixel resolutions) for display by other compatible graphics adapter boards. The image is transferred under DMA control into main memory at speeds as high as 1M byte per second. The system offers software support for printer output, annotation, storage, comparison, compression and transmission of the video information. Less than \$500. Chorus Data Systems Inc., P.O. Box 810, Hollis, N.H. 03049, (603) 465-2290. Circle No 352

HALF SIZE.



LITERATURE

Manual introduces dot-matrix print heads

This manual on dot-matrix impact print heads introduces the design, application and uses of the technology. The manual discusses basic operating principles, including the actions that occur when a print-head solenoid is fired, electronic drivers, print quality and print-head evaluation. **Magnetic Corp.**, 96 Granby St., Bloomfield, Conn. 06002, (203) 243-8941.

Circle No 353

Product summary covers disk, tape controllers

This six-page, four-color product summary features interface and performance data on 25 disk and tape controllers for DEC Q-bus and Unibus computers. The brochure also lists by drive and storage capacity many disk and tape drives with which the company's controllers interface. The

brochure also outlines ordering, service and warranty information. **Distributed Logic Corp.**, 12800 Garden Grove Blvd., Garden Grove, Calif. 92643, (714) 534-8950.

Circle No 354

scribed in the brochure. The brochure also lists I/O interface options for the BASYS family as well as CPU and storage options for system expansion. ADAC Corp., 70 Tower Office Park, Woburn, Mass. 01801, (617) 935-6668.

Circle No 355

Color brochure highlights BASYS family

This eight-page, color brochure describes the BASYS family of real-time measurement-and-control systems. The family includes DISKBASYS, a Winchester- or floppy disk-supported system capable of program development and of hosting distributed BASYS satellite networks; PROMBASYS, a large data-acquisition and -control system with solid-state storage media; and MICROBASYS, a remote data-acquisition and -control system for distributed applications. All members of the BASYS family use a proprietary I/OBASIC language that is also de-

Brochure details CAD workstation

An eight-page color brochure describes the CDX-5000 standalone PC-board CAD system. The brochure discusses the system's 32-bit internal architecture, memory, built-in database-management package and high-resolution graphics system. One section details the product's object-oriented interface that uses graphics symbols and an optoelectronic mouse input device to control system functions. Cadnetix Corp., 5797 Central Ave., Boulder, Colo. 80301, (303) 444-8075.

Circle No 356

MORE DRIVE.

IMI's new 2300H Series Winchester disk drives.

The 2300H Series is the most rugged disk drive made today, with a shock-proof design tough enough for desk top and portable applications. And IMI includes a full two-year warranty on parts and labor.

The 2306H and 2312H pack 6 and 12 megabytes of storage into half height 5¼" Winchester packages with all the capabilities of your full height drive, and more.



More reliability. Large scale integration allows for a single PC board with fewer components and connectors. Conservative 300 track per inch technology provides reliable operation over the full 4°C-50°C operating range.



More durability. IMI's exclusive shock isolation system utilizes improved damping materials and low mass head/flexure design. It's so tough you can literally drop it. Just try that with any

other disk drive, full or half.

More performance. The patented "dynamic seek complete" and closed loop stepper control circuitry virtually eliminate seek errors. Plus, the 2300H operates on a wider voltage range than a full height.

More features. Extensive self test micro diagnostics monitor power supply voltages, spindle speed, and verify the integrity of the positioning system during the power-up cycle. Auto power sequencing reduces starting currents.

Half size. The 2300H may be mounted in a variety of configurations in addition to the usual half height mini floppy standards. An optional full height bezel allows mounting in a full height chassis

location. Or, two 2300H drives can be stacked in a full height space, without compromising the shock isolation system. The 2300H is fully compatible with the ST506/412 interface.

For spec sheet and further information, contact:

International Memories Inc., 10381 Bandley Drive, Cupertino, California 95014, (408)446-9779 TWX:910-338-7347.



LITERATURE

UNIX guide covers Berkeley enhancements

The revised second edition of the UNIX Guide covers System V, System III, Version 7, UniPlus+ and Berkeley enhancements, as well as commands, libraries, system calls and reference

documentation. It provides overviews that relate software tools to text editing, graphics, networking and inter-process communication. \$24.95 Pacific Micro Tech. 5819 Poinsett Ave., El Cerrito, Calif. 94530, (415) 233-3596 Circle No 357

the design, development, purchase, maintenance or use of computer software, the Software Issues newsletter addresses the development of computer programs, discussing the factors that influence a program's quality. The newsletter contains information regarding design and documentation methods, the psychological issues involved in designing a user interface, software-testing techniques, the how-to of controlling and reducing development and maintenance costs and nonprocedural languages and their applications. Published four times a year, \$12 for the first year. GDW Associates, P.O. Box 14258, Clearwater, Fla. 34279, (813) 799-3262.

Circle No 358



Meet the KEL Model 5211 Laser Page Printer

Higher technology

for higher performance The KEL Model 5211 Printer combines advanced laser, optical and Charged-Coupled Device imaging technologies in a new and extraordinarily versatile cut-sheet page printer. For sophisticated text and document processing applications, the Model 5211 is today's higher-performance choice.

With eight type fonts available concurrently, the Model 5211 makes style and/or size changes without interrupting document preparation. Printing resolution is 240 dots per inch, providing a sharp, high-quality image. The Model 5211 prepares up to 20 letter-size pages per minute, printing bit map graphics as well as alphanumeric characters.

Unique document scanning and transmission capability

The Model 5211 takes high performance printing a step higher. Using Charged-Coupled Device technology, the Model 5211 scans documents at 240

dots-per-inch resolution, transmitting bit information via its RS232C I/O interface. Available only on the Model 5211, this optional feature gives you a uniquely efficient and convenient way to digitize image data.

An optional electronic forms overlay feature enables the Model 5211 to merge and print down-line-loaded forms with variable data, eliminating manual changing of preprinted forms. A local copy option lets you use the Model 5211 as an office copy machine.

KEL Model 5211. The higher performance printer. For complete information, use this magazine's reply card or contact KEL directly.



KEL, INC.

400 West Cummings Park Woburn, MA 01801 (617) 933-7852

KEL, INC. is a subsidiary of Kanematsu Electronics Ltd., one of the leading Japanese suppliers of computer products.

Glossary provides access

to the language of CAD/CAM

Newsletter examines

software production

Intended for professionals involved in

Stuart W. Hubbard's The Computer Graphics Glossary defines more than 750 computer graphics and CAD/CAM technical communications terms. The 96-page book includes multiple definitions with notes on idiomatic usages. Photographs and line drawings illustrate key terms. The glossary also contains terms used by the CAD/CAM business community, such as product names, acronyms for professional organizations and commonly used adjectives. Photographs of hardware and equipment complement the explanations. \$24.50. The Oryx Press, 2214 N. Central at Encanto, Phoenix, Ariz. 85004, (602) 254-6156.

Circle No 359

Buyers guide lists Multibus products

The Multibus Buyers Guide lists more than 1,200 Multibus products, current prices and specifications. The approximately 300-page guide organizes products into 30 categories and provides addresses and telephone numbers for more than 200 manufacturers. \$35 for the first copy, \$19.95 for each additional copy. Ironoak Co., 3239 Caminito Ameca, La Jolla, Calif. 92037, (619) 450-0191.

Circle No 360

OFFICE-GRADE WORD PROCESSING SOFTWARE



HP-9000









MICROVAX













MUSE Software now runs on more computers than ever.

MUSE now operates on Prime, Harris, HP-9000, Apollo, WICAT, Masscomp and the complete line of DEC computers, VAX and PDP-11 included.

And because MUSE is office-grade word processing, you get all the features that make word processing fast and easy. Menus, prompts, messages, single keystroke functions, and a what-you-see-iswhat-you-get screen display are but a few of MUSE's powerful capabilities.

To see for yourself how important officegrade word processing can be to your office, call us to arrange a 30-day trial. On your computer, of course.



MARC SOFTWARE INTERNATIONAL, INC.

260 Sheridan Avenue, Suite 200 Palo Alto, CA 94306 800-835-2400, in Calif. 800-854-9900

Distributorship inquiries welcome. International offices located in Tokyo, Japan, The Hague, Netherlands, and Genova, Italy.





CIRCLE NO. 156 ON INQUIRY CARD

Career Opportunities/Recruitment Advertising

Rates

	Page	3/4	1/2	1/3	1/4	Col. Inch
1x		\$3,140	\$2,145	\$1,605	\$1,075	\$110
3x	3,885	3,025	2,060	1,550	1,015	100
6x	3,765	2,935	1,995	1,490	985	95
9x	3,655	2,845	1,935	1,445	955	90
12x	3,530	2,755	1,880	1,430	930	85
15x	3,425	2,675	1,820	1,385	900	80
18x	3,295	2,565	1,750	1,370	870	75
24x	3,235	2,520	1,720	1,310	850	70

Circulation

Over 112,375 technically sophisticated professionals in computer operations/systems management, data communications, engineering management, systems engineering/integrators, educators and systems programming specialists.

Recruitment Hot Line

(203) 328-2550

Call your ad in we'll set the type at no charge.

Mail Film to:

Peggy Gordon Recruitment Manager

CAHNERS PUBLISHING CO. 8 Stamford Forum P.O. Box 10277 Stamford, CT 06904



RESEARCH INSTITUTE UNIVERSITY OF PETROLEUM & MINERALS DHAHRAN, SAUDI ARABIA

NEEDS

Digital Electronics Repair Technicians for expansion of the facility for instrument repair, maintenance and calibration. Candidate background shall include:

- * Bachelors or Associate Degree or equivalent military/technical training
- * Minimum four years on-hand digital experience on micro-mini computers, peripherals, data acquisition systems, micro-processor controlled test instruments

* Trouble-shooting and repair capability to component level (Experience with current model minis, micros, and GPIB a big plus.)

Salary is competitive. Benefits include annual repatriation, housing and transportation allowance.

Candidates possessing the above requirements, need only apply to the address listed below within one week of the release of this advertisement, furnishing detailed resume of educational qualifications and experience, attaching copies of degrees and transcripts, giving names and addresses of four referees, including present employer, if possible, and present position held.

University of Petroleum & Minerals
Houston Office
5718 Westheimer, Suite 1550
Department 188
Houston, Texas 77057

ENGINEERS

Choice positions available in New England and Nationwide.

UNIX & "C" Mini/Micro Software Test Engineers Network Development Logic Design Graphics

All fees & expenses paid. Call or send resume to:


LASEN PERSONNEL

1492 Highland Avenue Needham, MA 02192 (617) 449-3840

Serving the high tech industries.

National Registry of UNIX* job openings/professionals

P.O. Box 19949, Dept. MMS Houston, TX 77224 Please send resumes.



UNIX is a registered trademark of Bell Lab

OPEN JOBS ORDERS . June, 1984

- Sr. Software Engr. \$42-55K
 Design Engrs. \$28-36K
 Hardware, Software, & Mechanism

BEALL ASSOCIATES - Ray Schmitt 919/887-3193 - or mail resume P.O. Box 5225 High Point, NC 27262

ELECTRONIC ENGINEERS SOUTHEAST

Openings for design engineers of circuits, computers, logic, signal, communications, testing, ATE, systems, and controls. Professional confidential service. Fee paid by employer. Send resume to:

Ted McCulloch McCulloch & Co. P.O. 10211 Greenville, SC 29603

Micro-Mini Software Developers - Sunbelt \$30,000 to \$50,000

Telecommunications, P.C.'s, graphics, office automation, controls, data comonice audiniation, controls, data communications — op, systems, appl. diag. Q. A., tools, util, supp. — C, assembler. PASCAL, FORTRAN, PL-1, — Proj leaders, S.W. Engrs, Systems Prog., Prog., Analysts, Fees and relo paid. Call or send resume.

SALLY KING, CPC KING COMPUTER SEARCH 9221 LBJ Freeway, Suite 208, Dallas, Texas 75243

SOFTWARE ENGINEER - Research areas of SOFTWARE ENGINEER - Research areas of computerized industrial controls for automating complex grain handling facilities; design and integrate software and hardware. Must be knowledgeable Mort. 6809 Ass. Z80 Ass. FORTRAN and PASCAL; M. S. -Computer Science: \$23K per year. APPLY KS JOB SERVICE, 552 State, KC, KS 66101. Refer to J0735731.

oftware

Discover a whole new dimension in professional growth at Computer Horizons Corp. Learn why we are among the top 15 software services firms in the country with a client list that includes numerous Fortune 500 leaders. Currently state-of-the-art projects include development of software modifications to meet specific client applications, as well as developing solutions to client problems relating to software computer design, evaluation and analysis

If your background includes experience in any of the following areas, we definitely have the opportunity for you.

HARDWARE:

DEC, Hewlett Packard, Wang, Z-80, IBM PC,

Tandem, Prime, Datapoint

SOFTWARE:

Unix*, Vax, RSX, DPL, Graphics, CAD/CAM

LANGUAGES:

"C", Pascal, Fortran Any Real Time Assemblers

Opportunities exist in our offices in New Jersey, New York, Chicago, Indiana, San Francisco, Denver, Cincinnati, and Detroit.

Our excellent salaries are above industry average with a superior benefits including health and dental insurance, unlimited tuition refund, relocation assistance and much, much more.

Please call or send your resume to:

Mr. Bob Pamieri, Vice President Personnel In New York Call (212) 371-9600 Outside Of New York Call (800) 847-4097



COMPUTER HORIZONS CORP.

747 Third Avenue, Department B 5/84 New York, NY 10017

An Equal Opportunity Employer M/F
*UNIX is a trademark product of Bell Labs

National **Business Employment** Weekly

Are you looking for a really good EDP position?

Start Your Job Hunt Right Here . . . with the National Business **Employment Weekly**

Every week, it includes hundreds of the best executive, managerial and professional positions available across the country. Jobs in every field, including data processing and virtually every area of technical expertise. Jobs at salaries from \$25,000 to \$250,000.


PLUS.... weekly editorial features covering every aspect of career advancement. Articles on writing resumes, interviewing, salary statistics, regional employment trends, and much more.

> LOOK FOR OUR SPECIAL OCTOBER 30TH "DATA PROCESSING" ISSUE WHICH WILL INCLUDE ADDITIONAL EDP OP-PORTUNITIES AND RELATED EDITORIAL

Pick up a copy of the National Business Employment Weekly at your newsstand today.

Or we'll send you the next 8 issues by first class mail. Just send a check for \$32.00 to:

National Business Employment Weekly Dept. MM 420 Lexington Ave., NY, NY 10170



Kennedy Company offers you opportunity based on 20 years of successful technological leadership. Our capability in developing and manufacturing trendsetting computer memory products can be part of your bright future.

In Products: From reel-to-reel tape peripherals to Winchester disk drives and format controls, Kennedy products span 24 to 360 megabytes.

In Integrated Manufacturing: We develop, design, test and manufacture all of our final products: printed circuit cards and magnetic read-write heads to sheet metal parts. This means our engineers have control of quality at every step and have flexibility and opportunity in design and prototyping.


In Immediate Opportunities:

Analog Engineers
Software Design Engineers
Manufacturing Engineers
ATE Engineers
Product Management
Mechanical Designer
Quality Engineers

In Affordable Living: Located 30 minutes east of downtown Los Angeles, we're surrounded by attractive, affordable residential locations which are near mountain and desert recreational areas and numerous college campuses.

In Benefits: We offer excellent compensation and a benefits package which includes a generous paid holiday/vacation schedule, continuing educational support, insurance and retirement plans, and relocation program.

Make the most of your career. Apply to Kennedy Company, Attn: Jill Salvo, 1600 Shamrock Ave., Monrovia, CA 91016. An Equal Opportunity Employer.





CIRCLE NO. 242 ON INQUIRY CARD

SOFTWARE SOURCE COMPUTER CONSOLES, Inc.

designs, develops, manufactures, markets, and services a variety of minicomputer-based **fault-tolerant** information systems. Headquartered in Rochester, New York, we have all the cultural and educational advantages of a large metropolitan area as well as the ambience and scenic beauty of a small, relaxed town.

CCI currently has immediate opportunities for:

Group Leaders/ Senior Software Engineers

You'll be responsible for the design and implementation of data base applications and utilities, or fault-tolerant operating system development including development of a multiprocessor UNIX-compatible transaction processing system.

We prefer a technical degree plus a minimum of 4 years' experience. Knowledge of C, UNIX, and data structures plus experience with data bases in a minicomputer Real Time or on-line environment and/or OS internals are also desired. We are willing to train otherwise qualified candidates with high level languages. U.S. citizenship or permanent residence is experienced.

*UNIX is a trademark of Bell Laboratories

We offer opportunities for growth plus attractive compensation and benefits including relocation. For immediate confidential consideration, please forward your resume including salary history to, or call:



T. M. Foley Computer Consoles, Inc. 97 Humboldt Street Rochester, New York 14609 (716) 482-5000 x2816

Equal Opportunity Employer M/F/H/V

CIRCLE NO. 243 ON INQUIRY CARD



Mini-Micro Systems


call or write:

Peggy Gordon Recruitment Manager

CAHNERS PUBLISHING CO. 8 Stamford Forum P.O. Box 10277 Stamford, CT 06904 (203) 328-2550

SOFTWARE & HARDWARE SYSTEMS CAREER OPPORTUNITIES

PROGRESS...The Only Constant In Leadership



Progress, the by-product of innovation, is an Intel tradition. This leadership quality is well documented on the components side. Now, we're putting that same tradition to work in the area of systems with advancements such as our super-powerful, supermicro system for OEMs, the 286/310, to date the most powerful we've ever made. When it comes to systems integration, we're out in front with our iDiS Database Information System. Our iTAPS Transaction Processing System handles up to 16 users and allows for the development of individual application software 50% faster.

While we have grown in size, strength and technology, we have not lost sight of the qualities that put us out in front. You will still find a highly charged atmosphere of discovery and mutual respect. We still place a high premium on finding people who have inquiring minds, strong technical skills, and the ability to adapt quickly to changing situations. If you're an engineer involved with

SOFTWARE EVALUATION, PRODUCT MARKETING, HARDWARE SYSTEMS, DIAGNOSTICS, CUSTOMER SERVICE, SYSTEMS SOFTWARE, CAD, PRODUCT EVALUATION, GRAPHICS, HIGH LEVEL LANGUAGES, OPERATING SYSTEMS, COMPILER, RELIABILITY, TECHNICAL MARKETING, or DATA BASE MANAGEMENT SYSTEMS, and want to see your work integrated into sophisticated new systems, let's talk.

Intel offers competitive compensation, advancement based on achievement, and the chance to work with some of the best minds in American industry. For consideration at Intel sites in Phoenix, AZ; Santa Clara, CA: Portland, OR; and Austin, TX, please direct your response to: Mike Gore, Intel Corporation, Dept. 8824, 2402 W. Beardsley Rd., Phoenix, AZ 85027. All inquiries will be answered promptly and held in strict confidence. An Equal Opportunity Employer M/F/H.



Hardware/Software/ Systems Opportunities at Northern Telecom in **New Hampshire**

Northeast Electronics designs and manufactures test systems and equipment for Northern Telecom, the largest supplier of fully digital telecommunications systems in the world. Our product line ranges from large computer-based systems to small portable instruments which find application in a multitude of areas including VF transmission testing, signaling and supervision testing, switching equipment testing, subscriber loop testing and repair service administration and PCM carrier testing.

Because of our expansion, career opportunities are excellent. But that's not all...lifestyle and standard of living in New Hampshire offer the best in recreational and cultural advantages. Together Northern Telecom and New Hampshire make a great career combination

Software Engineers - This is your opportunity to design microprocessor software for real-time control of data acquisition instruments. A BSCS or its equivalent and strong experience with Intel and/or DEC equipment are required. A working knowledge of one or more of the following is also necessary: RMX, PLM, or ICE.

Microprocessor Programmers - You will need Intel assembly language and PLM to provide maintenance of existing products. A BSCS preferred or equivalent degree plus 2 years' experience.

Senior Systems Engineers - Your responsibilities will include working with our Marketing division to evaluate competitive factors and user needs, as well as providing technical assistance to all design groups. You will also be responsible for definition and specification of new systems and instruments for maintenance of the telephone network. A BSEE degree and a strong background in electronics and/or software as applied to T-Carrier Signal Processing and/or Transmission Engineering are required

Systems Engineers - You will assist in functional and technical definition of a subsystem necessary to meet user needs. Your BSEE or BSCS and extensive experience in configuration of DEC hardware: PDP, VAX, and peripherals is required.

Senior Hardware Design Engineer - Put your creativity to work designing microcomputer-based instruments and systems. A BSEE plus extensive design experience in telecommunications, digital signal processing, and some software background is required; a MSEE is preferred. This position offers excellent advancement

We offer excellent salary and compensation package. Please send your resume to:

> **Manager Staffing** NORTHERN TELECOM NORTHEAST ELECTRONICS DIVISION P.O. Box 649 Concord, NH 03301

Agencies Respond In Writing Only An Equal Opportunity Employer M/F/V/H



We hire talent



CIRCLE NO. 245 ON INQUIRY CARD

COMPUTER

UNIX/C

We are currently recruiting for 35 Washington, D.C. and nationwide based client companies who are offering challenging positions for UNIX/C Computer Professionals. Positions exist in both Systems Software and Applications Software Development. Our clients are working in the State of the Art in the areas of data communications, office automatical LANS images processing and interactive graphics. mation, LANS, image processing and interactive graphics. Opportunities exist for professionals from entry level through Senior Systems Programmers with some positions in project and program management. A BS degree in CS, EE, Math or the equivalent plus at least 1 year of C programming experience is required. Knowledge of UNIX OS internals and Berkley UNIX a plus. For more information call or send your resume to:

> 800-336-3755 in VA call (703) 790-1284

STAFFING CONSULTANTS

8027 Leesburg Pike, Vienna VA 22180
ALL FEES PAID BY CLIENT COMPANIES

CIRCLE NO. 246 ON INQUIRY CARD

EMPLOYMENT SERVICE FOR PROGRAMMERS AND ANALYSTS

National Openings With Client Companies and Through Affiliated Agencies

Scientific and commercial applications . Software development and systems programming • Telecommunications • Control systems • Computer engineering . Computer marketing and support.

Call or send resume or rough notes of objectives, salary, location restrictions, education and experience (including computers, models, operating systems and languages) to either one of our locations. Our client companies pay all of our fees. We guide; you decide

RSVP SERVICES, Dept. MM Suite 700, One Cherry Hill Mall Cherry Hill, New Jersey 08002 (609) 667-4488

RSVP SERVICES, Dept. MM Suite 211, Dublin Hall 1777 Walton Road Blue Bell, Penna. 19422 (215) 629-0595

From outside New Jersey, call toll-free 800-222-0153

RSVP SERVICES

Employment Agents for Computer Professionals

CIRCLE NO. 247 ON INQUIRY CARD

Computer Consultants Corner

TKC

THE KEENAN CORPORATION

FCC 15J WE WROTE THE BOOK

"Digital Design for Interference Specifications'

• FCC/VDE & Static Retrofit and Testing · "Front End" Design Guidan

R. Kenneth Keenan, Ph.D.

8609 66th Street, N (813)544-2594

Pinellas Park, FL 33565

CIRCLE NO. 248

VAX / VMS **ON-SITE COURSES**

- Timeshare Users
- Real-Time Programmer

Mini & Micro Educ. Services Portland, Maine (800) 824-7888 Ext. M4573

CIRCLE NO. 249

6800/68000 EXPORTS


 Microprocessor hardware and software design • Industrial control specialists • Hierarchical software design methodology • Complete prototype facilities

CLIENTS INCLUDE: Sohio • Elgar • Schlumberger • Motorola • Gulf Oil • Carborundum • Renal Systems

Computer System Associates 7562 Trade St., San Diego, CA 92121 (619) 566-3911 CIRCLE NO. 250

> A small ad here will attract a lot of attention. For more information please call

(203) 328-2550



General Dynamics Data Systems Division helps shape the future of many significant programs at its major locations in San Diego, California; Fort Worth, Texas; and Norwich, Connecticut; as well as at satellite locations including Detroit, Michigan, and Pomona, California. We provide diverse support functions for such high-technology programs as the F-16 multimission fighter/attack aircraft, the M1 main battle tank, nuclear-powered submarines, and the entire family of cruise missiles. Throughout our division you'll find a variety of opportunities to apply your own scientific and engineering expertise

to create a more exciting future.

The Data Systems Division gives you the chance to join one of the most skilled teams in the industry today, and offers excellent salaries and benefits.

If you're interested in shaping your own future on our innovative support team, one of our opportunities listed below may be just right for you.

For immediate consideration, send your resume to the Vice President/Director at the Data Center of your choice.

PRODUCT SOFTWARE

- Bachelor's and/or Master's degree, and 3-8 years' experience.
- SKILLS: FORTRAN, JOVIAL, PASCAL, Ada, Assembly Languages, Applied Math, Data Bases, Operating Systems, Documentation (MIL Standards)
- **APPLICATIONS: Command & Control** Software (Guidance, Navigation, C3I, Display Systems, Executive & System Support Software), Mission Planning, Data Handling & Communication, Automatic Testing Equipment/ Simulations, Image Processing, **Estimation & Control Theory.**
- Embedded Systems: Real-Time Software.

CAD/CAM

- Bachelor's and/or Master's degree, and 3-8 years' experience.
- SKILLS: FORTRAN, Ada, Assembly Languages, IBM, CDC & VAX Operating Systems, Computational Geometry, Information Modeling & Data Dictionaries.
- APPLICATIONS: Turn-key Graphic Systems, Solid Modeling, Robotics, CNC-DNC, Real-Time Processing Control, Group Technology.
- CADAM, CAT/A, Computervision, SC/CARDS, Model 204, Systems Engineering, Group Management.

ENGINEERING SYSTEMS

- Bachelor's and/or Master's degree, and 3-8 years' experience.
- SKILLS: Simulation Languages, FORTRAN, COBOL & IBM Assembler, TSO, SPF, DISSPLA, RAMIS, Scientific Programming and Microcomputer experience.
- APPLICATIONS: Simulation, SLAM, Manufacturing, Operations Research, Image Processing, Graphics Application Development, Sneak Circuit Analysis, Program Marketing.

U.S. CITIZENSHIP REQUIRED Equal Opportunity Employer, M/F

EASTERN CENTER

GENERAL DYNAMICS

Data Systems Division

WESTERN CENTER P.O. Box 85808, Drawer 004 San Diego, CA 92138

CENTRAL CENTER P.O. Box 748, Drawer 004 Fort Worth, TX 76101

100 Winnenden Rd., Drawer 004 Norwich, CT 06360 CIRCLE NO. 251 ON INQUIRY CARD

CAREER OPPORTUNITIES... WE'RE CHANGING THE PACE OF BANKING!!!

ISC Systems Corporation, the leader in microprocessor-based terminal systems for the financial industry, has outstanding opportunities for **SOFTWARE AND HARDWARE PROFESSIONALS** to join our expanding Spokane operation.

We are seeking:

SOFTWARE ENGINEERS with 2-4 years' microprocessor experience preferably in assembly language.

BANKING APPLICATIONS SPECIALISTS with 4+ years' experience on credit systems, deposit systems, commercial lending systems and branch banking administration.

SOFTWARE DEVELOPMENT ENGINEERS with 5-7 years' microprocessor experience with operating systems, networks, data communications, languages and file-server.

INTERNATIONAL SOFTWARE SPECIALISTS with 4-5 years of software design experience, preferably using Z-80 assembler on financial applications. Commercial banking experience and data communications experience a definite plus.

SOFTWARE INSTRUCTORS with 2-4 years' experience developing and presenting technical courses to technical people. You must have software experience.

SENIOR DIGITAL DESIGN ENGINEERS with 5-7 years' designing with microprocessors for a high volume production environment. Must have project management experience.

PRODUCT SAFETY MANAGER with a BSEE or equivalent plus 5-10 years of experience in the computer industry. You will be responsible for EMI/RFI design and testing of modular microprocessor-based systems. You must have a strong background in VDE/FCC agency requirements.

COMPONENTS ENGINEERS with 3 - 5 years' components engineering experience in state-of-the-art microprocessing technology.

RELIABILITY ENGINEERS with 5+ years in micro design analysis, MTBF calculations and failure analysis.

TEST ENGINEERS with 5+ years' experience in product design and qualification testing.

ISC offers and excellent salary, extensive fringe benefits and plenty of room for advancement. To explore these unparalleled opportunities, please send your resume today to: **Bill Baumann.**



Classified Ads

inventions wanted

Inventors, Entrepreneurs, Product Promoters

wanted to display concepts at national technology trade show

Call: 1-800-528-6050 X831

CIRCLE NO. 225 ON INQUIRY CARD

publications

COMPUTER USER GROUP DIRECTORIES NOW AVAILABLE FOR MOST COMPUTERS!!!

APPLE - \$ 40.00 * TRS-80 -\$35.00
*ATARI - \$40.00 * IBM-PC -\$30.00
BUSINESS USERS - \$20.00 * CP/M
USERS - \$45.00 * GROUPS WITH NO
FEES - \$20.00 WRITE TODAY FOR OUR
CATALOG (ENCLOSE \$1.00 FOR
SHIPPING), BUSINESS APPLICATION
SYSTEMS, DEPT MMS, 1734 BARRY
AVENUE, LOS ANCELES, CA 90025

CIRCLE NO. 226 ON INQUIRY CARD

Copy Deadline:

Space reservations and advertising copy must be received by the 10th of the month preceding the issue date. Cameraready mechanicals must be received by the



Linda Lovett (617)536-7780

15th of the month preceding the issue date. For example, to appear in the February issue, copy must be received by January 10; mechanicals by January 15.

software

ENGINEERING SOFTWARE -Free flyer. PLOTPRO Scientific Graph Printing program (Two Y-axes, Linear/Log) \$52.95. ACNAP Fast AC Circuit Analysis \$52.95. SPP Linear/Non-Linear Signal Processing (FFT, LaPlace, etc.) \$62.95. CP/M-MSDOS-TRSDOS. CA add 6%. BVE, Box 3429 Riverside, CA 92519 (714)-781-0252

CIRCLE NO. 227 ON INQUIRY CARD

hardware

HEWLETT PACKARD Desktop CAD/CAM Computer Systems SAVINGS ON ALL

SAVINGS ON ALL SERIES 200/500 WORK STATIONS

9836S 9000 Non-HP memory 9020S 9826A and peripherals CALL OR WRITE FOR DISCOUNT PRICES

graphia systems aenter

Box 23051 Portland, OR 97223 USA 503-246-0202 International Sales Telex 360-143

CIRCLE NO. 228 ON INQUIRY CARD

software

MicroPERT®
Project Management
for Tektronix, IBM PC, XT
For information, call or write

SHEPPARD SOFTWARE COMPANY 4750 Clough Creek Rd. Redding, CA 96002 (916) 222-1553

CIRCLE NO. 229 ON INQUIRY CARD

IBM-PC - PLOT-10

PC-PLOT-III is an intelligent emulation of the Tektronix Model 4010 graphics terminal which runs on the IBM-PC. The program allows display and creation of picture files when connected to a host computer running PLOT-10 (tm) or compatible software. The user may save picture data files on a local diskette as they are received from the host. The program also includes local printer control, and a serial line debug mode. Utility programs included allow the drawing of a local picture data file on the screen, plotting it on a HP Model 7470A pen plotter, printing on a local printer, and scaling. VISA, MasterCard, checks, PO's accepted. \$95.00

MicroPlot Systems Co. 2151 East Dublin-Granville Rd. Suite 205 Columbus, OH 43229 614-882-4786

CIRCLE NO. 230 ON INQUIRY CARD

CLASSIFIED ADVERTISING ORDER FORM

Mini-Micro Systems classifieds reach more mini-micro people

Rates: \$80.00 per column inch (non-commissionable)

6x program earns 5% discount; 12x program earns 10% discount.

There is no charge for typesetting classified listings. Plan approximately 50 average words to a column inch, 8 lines of approximately 38 characters per line (3 inch maximum). Please send clean typewritten (double-spaced) copy.

Category: The following categories are available; be sure to specify the category you wish to be listed under: Business Opportunities, New Literature, Selling, Buying, Trading, Seminars, Services, Software, Supplies & Accessories. (Other categories may be employed at our discretion.)

Runthis ad in Ad size 1 col. wide by Check enclosed for \$	inches deep	Reader Inquiry No. YES Under	NO □ (category)	
Signature				
Name		Title	A MILE WAY	
Company		Telephone No		
Address				
City	Sta	ate	Zip	

MAIL TO: Linda L. Lovett, Classified Advertising, Mini-Micro Systems, 221 Columbus Ave., Boston, MA 02116

Mini-Micro MARKETPLACE

Products and services for the value-added market.

READERS: Please circle reader service numbers for additional information.

Like-new products



For free catalog, phone toll-free (800) **225-1008** In Massachusetts (617) **938-0900**

Genstar REI Sales Company

CIRCLE NO. 200 ON INQUIRY CARD



CIRCLE NO. 201 ON INQUIRY CARD



CALL NOW FOR BEST PRICES ON DEC COMPATIBLE WINCHESTER DISK SYSTEMS (707) 545-7778

DEC RL01/RL02 EMULATION USING 51/4" WINCHESTER DISKS

	301110	74 WHITEHILDILL DISKS	
10	Megabyte	(1RL01/2RL01)\$2,850	
15	Megabyte	(3RL01)	
20	Megabyte	(2RL02/4RL01)	
AD	Magabyta	(ARI 03) 3 900	

THE II CONNEXION
1815 Peterson Lane
Santa Rosa, CA 95401

DEC IS A REGISTERED TRADEMARK OF
DIGITAL EQUIPMENT CORPORATION, MAYNARD, MA

CIRCLE NO. 202 ON INQUIRY CARD



ADVANCED COMPUTER SYSTEMS: THE RSX-11M+ SPECIALISTS

ANNOUNCES THE ARRIVAL OF THE LSI-11/73 BASED CM-300/Q22 COMPUTER SYSTEMS WITH RSX-11M+ SUPPORTING SUPERVISOR-MODE LIBRARIES AND SEPARATE I AND D SPACE

CM-300/Q22 computer systems can now be configured with DEC'S NEW KDJ11 LSI-11/73 CPU, giving these systems 11/70 PERFORMANCE AT LSI-11 PRICES. CM-300/Q22 systems can be configured with up to 1200/MB of fixed Winchester disk, up to 4MB of main memory and up to 64 terminals. System back-up is provided by an industry standard 9 track 1/2" 1600 BPItape drive or a DEC RLO2. Optional software packages include accounts receivable/payable, payroll, general ledger, order entry, mailing list, FORTRAN 77, FMS-11 and BASIC +2.


An LSI-11/73 based 300MB system including RSX-11M+ license, media and documentation, with a VT220 terminal may be purchased for under \$24,000.

Call A.C.S. and let us configure a hardware/software solution for your specific problems.

ADVANCED COMPUTER SYSTEMS. Inc. 250 Prospect Street Waltham, Massachusetts 02154 617-894-3278

CIRCLE NO. 203 ON INQUIRY CARD

Simple Genius in Multibus* • Intel Trademark



Relax Now you can just hook up the terminal, plug in the system boards, turn on power, and you're up and running.

Series VI system chassis from CDL is the key to turn your design into reality.

CHEN DIGITAL LABORATORIES

Contact (206)881-5031

16718 NE 41st Street, Redmond, WA 98052

CIRCLE NO. 204 ON INQUIRY CARD

FREE CATALOG!

Features Precision Tools and Equipment for Computers



Jensen's new catalog features hard-to-find precision tools, tool kits, tool cases, test equipment and computer accessories used by sophisticated hobbyists, scientists, engineers, laboratories and government agencies. Call or write for your free copy today.

JENSEN TOOLS INC. 7815 S. 46th Street Phoenix, AZ 85040 (602) 968-6231

CIRCLE NO. 205 ON INQUIRY CARD

DON'T BLAME THE SOFTWARE!

Complete Hi-Tech Equipment Protection: Write for Free Catalog!

- Power line isolators
- Spike/surge suppressors
- Power line filter/ suppressors

 • Twist type socket
- protection
- Line voltage regulators
- Line conditioners Modem protectors



Electronic Specialists

171 S. Main, Natick, MA 01760 (617) 655-1532 Toll Free Order Desk 1-800-225-4876

CIRCLE NO. 206 ON INQUIRY CARD

M68000 DEVELOPMENT TOOLS FOR VAX/VMS*

MOTOROLA PASCAL → M68000		
optimizing cross-compiler	\$2	2995
M68000 relocatable macro		
cross-assembler	\$	995
M68000 cross object		
library builder	\$	595
M68000 cross-linker	\$	995
VMS ↔ VERSADOS†		
file transfer	\$	695

All products run in VAX native mode

Developed in cooperation with Motorola for guaranteed compatibility with EXORMACS/ VERSADOS† or your target hardware.

*tm Digital Equipment Corp. †tm Motorola



(415) 962-8080 Telex: 172933

CIRCLE NO. 209 ON INQUIRY CARD

UAP-LINK

File Transfer Software! Mix and Match -

Micros:

IBM PC and Compatibles DEC Rainbow and VT180 VICTOR 9000/SIRIUS PC

DEC RSX-11M, RSTS, RT TSX-PLUS and UNIX

Maxis:

DEC VAX VMS and UNIX IBM CMS and TSO

Unique Automation Products

15401 Redhill Ave., Suite G Tustin, CA 92680 (714) 730-1012

CIRCLE NO. 207 ON INQUIRY CARD

Uninterruptible Power Supply

Clean power is critical to the operation of Clean power is critical to the operation of computers, sensitive electronic equipment and telecommunication systems. The ICS, Inc. UPS systems assure uninterrupted operation with zero transfer time. Constant voltage output is maintained during severe line fluctuations or voltage drops. In addition, the UPS acts as a buffer between the AC line and the load at all times. Balkeries provided from 5 minutes to specified time. LIFELINE Series: 200VA, 600VA, 1 kVA, "E" Model: 2 kVA to 20 kVA, single phase. OEM inquiries invited



ELECTRO-PAC

520 INTERSTATE ADDISON, ILLINOIS 60101 TEL (312) 543-6200 TWX 910-991-5945 NCC Booth #A 1306

CIRCLE NO. 208 ON INQUIRY CARD

OMEGA **Your Source**

- **TEMPERATURE** HUMIDITY

- INTERFACING **SENSORS TO**

STRAIN **PRESSURE** YOUR COMPUTER

Call or Write Today for your FREE copies of the OMEGA Temperature Measurement and Control Handbook and Encyclopedia™, the OMEGA **Pressure and Strain Measurement** Handbook™, and the OMEGA Computer Interface Handbook.




(203) 359-1660

CIRCLE NO. 210 ON INQUIRY CARD

The Little Board Quantity One...

est and least expensive single board computer



- 4mHz Z80A[†] CPU, 64K RAM Two RS232 serial ports
- · Mini floppy controller
- · Parallel printer port
- · On-board -12V converter Only 5.75 × 7.75 inches Power Requirement: +5VDC @ .75A; +12VDC @ .05A
- Screws directly onto a mini floppy drive



and CP/M⁺⁺ 2.2 also!

67 East Evelyn Ave. ● Mountain View, CA 94041 ● (415) 962-0230

CIRCLE NO. 211 ON INQUIRY CARD

RS232 or 8 BIT PARALLEL MINI CASSETTE SYSTEM



- LOW COST \$388 @ 100 UNITS*
- Microprocessor Controlled
- >200K Bytes Formatted/Tape
- Variable Baud Rate (110-9600) Error Rate 1 in 10 to the 9th
- Small 3" x 3.5" x 5" W/O Case*

21 OTHER CARTRIDGE, CASSETTE, FLOPPY SYSTEMS WITH STORAGE TO 12 MEGABYTES Basic Drive with R/W Electronics Start at \$150

ANALOG & DIGITAL PERIPHERALS INC



815 Diana Drive Troy, Ohio 45373 513/339-2241 TWX 810/450-2685

Branch Off: Oklahoma City OK - Factory: Yucca Valley, CA

NCC @ BOOTH S5600 CIRCLE NO. 214 ON INQUIRY CARD

Promote New Literature

at a LOW

If you've got catalogs or literature, distribute them at a low cost in the MINI-MICRO MARKETPLACE.

> Call Lorraine Marden (617)536-7780

CIRCLE NO. 212 ON INQUIRY CARD



10 Mupac Drive, Brockton, MA 02401 Tel (617) 588-6110 TWX (710) 345-8458

CIRCLE NO. 213 ON INQUIRY CARD



TBASIC with GPIB and Graphic Extension

TBASIC is a new, portable, incrementally compiled language developed by TransEra to be compatible with Tektronix 4050A BASIC.

The major features of TBASIC are: advanced graphics, GPIB commands built-in, double precision and integer data types, expanded string handling statements, line labels for "structured programing," control structures with "clean" loop exits, dynamic string and array dimensioning, debug, trace, and error trapping, single step function key, user definable "soft" keys, automatic line numbering, built-in editor with special keys, instant syntax checking "shows" you errors, formatted listings with indented loops, prompts, device independent I/O, random and sequential data files, expanded PRINT using and IN-PUT using formats, and abbreviated key word entry.

TBASIC is available for MS-DOS, CP/M, UNIX, and VMS operating systems for computers including IBM PC, HP-150, Tektronix 4100 series and DEC VAX. Micro versions of TBASIC are \$795 and the VAX version is \$2000.

Call 801-224-6550 to order your copy of TBASIC.

TransEra Corporation 3707 North Canyon Rd., Bldg. 4 Provo, Utah 84604

CIRCLE NO. 159 ON INQUIRY CARD

Calendar

JUNE

- 13-15 PC-World Exposition, McCormick Place West, Chicago, sponsored by Mitch Hall Associates. Contact: Paul Belikove, Operations Manager, Mitch Hall Associates, P.O. Box 860, Westwood, Mass. 02090, (617) 329-8090. Also to be held on Oct. 3-5 in Market Hall, Dallas.
- 19-20 Office Automation Conference, New York, sponsored by The Yankee Group. Contact: Lisa Caruso, The Yankee Group, Seminar Director, 89 Broad St., Boston, Mass. 02110, (617) 542-0100. Also to be held on June 26-27 in San Francisco.
- 19-21 Third Canadian CAD/CAM & Robotics Exhibition & Conference, Toronto International Centre of Commerce, Toronto, sponsored by the Canadian Institute of Metalworking (CIM), the Computer and Automated Systems Association and Robotics International. Contact CIM, McMaster University, 1280 Main St. W., Hamilton, Ontario, (416) 528-2777.
- 19-21 Computerized Office Equipment Expo/Office Information Systems Conference (COEE/OIS'84) Rosemont, Ill., sponsored by Ruann International. Contact: Janet Schafer, Show Manager, Cahners Exposition Group. Cahners Plaza, 1350 E. Touhy Ave., P.O. Box 5060, Des Plaines, Ill. 60018, (312) 299-9311.
- 19-22 "State-of-the-Art Robot Systems" Course, Washington, sponsored by Integrated Computer Systems. Contact: Ruth Dordick, Integrated Computer Systems, 6305 Arizona Place, P.O. Box 45405, Los Angeles, Calif. 90045, (213) 417-8888 or (800) 421-8166. Also to be held on July 10-13 in Los Angeles and July 31-Aug. 3 in Boston.
- 26-29 "Computer Graphics" Course, Los Angeles, sponsored by Integrated Computer Systems. Contact: Ruth Dordick, Integrated Computer Systems, 6305 Arizona Place, P.O. Box 45405, Los Angeles, Calif. 90045, (213) 417-8888 or (800) 421-8166. Also to be held on July 24-27 in Palo Alto, Calif., and July 31-Aug. 3 in Washington.

JULY

- 9-12 1984 National Computer Conference, Las Vegas Convention Center, Las Vegas, Nev., sponsored by the American Federation of Information Processing Societies Inc., the Association for Computing Machinery, the Data Processing Management Association, the IEEE Computer Society and the Society for Computer Simulation. Contact: Ann-Marie Bartels, 1983 NCC, (703) 558-3613.
- 9-13 "Introduction to Interactive Computer Graphics" Course, Wang Institute of Graduate Studies, Tyngsboro, Mass., sponsored by the Wang Institute of Graduate Studies. Contact: Roberta Wesley, Coordi-

nator of Special Programs, Wang Institute of Graduate Studies, Tyng Road, Tyngsboro, Mass. 01879, (617) 649-9731.

- 15-18 1984 International SPSS Software Users Exchange (ISSUE) National Conference, Drake Hotel, Chicago, sponsored by ISSUE Inc. Contact: ISSUE '84 Program Chairman, ISSUE Inc., Suite 1970, 444 N. Michigan Ave., Chicago, Ill. 60611, (312) 329-2400.
- 19-21 Syntopican XII Office Automation/Information Systems Conference & Exposition, McCormick Place, Chicago, sponsored by the Association of Information Systems Professionals. Contact: Matt Smith, Case History Associates, (201) 361-0933.
- 23-25 Summer Computer Simulation Conference (SCSC '84), Boston, sponsored by Simulation Councils Inc. Contact: Charles Pratt, Simulation Councils Inc., P.O. Box 2228, La Jolla, Calif. 92038, (619) 459-3888.
- 23-27 SIGGRAPH '84 11th Annual Conference on Computer Graphics and Interactive Techniques, Minneapolis, sponsored by the Association for Computing Machinery's Special Interest Group on Computer Graphics, the IEEE Technical Committee on Computer Graphics, Eurographics, the Minneapolis College of Art & Design, the University of Minnesota and the Science Museum of Minnesota. Contact: Siggraph '84 Conference Office, 111 E. Wacker Drive, Chicago, Ill. 60601, (312) 644-6610.

AUGUST

- 6-7 "Micro/Personal Computers: State of the Art" Seminar, Chicago, sponsored by Digital Consulting Associates Inc. Contact: Software Institute of America Inc., 8 Windsor St., Andover, Mass. 01810, (617) 470-3380. Also to be held in Dallas on Aug. 9-10.
- 13-15 American Society of Mechanical Engineers (ASME) International "Computers in Engineering" Conference & Exhibit, Hilton Hotel, Las Vegas, Nev., sponsored by ASME. Contact: Mary S.H. Benedict, Exhibits Manager, or Eileen Dengler, Exhibits Administrator, ASME, United Engineering Center, 345 E. 47th St., 13M, New York, N.Y. 10017, (212) 705-7100.
- 13-17 "Database '84" Course, Wang Institute of Graduate Studies, Tyngsboro, Mass. sponsored by the Wang Institute of Graduate Studies. Contact: Roberta Wesley, Coordinator of Special Programs, Wang Institute of Graduate Studies, Tyng Road, Tyngsboro, Mass. 01879, (617) 649-9731.
- 15-16 Telecommunications Seminar, New York, sponsored by The Yankee Group. Contact: Lisa Caruso, Seminar Director, The Yankee Group, 89 Broad St., Boston, Mass. 02110, (617) 542-0100. Also to be held on Aug. 22-23 in San Francisco.

BOSTON

Robert K. Singer National Sales Manager Norma E. Lindahl Assistant To The National Sales Manager

John J. Fahey Regional Manager Katie Kress Sales Coordinator 221 Columbus Ave. Boston, MA 02116 (617) 536-7780

PHILADELPHIA

Stephen B. Donohue Regional Manager 999 Old Eagle School Rd. Wayne, PA 19087 (215) 293-1212

ATLANTA

Larry Pullman Regional Manager 6445 Powers Ferry Rd., Ste. 140 Atlanta, GA 30339 (404) 955-6500

CHICAGO

Robert D. Wentz Regional Manager Marianne Majerus Sales Coordinator Cahners Plaza 1350 E. Touhy Ave. P.O. Box 5080 Des Plaines, IL 60018 (312) 635-8800

DALLAS

Don Ward, Regional Manager 13740 Midway Suite 515 Dallas, TX 75234 (214) 980-0318

DENVER

John Huff Regional Manager 270 St. Paul St. Denver, CO 80206 (303) 388-4511

LOS ANGELES

Len Ganz Regional Manager 12233 West Olympic Blvd. Los Angeles, CA 90064 (213) 826-5818

ORANGE COUNTY

Debra Huisken Regional Manager 2041 Business Center Dr. Suite 109 Irvine, CA 92715 (714) 851-9422

SAN FRANCISCO

Frank Barbagallo Regional Manager Rick Jamison Regional Manager Janet Ryan Regional Manager Laura Obradovic Sales Coordinator Sherman Building, Suite 1000 3031 Tisch Way San Jose, CA 95128 (408) 243-8838

AUSTRIA

Elan Marketing Group Neutor g. 2 P.O. Box 84 1010 Vienna, Austria Tel: 43-222-663012 or -638461

BENELUX

Elan Marketing Group Boschdijk 199 B 5612 HB Eindhoven The Netherlands Tel: 32-40-455724

ISRAEL

Elan Marketing Group 13 Haifa St., P.O. Box 33439 Tel Aviv, Israel Tel: 972-3-252967 or -268020 Telex: 341667

JAPAN

Tomoyuki Inatsuki General Manager Trade Media Japan Inc. R. 212 Azabu Heights 1-5-10 Roppongi Minato-ku, Tokyo 106 Japan Tel: (03) 587-0581

UNITED KINGDOM

Elan Marketing Group 5th Floor, Suite 10 Chesham House 136 Regent St. London W1R5FA Tel: 437 6900 Telex: 261653

SWEDEN

Elan Marketing Group Humlegardsgatan Nr. 5 11446 Stockholm, Sweden Tel: 46-8-677243 or -676243

WEST GERMANY

Elan Marketing Group Sudring 53 7240 Norb/Neckar, West Germany Tel: 49-7451-7828

Mini-Micro Marketplace Lorraine Marden-Komar 221 Columbus Ave. Boston, MA 02116 (617) 536-7780

Direct-Response Postcards Carol Anderson 221 Columbus Ave. Boston, MA 02116 (617) 536-7780

Career Opportunities
Peggy Gordon
Recruitment Advertising
Manager
P.O. Box 10277
8 Stamford Forum
Stamford, CT 06904
(203) 328-2550

Cahners Magazine Division J.A. Sheehan, President William Platt Executive Vice President Tom Dellamaria VP/Production Ira Siegel, VP/Research

Promotion Staff
Susan Rapaport
Marketing Communications
Director
Wendy Whittemore
Promotion Coordinator
Mary Gregory
Promotion Coordinator
Liz Phillips
Promotion Assistant


Circulation Denver, CO: (303) 388-4511 Sherri Gronli Group Manager

Advertisers Index

Able Computer	Genicom	Pertec Peripherals Corp 241 Pioneer Research
96-97	Systems Div 5, 112-113	Plexus Computers 106
Advanced Color Technology 115	Hamilton/Avnet	Priam138-139
Amyln Corp	Electronics 1, 100, 195	Printek Corp88
Ampex Corp., Memory Product	Heurikon Corp	Pyramid Technology26-27
Div88B-88C, 222-223	Hewlett-Packard54-55, 297	Qantex (Div. of North Atlantic
Applied Information Memories . 206	Houston Instrument Div. of	Ind.)
Archive Corp188-189	Bausch & Lomb144	Quadram Crop
Atron	IBC/Integrated Business	Qume
AT&T Technologies, Inc 198-199	Computers	Rair Microcomputer
BDT Products Inc	Ibex Computers Corp	Rapitech Systems
C. Itoh Electronics	IBM Corp	Rixon Inc
Calcoma 28 20 255	Illbruck/USA4	Rodime
Callon Data Systems	IMI (International Memories Inc.)	Seagate Technology 102-103
Cambridge Digital Systems (Div	Imperial Technology Inc 184	Seiko Instruments USA
Cambridge Digital Systems (Div. of Compumart) 87	Infoscribe	Star Micronics, Inc
Canon U.S.A	Intel	SyQuest Technology 109
Century Data Systems (a Xerox	Interactive Systems 132-133	Syte Information Technology Inc.37
Co.)	lomega Corp	Tab Products
Chas-Moore Inc	JMI Software Consultants 196	Tandberg Data Inc
Chrislin Industries, Inc	Kel Inc	Tandon Corp 266-267
Chromatics Inc	Kennedy Co	TEAC Corp. of America 252
CIE Systems 49	Kimtron	Telebyte Technology 299
CIE Terminals	Lanpar Technologies Inc217	Teletek
Cincom Systems 79, 186-187	Lear Siegler Inc 10-11	TeleVideo Systems Inc 143
Cipher Data Products, Inc 152	Liebert Corp281	Telex Computer Products Inc 127
Codex Corp	Lockheed Corp	Terminals Unlimited64-65
Cogito Systems Corp213	Logical Business Machine 75	Texas Instruments Inc 50-51
Commerce Tours207	Macrolink	Topaz Electronics Div 150
CompuPro	Madzar Corp	TransEra
Control Data Corp.—Engineering	Mannesmann Tally88G	Trendata Corp
Services	Marcsoftware Int. Inc	Trilog, Inc
Control Data Corp.—OEM 131	Maxell Computer Products Div. 193	Tulin
Craig Data Cable	Maxtor Corp	Ungermann-Bass234
Creative Micro Systems 124	MDB Systems inc	Unisoft Systems
Cromemco Inc	Megatak Corp	Unitronix
Cynthia Peripherals 88F, 236 Daisy Systems	Megatek Corp	Universal Data Systems Inc 271 Vectrix
Data General Corp	Micom Systems Inc	Versatec Inc., A Xerox Co 224
Dataproducts 4, 278	Micro Computer Memories Inc 67	Vertex Peripherals 208
Dataram	Micro Peripherals Co 123	Visual Technology
Datasouth Computer Corp 147	Microsoft	Western Digital 71, 92-93
Data Systems Design Inc 22	Micro-Term	Winterhalter146
Data 3 Systems Inc	Mini-Micro Systems74, 96, 194, 260	Wyse Technology 59, 228
Davidge Corp123	Mitsubishi Electronic America . 170	Xebec
Delta Airlines247	Mostek Corp 60-61, 164-165	Xylogics, Inc
Digital Engineering 105	Multi Solutions53	Zaisan
Digital Equipment Corp 262-263	Navtel70	Zetaco Div. of Custom Systems
DriveTec200-201	NCR118-119	Inc78
Dysan Corp	NEC Peripherals 121, 276-277	Zilog Inc
Emulex Corp 38-39, 235	Network Products	See P. 313 for Classified
Floating Point Systems 76-77	Novell Data Systems	Advertisers See P. 306-312 for Career Oppor-
Formaster Corp	Okidata Corp	tunity Advertisers
Fujitsu America Inc	Oriental Motor USA	See P. 314-315 for Mini-Micro
deneral Optionics103	1 613y3t 140-149	Marketplace

This index is provided as an additional service. The publisher does not assume any liability for errors or omissions.

The whole page:



Now you see it.

Now you don't.

The CIT-500 has a screen that doesn't screen out half the page.

You get full page display.

It's because the user-friendly CIT-500 monitor is designed like a page. Vertically. The screen measures 11 inches high by 9 inches wide, giving you up to 64 lines of data. (A regular screen gives you only 24 lines, less than half a page.)

When you can see the whole page all at once, it makes data entry

and filling in forms so much faster and easier.

Full-page display also makes the CIT-500 ideal for word processing and text editing, because what you see is what you get when you print out.

And the ergonomics of the CIT-500 don't stop there.

The monitor tilts and swivels. The screen is non-glare and all surfaces are non-reflective. The detached keyboard tilts and, with its

six-foot coiled extension cord, is easily moved for operating convenience.

The CIT-500 is DEC VT100® compatible, downline loadable for multiple character fonts and is able to create special fonts and symbols.

It also has an intelligent, programmable printer port—a perfect link to our CIE-3500 Serial Printer.

All in all, the CIT-500 is all you could want in a terminal. Want to see more of it? Just write or call. CIE Terminals, 2505

McCabe Way, Irvine, CA 92714-6297 (714) 660-1421. Or call toll free 1-800-854-5959. In California, call 1-800-432-3687.



[®] DEC VT100 is a Registered Trademark of Digital Equipment Corp.

© 1984 CIE Terminals, Inc.

Want to turn your point-to-point data communications lines into a real switched network?

There's a new kind of product which can do just that for your minicomputer data communications links. Called the Micro860 "Concentrator Switch," it interconnects up to eight data concentrator sites to allow any terminal on one of the concentrators to access any other terminal or port in the network.

Do your minicomputer terminals need access to a local computer for some processing *and* to a remote mini for other applications? The Micro860 supports

Local and Remote Switching

— without tying up network resources for local accesses. Or would you like to force larger numbers of terminals into

Contention

for smaller numbers of expensive computer ports? The Concentrator Switch handles that and manages *queueing* too. And to cut down on the time a user spends in the queue, it also performs

Class Name Addressing

for connecting a terminal to the first available member of a set of similar resources by class *name* (like "TS" for the

first available time-sharing port). Incidentally, this also makes it perfect for

Fall-Back Switching

which can be performed automatically without moving a single cable.

But there's more, including

Centralized Management

for troubleshooting, collecting network operating statistics, changing channel configuration parameters remotely, and so on, plus

Increased Savings on Lines

because a Micro860 network, with its multiple concentrators, can deliver a higher level of data concentration than a single concentrator can.

And because the Concentrator Switch is a member of MICOM's Micro800/2 ("Orange Box") family, it can bring you all of this at about the price of a concentrator.

Want to concentrate on making your communications links more intelligent? Call or send today for a set of brochures describing the Micro860 and its applications!



MICOM SYSTEMS, Inc. • 20151 Nordhoff Street • Chatsworth, CA 91311 • Telephone (805) 583-8600 • TWX 910/494-4910
Regional Sales/Service • Atlanta, GA • (404) 435-2999 • Boston, MA • (617) 527-4010 • Chicago, IL • (312) 789-2430
Dallas, TX • (214) 258-0774 • St. Louis, MO • (314) 576-7626 • Teaneck, NJ • (201) 836-4000
MICOM-BORER Ltd. • Bel Court • 15 Cradock Road • Reading, Berkshire RG20JT, England • (0734) 866801 • Telex 847135